

Service Manual



Colour LCD Television

**TX-32LM70FA
TX-32LM70LA
TX-32LM70PA
TX-26LM70FA
TX-26LM70LA
TX-26LM70PA
TX-R32LM70A
TX-R26LM70A**

GLP21MA Chassis

Specifications

(Information in brackets [] refers to model 26'')

Power Source:	220-240V AC, 50Hz	AV2 IN	Video (21 pin)	1V p-p 75Ω
Power Consumption:	121 [92W]		Audio (21 pin)	500mV rms 10kΩ
Stand-by Power Consumption:	1W		RGB (21 pin)	0,7V p-p 75Ω
Aerial Impedance:	75Ω unbalanced, Coaxial Type	AV2 OUT	S-video IN (21-pin)	Y: 1V p-p 75Ω
Receiving System:	PAL-B/G/I, D/K, SECAM B/G, D/K, L/L' PAL-525/60 (AV only) M.NTSC (AV only) NTSC (AV only)		C:0,3V p-p 75Ω	
Receiving Channels:	VHF E2-E12 VHF A-H (ITALY) VHF R3-R5 UHF E21-E69 CATV S1-S10 (M1-M10) CATV S21-S41 (Hyperband)	AV3 IN	Video (21 pin)	1V p-p 75Ω
	VHF H1-H2 (ITALY) VHF R1-R2 VHF R6-R12		Audio (21 pin)	500mV rms 1kΩ
	CATV (S01-S05)		S-Video IN (4-pin)	Y: 1V p-p 75Ω
	CATV S11-S20 (U1-U10)		Audio (RCAx2)	C:0,3V p-p 75Ω
			Video (RCAx1)	500mV rms 10kΩ
				1V p-p 75Ω
Operating Conditions:	Temperature: 5°C ÷ 35°C Humidity: 5% ÷ 90% RH (non-condensing)	HDMI1,HDMI2	Type A Connector	
		COMPONENT YUV	Video (RCAx3)	Y:1V p-p 75Ω
			Pr: ±0,35V[p-p] 75Ω	Pb: ±0,35V[p-p] 75Ω
		AUDIO IN	Audio (RCAx2) (for YUV, HDMI1)	500mV rms 10kΩ
		AUDIO OUT	Audio (RCAx2)	500mV rms 1kΩ
Intermediate Frequency:		LCD screen:	L5EDD8Q00036 [L5EDD6Q00027] 1366 x 768 XGA, 16:9 Visible Diagonal 800mm [660mm]	
Video/Audio		Audio Output:	2x10W RMS 8Ω impedance	
Video	38,9MHz, 33,9MHz	Headphones:	3,5mm, 8Ω Impedance	
Audio	33,4MHz (B/G), 33,16MHz (A2) 33,05MHz (NICAM B/G, D/K, L) 32,4MHz (D/K), 32,66MHz (CZ STEREO) 40,4MHz (L'), 39,75MHz (L'NICAM), 32,35MHz,32,9MHz (NICAM)	Accessories supplied :	Remote Control 2 x R6 (UM3) Batteries	
Colour	34,47MHz (PAL) 34,5MHz, 34,65MHz (SECAM) 38,3MHz, 38,15MHz (SECAM L')	Dimensions:	Height: 615mm [525mm] Width: 791mm [657mm] Depth: 248mm [216mm]	
Terminals:				
AV1 IN	Video (21 pin) 1V p-p 75Ω Audio (21 pin) 500mV rms 10kΩ RGB (21 pin) 0,7V p-p 75Ω	Including TV stand		
AV1 OUT	Video (21 pin) 1V p-p 75Ω Audio (21 pin) 500mV rms 1kΩ	TV set only	563mm [473mm] 791mm [657mm] 107mm [107mm]	
		Net weight:	16kg [12,5kg]	

Specifications are subject to change without notice.
Weights and dimensions shown are approximate.

Contents

SAFETY PRECAUTIONS	3	BLOCK DIAGRAMS.....	12
GENERAL GUIDE LINES.....	3	PARTS LOCATION.....	15
TOUCH – CURRENT CHECK.....	3	REPLACEMENT PARTS LIST.....	16
PREVENTION OF ELECTROSTATIC DISCHARGE (ESD) TO ELECTROSTATICALLY SENSITIVE (ES) DEVICES	4	SCHEMATIC DIAGRAMS.....	28
ABOUT LEAD FREE SOLDER (PBF).....	5	A-BOARD (1 OF 5) SCHEMATIC DIAGRAM	29
SUGGESTED PB FREE SOLDER.....	5	A-BOARD (2 OF 5) SCHEMATIC DIAGRAM	30
SERVICE HINTS	6	A-BOARD (3 OF 5) SCHEMATIC DIAGRAM	31
CHASSIS BOARD LAYOUT	7	A-BOARD (4 OF 5) SCHEMATIC DIAGRAM	32
LOCATION OF LEAD WIRING	7	A-BOARD (5 OF 5) SCHEMATIC DIAGRAM	33
SETTING INSPECTION.....	8	B-BOARD SCHEMATIC DIAGRAM	34
SELF-CHECK	9	H-BOARD SCHEMATIC DIAGRAM	35
ADJUSTMENT METHOD	10	K-BOARD SCHEMATIC DIAGRAM	36
WIRING DIAGRAM.....	11	P-BOARD SCHEMATIC DIAGRAM	37
		V-BOARD SCHEMATIC DIAGRAM	38
		CONDUCTOR VIEWS	39

Safety Precautions

General Guide Lines

1. When servicing, observe the original lead dress. If a short circuit is found, replace all parts which have been overheated or damaged by the short circuit.
2. After servicing, see to it that all the protective devices such as insulation barriers, insulation papers shields are properly installed.
3. After servicing, make the following touch current checks to prevent the customer from being exposed to shock hazards.
4. Always ensure panel TKP0E16001 is correctly replaced before returning to customer (see Fig.1).



Fig. 1

Touch-Current Check

1. Plug the AC cord directly into the AC outlet. Do not use an isolation transformer for this check.
2. Connect a measuring network for touch currents between each exposed metallic part on the set and a good earth ground such as a water pipe, as shown in Fig. 2.
3. Use Leakage Current Tester (Simpson 228 or equivalent) to measure the potential across the measuring network.
4. Check each exposed metallic part, and measure the voltage at each point.
5. Reserve the AC plug in the AC outlet and repeat each of the above measure.
6. The potential at any point (TOUCH CURRENT) expressed as voltage U_1 and U_2 , does not exceed the following values:
For a. c.: $U_1 = 35$ V (peak) and $U_2 = 0.35$ V (peak);
For d. c.: $U_1 = 1.0$ V,


Note:

The limit value of $U_2 = 0.35$ V (peak) for a. c. and $U_1 = 1.0$ V for d. c. correspond to the values 0.7 mA (peak) a. c. and 2.0 mA d. c.

The limit value $U_1 = 35$ V (peak) for a. c. correspond to the value 70 mA (peak) a. c. for frequencies greater than 100 kHz.

7. In case a measurement is out of the limits specified, there is a possibility of a shock hazard, and the equipment should be repaired and rechecked before it is returned to the customer.

Measuring network for TOUCH CURRENTS



NOTE – Appropriate measures should be taken to obtain the correct value in case of non-sinusoidal waveforms

Fig. 2

Prevention of Electrostatic Discharge (ESD) to Electrostatically Sensitive (ES) Devices

Some semiconductor (solid state) devices can be damaged easily by static electricity. Such components commonly are called Electrostatically Sensitive (ES) Devices. Examples of typical ES devices are integrated circuits and some field-effect transistors and semiconductor "chip" components. The following techniques should be used to help reduce the incidence of component damage caused by electrostatic discharge (ESD).

1. Immediately before handling any semiconductor component or semiconductor-equipped assembly, drain off any ESD on your body by touching a known earth ground. Alternatively, obtain and wear a commercially available discharging ESD wrist strap, which should be removed for potential shock reasons prior to applying power to the unit under test.
2. After removing an electrical assembly equipped with ES devices, place the assembly on a conductive surface such as aluminum foil, to prevent electrostatic charge build up or exposure of the assembly.
3. Use only a grounded-tip soldering iron to solder or unsolder ES devices.
4. Use only an anti-static solder removal device. Some solder removal devices not classified as "anti-static (ESD protected)" can generate electrical charge sufficient to damage ES devices.
5. Do not use freon-propelled chemicals. These can generate electrical charges sufficient to damage ES devices.
6. Do not remove a replacement ES device from its protective package until immediately before you are ready to install it. (Most replacement ES devices are packaged with leads electrically shorted together by conductive foam, aluminum foil or comparable conductive material).
7. Immediately before removing the protective material from the leads of a replacement ES device, touch the protective material to the chassis or circuit assembly into which the device will be installed.

Caution

Be sure no power is applied to the chassis or circuit, and observe all other safety precautions.

8. Minimize bodily motions when handling unpackaged replacement ES devices. (Otherwise harmless motion such as the brushing together of your clothes fabric or the lifting of your foot from a carpeted floor can generate static electricity (ESD) sufficient to damage an ES device).

IMPORTANT SAFETY NOTICE

There are special components used in this equipment which are important for safety. These parts are marked by  in schematic diagrams, exploded views and replacement parts list. It is essential that these critical parts should be replaced with manufacturer's specified parts to prevent shock, fire, or other hazards. Do not modify the original design without permission of manufacturer.

About lead free solder (PbF)

Note: Lead is listed as (Pb) in the periodic table of elements.

In the information below, Pb will refer to Lead solder, and PbF will refer to Lead Free Solder.

The Lead Free Solder used in our manufacturing process and discussed below is (Sn+Ag+Cu).

That is Tin (Sn), Silver (Ag) and Copper (Cu) although other types are available.

This model uses Pb Free solder in it's manufacture due to environmental conservation issues. For service and repair work, we'd suggest the use of Pb free solder as well, although Pb solder may be used.
PCBs manufactured using lead free solder will have the PbF within a leaf Symbol

 stamped on the back of PCB.

Caution

- Pb free solder has a higher melting point than standard solder. Typically the melting point is 50 ~ 70 °F (30~40°C) higher. Please use a high temperature soldering iron and set it to 700 ± 20 °F (370 ± 10 °C).
- Pb free solder will tend to splash when heated too high (about 1100 °F or 600 °C). If you must use Pb solder, please completely remove all of the Pb free solder on the pins or solder area before applying Pb solder. If this is not practical, be sure to heat the Pb free solder until it melts, before applying Pb solder.
- After applying PbF solder to double layered boards, please check the component side for excess solder which may flow onto the opposite side. (see Fig.3)




Fig.3

Suggested Pb free solder

There are several kinds of Pb free solder available for purchase. This product uses Sn+Ag+Cu (tin, silver, copper) solder. However, Sn+Cu (tin, copper), Sn+Zn+Bi (tin, zinc, bismuth) solder can also be used. (see Fig.4)




Fig.4

Service Hints

How to remove the Pedestal assembly

Lay the main unit face down. (see Fig.5)




Fig.5

Remove the 4 fixing screws and the pedestal assembly. (see Fig.6)




Fig.6


How to remove the backcover

Remove the 16[14] fixing screws. (see Fig.7)



Fig.7


Chassis Board Layout



Board Name	Function
A-Board	Main Board
B-Board	Tuner
H-Board	AV3 Terminal
Key Control	Key Control
K-Board	Mains Input, Power Switch
P-Board	Power Supply
V-Board	Remote Receiver, LED IR, Bats

Location of Lead Wiring

To find the Part Number of required wire in Replacement Parts List click on the wire name in red box.



Setting Inspection

Voltage Confirmation

Confirm the following voltages:			
A board	Test point	Normal mode	
		Position	Voltage
	TP3800	Connector A7, pin 20	13,8V ± 0,7V
	TP3806	Connector A7, pin 8	23,9V±0,5V
	TP3810	Connector A7, pin 12	23,9V ± 0,5V
	TP3811	Q3800, +pin	3,3V ± 0,3V
	TP3802		5,05V ± 0,25V
	TP3812	D3802, -pin	8,2± 0,5V
	TP3801	IC3801, pin1	9V ± 0,9V
	TP3805		13,8V ± 0,7V
	TP3815	D3819, -pin	30V ± 2V
		Standby mode	
	TP3813	C3801, pin	5V ± 0,5V
	TP3804	C3808, +pin	3,3V ± 0,2V
	TP3803	C3818, +pin	1,8± 0,1V
 P board			
		Normal mode	
	TP833	Connector P2, pin 8	23,9V ± 0,5V
	TP830	Connector P2, pin 9	24,2V ± 0,5V
	TP832	Connector P2, pin 20	13,8V ± 0,7V
	TP830	Connector P2, pin 12	23,9V ± 0,5V
		Standby mode	
	TP833	Connector P2, pin 8	24,2V± 0,5V
	TP830	Connector P2, pin 9	<10V

Self Check

Self-check is used to automatically check the bus lines and hexadecimal code of the TV set. To enter Self-Check mode, keep pressing the **STATUS**  button on the remote control and press the down (-/v) button on the TV set. To exit Self Check, switch off the TV set at the power button.

TX-32LM70FA	Panasonic 2007LCD Self Check Complete	SW V1.12 E2 V02	TX-32LM70LA	Panasonic 2007LCD Self Check Complete	SW V1.12 E2 V02
	E2 O.K. VCTP O.K. AVSW O.K. TUN O.K. HDMI O.K. Chassis 21 Model 01 Size 32 VCTP B3	E2CRC 33 OPTION 1 0F OPTION 2 00 OPTION 3 B9 OPTION 4 11 OPTION 5 00 OPTION 6 45 OPTION 7 FD OPTION 8 D8 OPTION 9 00 OPTION 10 00 OPTION 11 13 OPTION 12 20 OPTION 13 1C CHECK 42		E2 O.K. VCTP O.K. AVSW O.K. TUN O.K. HDMI O.K. Chassis 21 Model 04 Size 32 VCTP B3	E2CRC A3 OPTION 1 0D OPTION 2 00 OPTION 3 39 OPTION 4 10 OPTION 5 00 OPTION 6 45 OPTION 7 3C OPTION 8 58 OPTION 9 00 OPTION 10 40 OPTION 11 13 OPTION 12 28 OPTION 13 0C CHECK B6
TX-32LM70PA	Panasonic 2007LCD Self Check Complete	TV V1.12 E2 V02	TX-26LM70FA	Panasonic 2007LCD Self Check Complete	TV V1.12 E2 V02
	E2 O.K. VCTP O.K. AVSW O.K. TUN O.K. HDMI O.K. Chassis 21 Model 02 Size 32 VCTP B3	E2CRC 61 OPTION 1 0F OPTION 2 00 OPTION 3 B9 OPTION 4 11 OPTION 5 00 OPTION 6 45 OPTION 7 FD OPTION 8 58 OPTION 9 00 OPTION 10 00 OPTION 11 13 OPTION 12 20 OPTION 13 1C CHECK C2		E2 O.K. VCTP O.K. AVSW O.K. TUN O.K. HDMI O.K. Chassis 21 Model 05 Size 26 VCTP B3	E2CRC C3 OPTION 1 0F OPTION 2 00 OPTION 3 B9 OPTION 4 11 OPTION 5 00 OPTION 6 45 OPTION 7 FD OPTION 8 D8 OPTION 9 00 OPTION 10 00 OPTION 11 13 OPTION 12 40 OPTION 13 1C CHECK 62
TX-26LM70LA	Panasonic 2007LCD Self Check Complete	TV V1.12 E2 V02	TX-R26LM70A	Panasonic 2007LCD Self Check Complete	TV V1.12 E2 V02
	E2 O.K. VCTP O.K. AVSW O.K. TUN O.K. HDMI O.K. Chassis 21 Model 08 Size 26 VCTP B3	E2CRC F1 OPTION 1 0D OPTION 2 00 OPTION 3 39 OPTION 4 10 OPTION 5 00 OPTION 6 45 OPTION 7 3C OPTION 8 58 OPTION 9 00 OPTION 10 40 OPTION 11 13 OPTION 12 48 OPTION 13 0C CHECK D6		E2 O.K. VCTP O.K. AVSW O.K. TUN O.K. HDMI O.K. Chassis 21 Model 06 Size 26 VCTP B3	E2CRC 00 OPTION 1 0F OPTION 2 00 OPTION 3 B9 OPTION 4 11 OPTION 5 00 OPTION 6 45 OPTION 7 FD OPTION 8 58 OPTION 9 00 OPTION 10 00 OPTION 11 13 OPTION 12 40 OPTION 13 1C CHECK E2
TX-R32LM70A	Panasonic 2007LCD Self Check Complete	TV V1.12 E2 V02	TX-R26LM70A	Panasonic 2007LCD Self Check Complete	TV V1.12 E2 V02
	E2 O.K. VCTP O.K. AVSW O.K. TUN O.K. HDMI O.K. Chassis 21 Model 17 Size 32 VCTP B3	E2CRC A1 OPTION 1 0F OPTION 2 00 OPTION 3 B9 OPTION 4 11 OPTION 5 00 OPTION 6 45 OPTION 7 FD OPTION 8 58 OPTION 9 00 OPTION 10 00 OPTION 11 13 OPTION 12 20 OPTION 13 1C CHECK C2		E2 O.K. VCTP O.K. AVSW O.K. TUN O.K. HDMI O.K. Chassis 21 Model 06 Size 26 VCTP B3	E2CRC 94 OPTION 1 0F OPTION 2 00 OPTION 3 B9 OPTION 4 11 OPTION 5 00 OPTION 6 45 OPTION 7 FD OPTION 8 58 OPTION 9 00 OPTION 10 00 OPTION 11 13 OPTION 12 40 OPTION 13 1C CHECK E2

Display	Ref. No.	Description	P.C.B.
E2	IC1120	EAROM	A-Board
VCTP	IC1501	AUDIO VIDEO TEXT PROCESSOR	A-Board
AVSW	IC1501	AV SWITCH	A-Board
TUN	TU001	TUNER	B-Board
HDMI	IC1503	HDMI	A-Board

If the CCU ports have been checked and found to be incorrect or not located then " - - " will appear in place of "O.K.".

Adjustment Method

How to enter Service 1

- Set the Bass to maximum position, set the Treble to minimum position then keep pressing the **INDEX** button on the remote control and press the down button (**-/v**) on the TV set, this will place the TV set into the Service Mode 1.

Key Command

- Press the **RED / GREEN** buttons to step up / down through the functions.
- Press the **YELLOW / BLUE** buttons to alter the function values, to alter White Rasters use **+-** buttons
- Press the **OK** button after each adjustment has been made to store the required values.
- To exit the Service Mode, press the "**N**" button.

Keep adjusting sequence: DVCO, Sub-Contrast, other items.

Item	Setting indication Note: All setting values are approximate	Settings / Special features										
Sub-Contrast	Sub-Contrast 32	Receive a 80% white level Philips Pattern with correct sound system (B/G, D/K) via aerial input. For Sub-Contrast alignment press " Blue " button, wait until the figure colour is changed from red to black colour. Press the OK .										
DVCO	DVCO 63	Receive a 80% white level Philips Pattern via aerial input. For DVCO alignment press " Blue " button, wait until the figure colour is changed from red to black colour. Press the OK .										
Highlight Lowlight	<table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td>High</td> <td>12</td> <td>0410</td> <td>0410</td> <td>0410</td> </tr> <tr> <td>Low</td> <td>4</td> <td>0064</td> <td>0064</td> <td>0064</td> </tr> </table>	High	12	0410	0410	0410	Low	4	0064	0064	0064	For correct setting see White Balance Adjustment
High	12	0410	0410	0410								
Low	4	0064	0064	0064								
Sub-Brightness	Sub-Brightness 0	Optimum setting.										

White Balance Adjustment

Instrument

- Remote Control
- LCD WB meter (Minolta CA-210 or equivalent)

Condition

- Switch on the TV Set. Enter Service1. Step down to Highlight line and keep the aging time more than 20 minutes.

Procedure


- After aging time above set White Raster No.12 for Highlight and No.4 for Lowlight to store.

High	12
Low	4

 Press the **OK** button
- Put Minolta Sensor to the center of the LCD Panel with 25mm gap between Minolta Sensor and LCD Panel. Adjust "x" and "y" values by changing Red and Blue values.
- Press **OK** button to store setting.


Item	Value	
Highlight	x	2850±150
	y	2940±150
Lowlight	x	2860±150
	y	2900±150

Wiring diagram




Video & Stereo Audio Block Diagram


12



Power Supply Block Diagram




Control Block Diagram



Parts Location

NOTE:

The numbers on the exploded view below refer to the exploded view section of the Replacement Parts List.



Replacement Parts List

Important Safety Notice

Components Identified by  mark have special characteristics important for safety.

* When replacing any of these components, use only manufacturers specified parts.

In case of ordering these spare parts, please always add the complete Model-Type number to your order.

RTL (Retention Time Limited)

Note: The marking (RTL) indicates that the Retention Time is Limited for this item. After the discontinuation of this assembly in production, the item will continue to be available for a specific period of time. The retention period of availability is dependent on the type of assembly, and in accordance with the laws governing part and product retention. After the end of this period, the assembly will no longer be available.

 The marking (X) indicates that board should be exchanged for service.

Cct Ref	Parts Number	Description
COMMON PARTS		
EXPLODED VIEW		
1	EAS12S11F	SPEAKER
2	ENGF7701GF	TUNER
3	EUR7651030A	REMOTE CONTROL
4	K0RB00500013	KEY BUTTON MODULE
5	TBMA216-1	PANASONIC BADGE
6	TKP0E16001	CONNECTOR COVER
7	TKZ0E9901	WALL MOUNT METAL
8	TMW0E107-2	TUNER COVER
9	TMX0E410-2	CHASSIS FRAME
10	TNP0EB009AA	B P.C.B.
11	TNP0EH009AA	H P.C.B.
12	TNP0EK009AA	K P.C.B.
13	TNP0EP009AC	P P.C.B.
14	TNP0EV009AA	V P.C.B.
15	TTP0E0020	POWER BUTTON ASSY
MISCELLANEOUS COMPONENTS		
	J0KF00000018	FERRITE CORE
	J0KG00000100	FERRITE CORE
	R6RC/2P	BATTERY
	TBM0E0703	AV3 LABEL
	TBM0E0885-1	REAR AV LABEL
	TKP0E17904	IR WINDOW
	TMK0E938-1	WALL MOUNT BARRIER
	TMM8E18048	TAB-RELEASE CABLE
	XTB4+15JFJK	SCREW
	XTV3+8JFJK	SCREW
	XTW3+12TFJ	SCREW
	XYN3+J8FJ	SCREW
	XYN4+F10FJ	SCREW
I.C.s		
IC251	C1BB00000998	AUDIO AMPLIFIER
IC252	C1BB00000998	AUDIO AMPLIFIER
IC270	C0AAZB000001	HEADPHONE AMPLIFIER
IC800	C0DACLH00001	MAIN PS CONTROL
IC830	C0DBEMC00044	REGULATOR
IC863	C0EBH0000298	VOLTAGE DETECTING IC
IC1220	C0JBAS000215	LOGIC IC
IC1380	C0FBBK000047	D/A CONVERTER
IC1381	BA15218FDXE2	OP-AMPLIFIER
IC1500	C0EBE0000120	I.C. RESET
IC1501	VCT6973B3A00	VCT IC

Cct Ref	Parts Number	Description
IC3300	AN15862A-VT	AUDIO SWITCH
IC3800	C0DBAMH00018	REGULATOR
IC3801	XC6365D105MR	1.8V REGULATOR
IC3802	C0DBAJH00016	5V REGULATOR
IC3803	C0DBAH00034	REGULATOR
IC5000	C0DBFFD00003	1.8V REGULATOR
IC5001	C3EBDC000067	2KBIT EEPROM
IC5002	C3EBDC000067	2KBIT EEPROM
IC5003	C1AB00002848	HDMI RECEIVER
PC800	B3PAA0000363	PHOTO COUPLER
PC801	B3PAA0000363	PHOTO COUPLER
PC1060	B3JB00000026	PHOTO COUPLER
RM1050	PNA4701M05TV	LED RECEIVER
FUSES		
F100	ERBSE2R00U	MICRO CHIP FUSE
F800	K5D502BNA007	AC FUSE
F830	K5G2523A0003	FS LINK
F831	K5G2523A0003	FS LINK
DIODES		
D270	MA22D3900L	DIODE
D271	MA22D3900L	DIODE
D272	1N4148WS	DIODE
D273	MA22D3900L	DIODE
D274	MA22D3900L	DIODE
D275	1N4148WS	DIODE
D301	1N4148WS	DIODE
D800	B0HAGV000004	DIODE
D803	B0HAGV000004	DIODE
D804	B0HAMM000146	DIODE
D805	B0EBNT000016	DIODE
D808	05NU42TPA2Q	DIODE
D809	B0HAGV000004	DIODE
D810	B0BA01000069	DIODE
D811	B0EAKT000019	DIODE
D828	MA2160LFS	DIODE
D830	B0HAKM000011	DIODE
D831	YG868C10RF91	DIODE
D832	YG868C10RF91	DIODE
D833	B0ACCK000005	DIODE
D835	B0ACCK000005	DIODE
D836	B0ACCK000005	DIODE
D837	B0ACCK000005	DIODE
D838	B0BA02600018	ZENER DIODE
D839	MA2160LFS	DIODE
D840	B0JCPE000028	DIODE
D841	B0JCPE000028	DIODE
D1051	B3CKE0000007	DIODE
D1062	UDZSTE178.2B	DIODE

Cct Ref	Parts Number	Description
D1101	MA24D5000B	DIODE
D1102	MA24D5000B	DIODE
D1201	MA2J72800L	DIODE
D1700	B0ACCK000005	DIODE
D3800	USF5G49TE16Q	DIODE
D3801	UDZSTE176.2B	DIODE
D3802	1N4148WS	DIODE
D3803	MA24D5000B	DIODE
D3804	MAZ81500ML	DIODE
D3805	MAZ81500ML	DIODE
D3806	B0HCMM000014	DIODE
D3807	B0HCMM000014	DIODE
D3808	MA24D5000B	DIODE
D3809	B0HCMM000014	DIODE
D3810	MA24D5000B	DIODE
D3811	MA22D3900L	DIODE
D3812	B0ACCK000005	DIODE
D3813	MAZ80510ML	ZENER DIODE
D3816	UDZSTE176.2B	DIODE
D3817	B0BC9R1A0006	DIODE
D3818	B0ACCK000005	DIODE
D3819	B0ACCK000005	DIODE
D3820	B0ACCK000005	DIODE
D3822	B0ACCK000005	DIODE
D5000	MA22D3900L	DIODE
D5001	B0ACCK000005	DIODE
D5003	MA22D3900L	DIODE
D5004	B0ACCK000005	DIODE
D5006	MAZ30560ML	DIODE
D5007	MAZ30560ML	DIODE
D5010	EZJZ0V80008B	VARISTOR
D5011	EZJZ0V80008B	VARISTOR
D5012	EZJZ0V80008B	VARISTOR
D5013	EZJZ0V80008B	VARISTOR
D5016	EZJZ0V80008B	VARISTOR
D5017	EZJZ0V80008B	VARISTOR
D5018	EZJZ0V80008B	VARISTOR
D5019	EZJZ0V80008B	VARISTOR
D5020	EZJZ0V80008B	VARISTOR
D5021	EZJZ0V80008B	VARISTOR
D5022	EZJZ0V80008B	VARISTOR
D5023	EZJZ0V80008B	VARISTOR
D5024	EZJZ0V80008B	VARISTOR
D5025	EZJZ0V80008B	VARISTOR
D5026	EZJZ0V80008B	VARISTOR
D5027	EZJZ0V80008B	VARISTOR
D5028	EZJZ0V80008B	VARISTOR
D5029	EZJZ0V80008B	VARISTOR
D5030	EZJZ0V80008B	VARISTOR
D5031	EZJZ0V80008B	VARISTOR
D5032	B0ACCK000005	DIODE
D5033	B0ACCK000005	DIODE
D5034	B0ACCK000005	DIODE
D5035	B0ACCK000005	DIODE
D5036	B0ACCK000005	DIODE
D5037	B0ACCK000005	DIODE
D5038	B0ACCK000005	DIODE
TRANSISTORS		
Q122	BC847B	TRANSISTOR
Q123	BC847B	TRANSISTOR
Q250	BC847B	TRANSISTOR
Q254	BC847B	TRANSISTOR
Q270	BC857B	TRANSISTOR
Q271	BC857B	TRANSISTOR
Q272	BC857B	TRANSISTOR
Q273	BC847B	TRANSISTOR
Q274	BC847B	TRANSISTOR

Cct Ref	Parts Number	Description
Q275	BC847B	TRANSISTOR
Q276	BC847B	TRANSISTOR
Q277	BC847B	TRANSISTOR
Q801	BC847B	TRANSISTOR
Q802	BC847B	TRANSISTOR
Q830	B1CGRD000002	TRANSISTOR
Q831	BC847B	TRANSISTOR
Q832	BC847B	TRANSISTOR
Q833	BC847B	TRANSISTOR
Q834	BC847B	TRANSISTOR
Q1100	2N7002T	TRANSISTOR
Q1101	2N7002T	TRANSISTOR
Q1207	2SC584500L	TRANSISTOR
Q1208	2SC584500L	TRANSISTOR
Q1209	2SC584500L	TRANSISTOR
Q1212	BC847B	TRANSISTOR
Q1213	BC857B	TRANSISTOR
Q1214	BC857B	TRANSISTOR
Q1217	BC847B	TRANSISTOR
Q1221	BC847B	TRANSISTOR
Q1222	BC847B	TRANSISTOR
Q1229	BC847B	TRANSISTOR
Q1230	BC847B	TRANSISTOR
Q1231	BC847B	TRANSISTOR
Q1232	BC847B	TRANSISTOR
Q1380	BC847B	TRANSISTOR
Q1700	BC847B	TRANSISTOR
Q1701	B1DHED000013	TRANSISTOR
Q1721	2N7002T	TRANSISTOR
Q2301	BC857B	TRANSISTOR
Q2302	BC857B	TRANSISTOR
Q2303	BC857B	TRANSISTOR
Q2304	BC847B	TRANSISTOR
Q2305	BC847B	TRANSISTOR
Q3201	BC857B	TRANSISTOR
Q3202	BC857B	TRANSISTOR
Q3204	BC847B	TRANSISTOR
Q3205	BC847B	TRANSISTOR
Q3800	2SD10300SL	TRANSISTOR
Q3801	BC847B	TRANSISTOR
Q3802	B1DHED000013	TRANSISTOR
Q3803	B1DHDC000028	TRANSISTOR
Q3804	BC847B	TRANSISTOR
Q3805	B1DHCC000024	TRANSISTOR
Q3806	2SD10300SL	TRANSISTOR
Q3807	BC847B	TRANSISTOR
Q3808	BC847B	TRANSISTOR
Q3809	BC847B	TRANSISTOR
Q3810	BC847B	TRANSISTOR
Q3811	BC857B	TRANSISTOR
Q3812	BC847B	TRANSISTOR
Q5000	B1MBACA00008	TRANSISTOR
Q5001	2SK122800L	TRANSISTOR
Q5002	2N7002T	TRANSISTOR
Q5003	B1MBACA00008	TRANSISTOR
Q5004	2SK122800L	TRANSISTOR
Q5005	2N7002T	TRANSISTOR
Q5007	2N7002T	TRANSISTOR
Q5008	2N7002T	TRANSISTOR
Q5009	2SC584500L	TRANSISTOR
Q5010	2SC584500L	TRANSISTOR
Q5011	2SC584500L	TRANSISTOR
Q5012	2SC584500L	TRANSISTOR
TRANSFORMERS		
T800	ETS42BJ1L6AD	TRANSFORMER
COILS		
L100	EXCELSA35T	COIL



Cct Ref	Parts Number	Description
L101	ELJFC2R2KFB	COIL
L102	ELJFC2R2KFB	COIL
L103	G0A100GA0013	COIL TALL08T100KA
L121	G0C6R8JA0021	COIL TALV35VB6R8J
L122	TALV35VB100K	COIL
L201	G1C470MA0188	COIL
L202	G1C470MA0188	COIL
L250	J0JHC0000034	COIL
L251	J0JHC0000034	COIL
L252	J0JHC0000034	COIL
L253	J0JHC0000034	COIL
L800	G0A553G00001	PFC COIL
L801	EXCELSA39V	COIL
L802	EXCELSA39V	COIL
L830	ELC10D100E	CHOKE COIL
L831	G0C6R8MA0058	COIL
L832	EXCELSA39V	COIL
L833	EXCELSA39V	COIL
L1100	ELJFC2R2KFB	COIL
L1101	ELJFC2R2KFB	COIL
L1380	J0JHC0000045	COIL BLM18PG121SN1D
L1381	ELJPA1R0MF	COIL
L1500	TALV35VB100K	COIL
L1501	G0A100GA0013	COIL TALL08T100KA
L1502	TALV35VB100K	COIL
L1503	TALV35VB100K	COIL
L1504	TALV35VB100K	COIL
L1505	G0A100GA0013	COIL TALL08T100KA
L1506	TALV35VB100K	COIL
L1507	TALV35VB100K	COIL
L1509	TALV35VB100K	COIL
L1514	G0A100GA0013	COIL TALL08T100KA
L1515	G0A100GA0013	COIL TALL08T100KA
L1518	J0JHC0000078	COIL
L1519	J0JHC0000078	COIL
L1520	J0JHC0000078	COIL
L3021	ELJFCR68KFB	COIL
L3022	ELJFCR68KFB	COIL
L3023	ELJFCR68KFB	COIL
L3024	ELJFCR68KFB	COIL
L3025	ELJFCR68KFB	COIL
L3026	ELJFCR68KFB	COIL
L3028	J0JCC0000241	INDUCTOR
L3600	ELJFA6R8KFB	COIL
L3601	ELJFA6R8KFB	COIL
L3800	G0A220ZA0041	COIL
L3801	ELL6SH100ME	COIL
L3802	ELLATV6R8N	COIL
L3803	J0JJC0000015	COIL
L3804	J0JJC0000015	COIL
L5000	J0JHC0000045	COIL BLM18PG121SN1D
L5001	J0JHC0000045	COIL BLM18PG121SN1D
L5002	J0JHC0000045	COIL BLM18PG121SN1D
L5003	J0JHC0000034	COIL
L5004	J0JHC0000034	COIL
L5005	J0JHC0000034	COIL
L5006	J0JHC0000034	COIL
L5007	J0JHC0000045	COIL BLM18PG121SN1D
L5008	J0JHC0000045	COIL BLM18PG121SN1D
L5010	J0JHC0000045	COIL BLM18PG121SN1D
L5012	J0JHC0000045	COIL BLM18PG121SN1D
L5013	J0JCC0000166	COIL
FILTERS		
LF800	G0B253G00007	LINE FILTER
LF802	G0B253G00007	LINE FILTER
CRYSTALS		
X1500	AI202504E	CRYSTAL

Cct Ref	Parts Number	Description
X5000	H0J283500018	CRYSTAL
RESISTORS		
JA10	ERJ12Y0R00	SMD - - 0 Ω
JA90	ERJ6GEY0R00	S.M.CARB 0.1W - - 0 Ω
JSA276	ERJ3GEY0R00	SMD 0.1W - - 0 Ω
JSA330	ERJ3GEY0R00	SMD 0.1W - - 0 Ω
R104	ERJ6GEYJ101	S.M.CARB 0.1W 5% 100 Ω
R105	ERJ6GEYJ101	S.M.CARB 0.1W 5% 100 Ω
R106	ERJ6GEYJ101	S.M.CARB 0.1W 5% 100 Ω
R121	ERJ3GEY0R00	SMD 0.1W - - 0 Ω
R123	ERJ3GEY0R00	SMD 0.1W - - 0 Ω
R124	ERJ6GEYJ223	S.M.CARB 0.1W 5% 22K Ω
R125	ERJ3GEYJ103	SMD 0.1W 5% 10K Ω
R126	ERJ3GEYJ272	SMD 0.1W 5% 2K7 Ω
R129	ERJ3GEY0R00	SMD 0.1W - - 0 Ω
R130	ERJ3GEYJ332	SMD 0.1W 5% 3K3 Ω
R131	ERJ3GEYJ681V	SMD 0.1W 5% 680 Ω
R132	ERJ3GEYJ101	SMD 0.1W 5% 100 Ω
R133	ERJ3GEYJ102	SMD 0.1W 5% 1K Ω
R134	ERJ6GEY0R00	S.M.CARB 0.1W - - 0 Ω
R135	ERJ3GEYJ471	SMD 0.1W 5% 470 Ω
R201	ERJ3GEYJ222	SMD 0.1W 5% 2K2 Ω
R202	ERJ3GEYJ473V	S.M.CARB 0.1W 5% 47K Ω
R203	ERJ3GEYJ105	SMD 0.1W 5% 1M Ω
R204	ERJ3GEYJ102	SMD 0.1W 5% 1K Ω
R205	ERJ3GEYJ392V	S.M.CARB 0.1W 5% 3K9 Ω
R206	ERJ6GEY0R00	S.M.CARB 0.1W - - 0 Ω
R207	ERJ3GEYJ102	SMD 0.1W 5% 1K Ω
R208	ERJ3GEYJ101	SMD 0.1W 5% 100 Ω
R209	ERJ3GEYJ222	SMD 0.1W 5% 2K2 Ω
R210	ERJ6GEYJ100	S.M.CARB 0.1W 5% 10 Ω
R211	ERJ8GEYJ153	SMD 0.25W 5% 15K Ω
R213	ERJ6GEYJ223	S.M.CARB 0.1W 5% 22K Ω
R214	ERJ6GEYJ103	S.M.CARB 0.1W 5% 10K Ω
R215	ERJ3GEYJ222	SMD 0.1W 5% 2K2 Ω
R216	ERJ3GEYJ473V	S.M.CARB 0.1W 5% 47K Ω
R217	ERJ3GEYJ105	SMD 0.1W 5% 1M Ω
R218	ERJ3GEYJ102	SMD 0.1W 5% 1K Ω
R219	ERJ3GEYJ392V	S.M.CARB 0.1W 5% 3K9 Ω
R220	ERJ6GEY0R00	S.M.CARB 0.1W - - 0 Ω
R221	ERJ3GEYJ102	SMD 0.1W 5% 1K Ω
R222	ERJ3GEYJ101	SMD 0.1W 5% 100 Ω
R223	ERJ3GEYJ222	SMD 0.1W 5% 2K2 Ω
R224	ERJ6GEYJ100	S.M.CARB 0.1W 5% 10 Ω
R225	ERJ8GEYJ153	SMD 0.25W 5% 15K Ω
R228	ERJ6GEYJ473	S.M.CARB 0.1W 5% 47K Ω
R229	ERJ6GEYJ473	S.M.CARB 0.1W 5% 47K Ω
R241	ERJ6GEY0R00	S.M.CARB 0.1W - - 0 Ω
R242	ERJ6GEY0R00	S.M.CARB 0.1W - - 0 Ω
R243	ERJ6GEY0R00	S.M.CARB 0.1W - - 0 Ω
R244	ERJ6GEY0R00	S.M.CARB 0.1W - - 0 Ω
R246	ERJ3GEY0R00	SMD 0.1W - - 0 Ω
R250	ERJ3GEYJ103	SMD 0.1W 5% 10K Ω
R251	ERJ3GEYJ103	SMD 0.1W 5% 10K Ω
R252	ERJ3GEYJ103	SMD 0.1W 5% 10K Ω
R254	ERJ3GEYJ473V	S.M.CARB 0.1W 5% 47K Ω
R258	ERJ3GEY0R00	SMD 0.1W - - 0 Ω
R265	ERJ3GEYJ471	SMD 0.1W 5% 470 Ω
R266	ERJ3GEYJ471	SMD 0.1W 5% 470 Ω
R267	ERJ3GEYJ104V	S.M.CARB 0.1W 5% 100K Ω
R268	ERJ3GEYJ104V	S.M.CARB 0.1W 5% 100K Ω
R272	ERJ3GEYJ102	SMD 0.1W 5% 1K Ω
R273	ERJ3GEYJ102	SMD 0.1W 5% 1K Ω
R274	ERJ3GEYJ562	SMD 0.1W 5% 5K6 Ω
R275	ERJ6GEYJ681	S.M.CARB 0.1W 5% 680 Ω
R276	ERJ6GEYJ681	S.M.CARB 0.1W 5% 680 Ω
R277	ERJ3GEYJ102	SMD 0.1W 5% 1K Ω

Cct Ref	Parts Number	Description			
R278	ERJ3GEYJ332	SMD	0.1W	5%	3K3 Ω
R279	ERJ3GEYJ332	SMD	0.1W	5%	3K3 Ω
R280	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R281	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R282	ERJ6RBD103V	SMD	0.1W	0.5	10K Ω
R283	ERJ6RBD103V	SMD	0.1W	0.5	10K Ω
R284	ERJ6GEYJ473	S.M.CARB	0.1W	5%	47K Ω
R285	ERJ6RBD103V	SMD	0.1W	0.5	10K Ω
R286	ERJ6GEYJ473	S.M.CARB	0.1W	5%	47K Ω
R287	ERJ6GEYJ473	S.M.CARB	0.1W	5%	47K Ω
R288	ERJ6RBD103V	SMD	0.1W	0.5	10K Ω
R289	ERJ6GEYJ473	S.M.CARB	0.1W	5%	47K Ω
R290	ERJ6GEYJ472	S.M.CARB	0.1W	5%	4K7 Ω
R291	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R292	ERJ3GEYJ332	SMD	0.1W	5%	3K3 Ω
R295	ERJ3GEYJ222	SMD	0.1W	5%	2K2 Ω
R299	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R303	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R800	ERC12ZGK105V	CARBON	0.5W	10%	1M Ω ▲
R801	ERDS1FJ224T	CARBON	0.5W	5%	220K Ω
R803	ERDS1FJ224T	CARBON	0.5W	5%	220K Ω
R804	ERJ6GEYJ222	S.M.CARB	0.1W	5%	2K2 Ω
R808	ERJ6GEYJ563	S.M.CARB	0.1W	5%	56K Ω
R809	ERJ6GEYJ103	S.M.CARB	0.1W	5%	10K Ω
R810	ERJ6GEYJ102	S.M.CARB	0.1W	5%	1K Ω
R813	ERJ6ENF1002	SMD	0.125	1%	10K Ω
R814	ERJ6ENF1002	SMD	0.125	1%	10K Ω
R815	ERDS1TJ100	CARBON	0.5W	5%	10 Ω
R816	ERG1DJ244E	ANTI-PUL	1W	5%	240K Ω
R817	ERG3FJ470	METAL	3W	5%	47 Ω
R820	D0XB106J0003	RESISTOR	1W	5%	10M Ω ▲
R821	ERJ6GEYJ273	S.M.CARB	0.1W	5%	27K Ω
R833	ERJ6GEYJ103	S.M.CARB	0.1W	5%	10K Ω
R834	ERJ6GEYJ103	S.M.CARB	0.1W	5%	10K Ω
R837	ERJ6GEYJ102	S.M.CARB	0.1W	5%	1K Ω
R838	ERJ6GEYJ104	S.M.CARB	0.1W	5%	100K Ω
R839	ERJ6GEYJ104	S.M.CARB	0.1W	5%	100K Ω
R840	ERJ6GEYJ274	S.M.CARB	0.1W	5%	270K Ω
R841	ERJ6GEYJ274	S.M.CARB	0.1W	5%	270K Ω
R842	ERJ6GEYJ682	S.M.CARB	0.1W	5%	6K8 Ω
R843	ERJ6GEYJ472	S.M.CARB	0.1W	5%	4K7 Ω
R844	ERJ6RBD822	SMD	0.1W	0.5	8K2 Ω
R845	ERJ6RBD303	SMD	0.1W	0.5	30K Ω
R846	ERJ6RBD432	SMD	0.1W	0.5	4K3 Ω
R847	ERJ6GEYJ273	S.M.CARB	0.1W	5%	27K Ω
R848	ERJ6GEYJ103	S.M.CARB	0.1W	5%	10K Ω
R849	ERJ6GEYJ102	S.M.CARB	0.1W	5%	1K Ω
R850	ERJ6GEYJ104	S.M.CARB	0.1W	5%	100K Ω
R851	ERJ6GEYJ222	S.M.CARB	0.1W	5%	2K2 Ω
R852	ERJ6GEYJ683	S.M.CARB	0.1W	5%	68K Ω
R853	ERJ6GEYJ101	S.M.CARB	0.1W	5%	100 Ω
R854	ERJ6GEYJ101	S.M.CARB	0.1W	5%	100 Ω
R856	ERJ6GEYJ101	S.M.CARB	0.1W	5%	100 Ω
R857	ERJ6GEYJ103	S.M.CARB	0.1W	5%	10K Ω
R880	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R881	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R886	ERJ6GEYJ471	S.M.CARB	0.1W	5%	470 Ω
R888	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R890	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R894	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R1055	ERJ6GEYJ103	S.M.CARB	0.1W	5%	10K Ω
R1056	ERJ6GEYJ470	S.M.CARB	0.1W	5%	47 Ω
R1061	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1062	ERJ3GEYJ271V	S.M.CARB	0.1W	5%	270 Ω
R1063	ERJ3GEYJ271V	S.M.CARB	0.1W	5%	270 Ω
R1102	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1103	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R1104	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω

Cct Ref	Parts Number	Description			
R1105	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R1106	ERJ3GEYJ822	SMD	0.1W	5%	8K2 Ω
R1107	ERJ3GEYJ822	SMD	0.1W	5%	8K2 Ω
R1110	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R1111	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R1113	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R1120	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1121	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1122	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R1123	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R1124	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R1125	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R1126	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R1142	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R1143	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1216	ERJ3GEYJ474	SMD	0.1W	5%	470K Ω
R1220	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R1223	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R1224	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R1225	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R1233	ERJ3GEYJ473V	S.M.CARB	0.1W	5%	47K Ω
R1234	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R1235	ERJ3GEYJ273	SMD	0.1W	5%	27K Ω
R1236	ERJ6GEYJ472	S.M.CARB	0.1W	5%	4K7 Ω
R1237	ERJ6GEYJ472	S.M.CARB	0.1W	5%	4K7 Ω
R1238	ERJ3GEYJ224V	S.M.CARB	0.1W	5%	220K Ω
R1239	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R1249	ERJ3GEYJ225	SMD	0.1W	5%	2M2 Ω
R1250	ERJ3GEYJ333V	SMD	0.1W	5%	33K Ω
R1251	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R1252	ERJ3GEYJ683	SMD	0.1W	5%	68K Ω
R1256	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R1257	ERJ3GEYJ223V	S.M.CARB	0.1W	5%	22K Ω
R1263	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R1264	ERJ3GEYJ473V	S.M.CARB	0.1W	5%	47K Ω
R1265	ERJ3GEYJ225	SMD	0.1W	5%	2M2 Ω
R1266	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R1267	ERJ3GEYJ224V	S.M.CARB	0.1W	5%	220K Ω
R1268	ERJ3KEF2702V	SMD	0.1W	1%	27K Ω
R1269	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R1270	ERJ3GEYJ221	SMD	0.1W	5%	220 Ω
R1271	ERJ3GEYJ223V	S.M.CARB	0.1W	5%	22K Ω
R1272	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R1295	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R1296	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R1297	ERJ3GEYJ334	SMD	0.1W	5%	330K Ω
R1298	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R1299	ERJ3GEYJ563V	S.M.CARB	0.1W	5%	56K Ω
R1301	ERJ3GEYJ563V	S.M.CARB	0.1W	5%	56K Ω
R1302	ERJ3GEYJ561	SMD	0.1W	5%	560 Ω
R1303	ERJ3GEYJ331	SMD	0.1W	5%	330 Ω
R1304	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R1305	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R1377	ERJ2GEJ330X	SMD	0.063W	5%	33 Ω
R1378	ERJ2GEJ330X	SMD	0.063W	5%	33 Ω
R1379	ERJ2GEJ330X	SMD	0.063W	5%	33 Ω
R1380	ERJ6GEYJ102	S.M.CARB	0.1W	5%	1K Ω
R1381	ERJ6GEYJ103	S.M.CARB	0.1W	5%	10K Ω
R1382	ERJ2GE0R00X	SMD	0.063W	-	0 Ω
R1383	ERJ2GEJ473X	SMD	0.063W	5%	47K Ω
R1384	ERJ2GEJ473X	SMD	0.063W	5%	47K Ω
R1385	ERJ2GEJ103X	SMD	0.063W	5%	10K Ω
R1386	ERJ2GEJ103X	SMD	0.063W	5%	10K Ω
R1387	ERJ3GEYJ203V	SMD	0.1W	5%	20K Ω
R1388	ERJ3GEYJ333V	SMD	0.1W	5%	33K Ω
R1389	ERJ3GEYJ203V	SMD	0.1W	5%	20K Ω
R1390	ERJ3GEYJ223V	S.M.CARB	0.1W	5%	22K Ω
R1391	ERJ3GEYJ333V	SMD	0.1W	5%	33K Ω

Cct Ref	Parts Number	Description			
R1392	ERJ3GEYJ223V	S.M.CARB	0.1W	5%	22K Ω
R1393	ERJ2GEJ102X	SMD	.063W	5%	1K Ω
R1395	ERJ2GEJ102X	SMD	.063W	5%	1K Ω
R1397	ERJ2GEJ101X	SMD	.063W	5%	100 Ω
R1398	ERJ2GEJ101X	SMD	.063W	5%	100 Ω
R1500	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1501	ERJ8GEYJ750	SMD	0.25W	5%	75 Ω
R1502	ERJ6GEYJ750	S.M.CARB	0.1W	5%	75 Ω
R1503	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1504	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1505	ERJ3GEYJ123	SMD	0.1W	5%	12K Ω
R1506	ERJ3GEYJ123	SMD	0.1W	5%	12K Ω
R1507	ERJ8GEYJ750	SMD	0.25W	5%	75 Ω
R1509	ERJ3GEYJ750	SMD	0.1W	5%	75 Ω
R1510	ERJ3GEYJ750	SMD	0.1W	5%	75 Ω
R1512	ERJ6GEYJ750	S.M.CARB	0.1W	5%	75 Ω
R1513	ERJ3GEYJ302V	SMD	0.1W	5%	3K Ω
R1514	ERJ6GEYJ750	S.M.CARB	0.1W	5%	75 Ω
R1515	ERJ3GEYJ302V	SMD	0.1W	5%	3K Ω
R1516	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1517	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1518	ERJ6GEYJ750	S.M.CARB	0.1W	5%	75 Ω
R1521	EXB2HV101JV	SMD	.063W	5%	100 Ω
R1526	ERJ3GEYJ750	SMD	0.1W	5%	75 Ω
R1527	ERJ3GEYJ750	SMD	0.1W	5%	75 Ω
R1528	ERJ6GEYJ750	S.M.CARB	0.1W	5%	75 Ω
R1529	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1530	ERJ3GEYJ273	SMD	0.1W	5%	27K Ω
R1531	ERJ6GEYJ750	S.M.CARB	0.1W	5%	75 Ω
R1532	ERJ6GEYJ750	S.M.CARB	0.1W	5%	75 Ω
R1533	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1536	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R1537	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1540	EXB38V101JV	CHIP RES	.063W	5%	100 Ω
R1541	EXB2HV101JV	SMD	.063W	5%	100 Ω
R1542	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R1544	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R1545	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1546	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1548	ERJ2GEJ101X	SMD	.063W	5%	100 Ω
R1549	ERJ6GEYJ622	S.M.CARB	0.1W	5%	6K2 Ω
R1550	EXB2HV101JV	SMD	.063W	5%	100 Ω
R1556	EXB2HV101JV	SMD	.063W	5%	100 Ω
R1568	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1569	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1579	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R1580	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R1585	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R1587	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R1591	ERJ3GEYJ330	SMD	0.1W	5%	33 Ω
R1592	ERJ3GEYJ330	SMD	0.1W	5%	33 Ω
R1593	ERJ3GEYJ330	SMD	0.1W	5%	33 Ω
R1595	ERJ6GEYJ472	S.M.CARB	0.1W	5%	4K7 Ω
R1597	ERJ3GEYJ750	SMD	0.1W	5%	75 Ω
R1598	ERJ3GEYJ750	SMD	0.1W	5%	75 Ω
R1599	ERJ3GEYJ750	SMD	0.1W	5%	75 Ω
R1600	ERJ6GEYJ472	S.M.CARB	0.1W	5%	4K7 Ω
R1701	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R1702	ERJ3GEYJ102	SMD	0.1W	5%	1K Ω
R1703	ERJ3GEYJ153V	S.M.CARB	0.1W	5%	15K Ω
R1714	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R1715	ERJ3GEYJ274V	SMD	0.1W	5%	270K Ω
R1722	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R1724	ERJ3GEYJ222	SMD	0.1W	5%	2K2 Ω
R1729	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R1765	EXB24VR000X	SMD	0W	-	0 Ω
R1766	EXB24VR000X	SMD	0W	-	0 Ω
R1767	EXB24VR000X	SMD	0W	-	0 Ω

Cct Ref	Parts Number	Description			
R1768	EXB24VR000X	SMD	0W	-	0 Ω
R1769	EXB24VR000X	SMD	0W	-	0 Ω
R1770	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R1771	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R2305	ERJ3GEYJ102	SMD	0.1W	5%	1K Ω
R2306	ERJ3GEYJ102	SMD	0.1W	5%	1K Ω
R2307	ERJ3GEYJ272	SMD	0.1W	5%	2K7 Ω
R2308	ERJ3GEYJ331	SMD	0.1W	5%	330 Ω
R2309	ERJ3GEYJ331	SMD	0.1W	5%	330 Ω
R2310	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R2311	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R2312	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R2313	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R2321	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R2322	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R2323	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R2324	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R2325	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R2326	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R2327	ERJ3GEYJ333V	SMD	0.1W	5%	33K Ω
R3000	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R3001	ERJ6GEYJ750	S.M.CARB	0.1W	5%	75 Ω
R3007	ERJ3GEYJ563V	S.M.CARB	0.1W	5%	56K Ω
R3008	ERJ3GEYJ563V	S.M.CARB	0.1W	5%	56K Ω
R3009	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R3010	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R3011	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R3012	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R3021	ERJ3GEYJ563V	S.M.CARB	0.1W	5%	56K Ω
R3022	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R3023	ERJ3GEYJ563V	S.M.CARB	0.1W	5%	56K Ω
R3024	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R3050	ERJ6GEYJ750	S.M.CARB	0.1W	5%	75 Ω
R3053	ERJ3GEYJ563V	S.M.CARB	0.1W	5%	56K Ω
R3055	ERJ3GEYJ563V	S.M.CARB	0.1W	5%	56K Ω
R3057	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R3058	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R3059	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R3060	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R3201	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R3202	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R3204	ERJ3GEYJ221	SMD	0.1W	5%	220 Ω
R3205	ERJ3GEYJ221	SMD	0.1W	5%	220 Ω
R3208	ERJ3GEYJ152	SMD	0.1W	5%	1K5 Ω
R3209	ERJ3GEYJ221	SMD	0.1W	5%	220 Ω
R3210	ERJ3GEYJ152	SMD	0.1W	5%	1K5 Ω
R3211	ERJ3GEYJ221	SMD	0.1W	5%	220 Ω
R3214	ERJ3GEYJ123	SMD	0.1W	5%	12K Ω
R3215	ERJ3GEYJ682	SMD	0.1W	5%	6K8 Ω
R3216	ERJ3GEYJ123	SMD	0.1W	5%	12K Ω
R3217	ERJ3GEYJ682	SMD	0.1W	5%	6K8 Ω
R3223	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R3224	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R3225	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R3228	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R3301	ERJ6GEYJ101	S.M.CARB	0.1W	5%	100 Ω
R3302	ERJ6GEYJ101	S.M.CARB	0.1W	5%	100 Ω
R3330	ERJ6GEYJ331	S.M.CARB	0.1W	5%	330 Ω
R3331	ERJ6GEYJ331	S.M.CARB	0.1W	5%	330 Ω
R3332	ERJ6GEYJ331	S.M.CARB	0.1W	5%	330 Ω
R3333	ERJ6GEYJ331	S.M.CARB	0.1W	5%	330 Ω
R3400	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R3403	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R3405	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R3507	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R3600	ERJ3GEYJ563V	S.M.CARB	0.1W	5%	56K Ω
R3601	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R3602	ERJ3GEYJ563V	S.M.CARB	0.1W	5%	56K Ω

Cct Ref	Parts Number	Description			
R3603	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R3605	ERJ6GEYJ103	S.M.CARB	0.1W	5%	10K Ω
R3606	ERJ12YJ151U	SMD	0.5W	5%	150 Ω
R3608	ERJ6GEYJ103	S.M.CARB	0.1W	5%	10K Ω
R3609	ERJ12YJ151U	SMD	0.5W	5%	150 Ω
R3801	ERJ6GEYJ220	S.M.CARB	0.1W	5%	22 Ω
R3802	ERJ6GEYJ331	S.M.CARB	0.1W	5%	330 Ω
R3803	ERJ6RBD103V	SMD	0.1W	0.5	10K Ω
R3804	ERJ6ENF2202	SMD	.125W	1%	22K Ω
R3805	ERJ6GEYJ124	S.M.CARB	0.1W	5%	120K Ω
R3806	ERJ6ENF2372V	SMD	.125W	1%	23K7 Ω
R3807	ERJ6GEYJ334	S.M.CARB	0.1W	5%	330K Ω
R3808	ERJ6RED244V	SMD	0.1W	0.5	240K Ω
R3809	ERJ6RED274	SMD	0.1W	0.5	270K Ω
R3811	ERJ12RSJR10U	SMD	0.5W	5%	R1 Ω
R3812	ERJ6GEYJ104	S.M.CARB	0.1W	5%	100K Ω
R3813	ERJ12RSJR10U	SMD	0.5W	5%	R1 Ω
R3814	ERJ6GEYJ103	S.M.CARB	0.1W	5%	10K Ω
R3815	ERJ6ENF5600	SMD	.125W	1%	560 Ω
R3816	ERJ6ENF1801	SMD	.125W	1%	1K8 Ω
R3817	ERJ6ENF2201	S.M.CARB	0.1W	1%	2K2 Ω
R3818	ERJ6GEYJ105	S.M.CARB	0.1W	5%	1M Ω
R3819	ERJ6GEYJ122	S.M.CARB	0.1W	5%	1K2 Ω
R3820	ERJ6GEYJ273	S.M.CARB	0.1W	5%	27K Ω
R3821	ERJ6ENF5102V	SMD	.125W	1%	51K Ω
R3822	ERJ6GEYJ430	SMD	.125W	5%	43 Ω
R3823	ERJ6GEYJ103	S.M.CARB	0.1W	5%	10K Ω
R3824	ERJ6GEYJ273	S.M.CARB	0.1W	5%	27K Ω
R3825	ERJ6GEYJ103	S.M.CARB	0.1W	5%	10K Ω
R3826	ERJ6ENF6202V	SMD	.125W	1%	62K Ω
R3827	ERJ6GEYJ242	S.M.CARB	0.1W	5%	2K4 Ω
R3828	ERJ3GEYJ122V	S.M.CARB	0.1W	5%	1K2 Ω
R3829	ERJ6GEYJ753	S.M.CARB	0.1W	5%	75K Ω
R3830	ERJ6GEYJ103	S.M.CARB	0.1W	5%	10K Ω
R3831	ERJ3GEYJ154V	SMD	0.1W	5%	150K Ω
R3833	ERJ6GEYJ103	S.M.CARB	0.1W	5%	10K Ω
R3834	ERJ3GEYJ473V	S.M.CARB	0.1W	5%	47K Ω
R3835	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R3836	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R3837	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R3838	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R3839	ERJ3GEYJ333V	SMD	0.1W	5%	33K Ω
R3840	ERJ3GEYJ153V	S.M.CARB	0.1W	5%	15K Ω
R3841	ERJ3GEYJ153V	S.M.CARB	0.1W	5%	15K Ω
R3842	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R3843	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R3844	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R3845	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R3846	ERJ3GEYJ473V	S.M.CARB	0.1W	5%	47K Ω
R3847	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R3853	ERJ3GEYJ153V	S.M.CARB	0.1W	5%	15K Ω
R3858	ERJ3GEYJ122V	S.M.CARB	0.1W	5%	1K2 Ω
R3859	ERJ3GEYJ104V	S.M.CARB	0.1W	5%	100K Ω
R3860	ERJ3GEYJ821	SMD	0.1W	5%	820 Ω
R3861	ERJ3GEYJ272	SMD	0.1W	5%	2K7 Ω
R3862	ERJ6GEYJ681	S.M.CARB	0.1W	5%	680 Ω
R3863	ERJ6GEYJ681	S.M.CARB	0.1W	5%	680 Ω
R3864	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R3865	ERJ3GEYJ273	SMD	0.1W	5%	27K Ω
R3866	ERJ3GEYJ822	SMD	0.1W	5%	8K2 Ω
R3867	ERJ3GEYJ333V	SMD	0.1W	5%	33K Ω
R5001	ERJ3GEYJ473V	S.M.CARB	0.1W	5%	47K Ω
R5002	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5003	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5004	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R5005	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R5006	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R5008	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω

Cct Ref	Parts Number	Description			
R5009	ERJ3GEYJ102	SMD	0.1W	5%	1K Ω
R5010	ERJ3GEYJ203V	SMD	0.1W	5%	20K Ω
R5013	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R5015	ERJ3GEYJ473V	S.M.CARB	0.1W	5%	47K Ω
R5016	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5017	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5018	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R5019	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R5020	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R5022	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5023	ERJ3GEYJ102	SMD	0.1W	5%	1K Ω
R5024	ERJ3GEYJ203V	SMD	0.1W	5%	20K Ω
R5027	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R5028	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5030	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5031	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R5032	ERJ3GEY0R00	SMD	0.1W	-	0 Ω
R5033	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5034	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5035	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5036	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5037	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5038	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5039	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5040	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5041	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5042	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5043	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5044	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5045	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5046	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5047	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5048	ERJ2GEJ2R7X	SMD	.063W	5%	2R7 Ω
R5049	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R5050	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5051	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R5052	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5054	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R5056	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R5058	ERJ3GEYJ101	SMD	0.1W	5%	100 Ω
R5059	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R5060	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5061	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5066	ERJ3GEYJ272	SMD	0.1W	5%	2K7 Ω
R5067	ERJ3GEYJ272	SMD	0.1W	5%	2K7 Ω
R5068	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R5069	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R5070	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R5071	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R5072	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5073	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5074	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5075	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5076	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5077	ERJ3GEYJ220	SMD	0.1W	5%	22 Ω
R5080	EXB38V330JV	CHIP RES	.063W	5%	33 Ω
R5081	ERJ3GEYJ682	SMD	0.1W	5%	6K8 Ω
R5084	ERJ2GEJ330X	SMD	.063W	5%	33 Ω
R5085	ERJ3GEYJ105	SMD	0.1W	5%	1M Ω
R5086	ERJ3GEYJ821	SMD	0.1W	5%	820 Ω
R5088	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R5089	ERJ3GEYJ103	SMD	0.1W	5%	10K Ω
R5090	ERJ3GEYJ102	SMD	0.1W	5%	1K Ω
R5091	ERJ3GEYJ682	SMD	0.1W	5%	6K8 Ω
R5092	ERJ3GEYJ560	SMD	0.1W	5%	56 Ω
R5093	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R5095	ERJ3GEYJ472	SMD	0.1W	5%	4K7 Ω
R5096	ERJ3GEYJ330	SMD	0.1W	5%	33 Ω

Cct Ref	Parts Number	Description			
C1393	ECJ0EC1H181J	S.M.CAP	50V	180pF	
C1394	ECJ0EC1H330J	S.M.CAP	50V	33pF	
C1395	ECJ0EC1H330J	S.M.CAP	50V	33pF	
C1500	EEAGA1C100B	ELECT	16V	10µF	
C1501	ECJ3YB1A106M	S.M.CAP	10V	10µF	
C1502	ECJ2FB0J106M	S.M.CAP	6.3V	10µF	
C1503	ECJ2FB0J106M	S.M.CAP	6.3V	10µF	
C1504	ECJ2FB0J106M	S.M.CAP	6.3V	10µF	
C1505	ECJ2FB0J106M	S.M.CAP	6.3V	10µF	
C1506	ECJ2FB0J106M	S.M.CAP	6.3V	10µF	
C1507	ECJ2FB0J106M	S.M.CAP	6.3V	10µF	
C1508	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1509	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1510	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1511	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1512	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1513	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1514	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1515	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1516	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1517	ECJ1VC1H102J	S.M.CAP	50V	1nF	
C1518	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1519	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1520	ECJ1VC1H102J	S.M.CAP	50V	1nF	
C1521	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1522	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1523	ECJ1VF1A105	S.M.CAP	10V	1µF	
C1524	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1525	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1526	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1527	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1529	ECJ1VF1A105	S.M.CAP	10V	1µF	
C1530	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1532	ECJ2VB1C104K	S.M.CAP	16V	100nF	
C1533	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C1534	ECJ2FB0J106M	S.M.CAP	6.3V	10µF	
C1535	ECJ1VB1C563K	S.M.CAP	16V	56nF	
C1539	ECJ3YB1A106M	S.M.CAP	10V	10µF	
C1540	ECJ2FB0J106M	S.M.CAP	6.3V	10µF	
C1541	F2G1C100A022	ELECT	16V	10µF	
C1546	ECJ2FB1C474K	S.M.CAP	16V	470nF	
C1547	ECJ2FB1C474K	S.M.CAP	16V	470nF	
C1548	ECJ2FB1C474K	S.M.CAP	16V	470nF	
C1549	ECJ2FB1C474K	S.M.CAP	16V	470nF	
C1550	ECJ2FB1C474K	S.M.CAP	16V	470nF	
C1551	ECJ2FB1C474K	S.M.CAP	16V	470nF	
C1554	EEEHB1H3R3R	ELECT	50V	3.3µF	
C1559	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1560	ECJ1VF1E104	S.M.CAP	25V	100nF	
C1561	ECJ1VC1H560J	S.M.CAP	50V	56pF	
C1562	ECJ1VC1H560J	S.M.CAP	50V	56pF	
C1563	ECJ1VB1H102	S.M.CAP	50V	1nF	
C1564	ECJ1VB1H102	S.M.CAP	50V	1nF	
C1565	ECJ1VC1H220J	S.M.CAP	50V	22pF	
C1566	ECJ1VC1H220J	S.M.CAP	50V	22pF	
C1569	ECJ2FB0J106M	S.M.CAP	6.3V	10µF	
C1570	ECJ1VB1H102	S.M.CAP	50V	1nF	
C1571	ECJ1VB1H102	S.M.CAP	50V	1nF	
C1572	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1573	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1574	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1575	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1576	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1577	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1578	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1579	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1580	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1581	ECJ1VB1C104K	S.M.CAP	16V	100nF	

Cct Ref	Parts Number	Description			
C1582	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1583	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1584	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1585	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1586	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1587	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C1590	EEUEB1H4R7SB	ELECT	50V	4.7µF	
C1591	ECJ2FB0J106M	S.M.CAP	6.3V	10µF	
C1593	ECJ2FB0J106M	S.M.CAP	6.3V	10µF	
C1596	ECJ2FB0J106M	S.M.CAP	6.3V	10µF	
C1700	EEUEB1H2R2SB	ELECT	50V	2.2µF	
C1702	ECJ1VC1H050C	S.M.CAP	50V	5pF	
C1710	ECJ2FB1A105K	S.M.CAP	10V	1000nF	
C2301	ECEA1CKA470	ELECT	16V	47µF	
C2302	ECEA1CKA470	ELECT	16V	47µF	
C2303	ECEA1CKA470	ELECT	16V	47µF	
C2304	ECEA1CKA470	ELECT	16V	47µF	
C2323	ECJ1VB1H102	S.M.CAP	50V	1nF	
C2324	ECJ1VB1H102	S.M.CAP	50V	1nF	
C3002	ECJ1VB1H102	S.M.CAP	50V	1nF	
C3003	ECJ1VB1H102	S.M.CAP	50V	1nF	
C3004	ECJ1VC1H331	S.M.CAP	50V	330pF	
C3005	ECJ1VC1H331	S.M.CAP	50V	330pF	
C3021	ECJ1VC1H331	S.M.CAP	50V	330pF	
C3022	ECJ1VC1H331	S.M.CAP	50V	330pF	
C3023	ECJ1VC1H560J	S.M.CAP	50V	56pF	
C3024	ECJ1VC1H121	S.M.CAP	50V	120pF	
C3025	ECJ1VC1H560J	S.M.CAP	50V	56pF	
C3026	ECJ1VC1H121	S.M.CAP	50V	120pF	
C3027	ECJ1VC1H560J	S.M.CAP	50V	56pF	
C3028	ECJ1VC1H121	S.M.CAP	50V	120pF	
C3031	ECJ1VC1H560J	S.M.CAP	50V	56pF	
C3032	ECJ1VC1H560J	S.M.CAP	50V	56pF	
C3033	ECJ1VC1H560J	S.M.CAP	50V	56pF	
C3052	ECJ1VC1H331	S.M.CAP	50V	330pF	
C3053	ECJ1VB1H102	S.M.CAP	50V	1nF	
C3054	ECJ1VB1H102	S.M.CAP	50V	1nF	
C3055	ECJ1VC1H331	S.M.CAP	50V	330pF	
C3201	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C3202	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C3204	EEEHP0J470P	ELECT	6.3V	47µF	
C3205	EEEHP0J470P	ELECT	6.3V	47µF	
C3300	ECA1CM470GB	ELECT	16V	47µF	
C3301	ECJ2FB1A105K	S.M.CAP	10V	1000nF	
C3302	ECJ2FB1A105K	S.M.CAP	10V	1000nF	
C3303	ECJ2FB1A105K	S.M.CAP	10V	1000nF	
C3304	ECJ2FB1A105K	S.M.CAP	10V	1000nF	
C3305	ECJ1VB1H104	S.M.CAP	50V	100nF	
C3306	ECJ2FB1A105K	S.M.CAP	10V	1000nF	
C3307	ECJ2FB1A105K	S.M.CAP	10V	1000nF	
C3308	ECJ2FB1A105K	S.M.CAP	10V	1000nF	
C3309	ECJ2FB1A105K	S.M.CAP	10V	1000nF	
C3310	ECJ2FB1A105K	S.M.CAP	10V	1000nF	
C3311	ECJ2FB1A105K	S.M.CAP	10V	1000nF	
C3312	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3313	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3314	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3315	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3316	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3317	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3318	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3319	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3320	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3321	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3330	ECEA1CKA220B	ELECT	16V	22µF	
C3331	ECEA1CKA220B	ELECT	16V	22µF	
C3332	ECEA1CKA220B	ELECT	16V	22µF	
C3333	ECEA1CKA220B	ELECT	16V	22µF	

Cct Ref	Parts Number	Description			
C3338	ECA1HHG4R7B	ELECT	50V	4.7µF	
C3339	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3340	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3341	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3342	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3343	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3344	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C3600	ECJ1VC1H331	S.M.CAP	50V	330pF	
C3601	ECJ1VC1H331	S.M.CAP	50V	330pF	
C3602	ECJ2VB1H561K	S.M.CAP	50V	560pF	
C3603	ECJ2VB1H103K	S.M.CAP	50V	10nF	
C3604	ECEA1HKA4R7	ELECT	50V	4.7µF	
C3605	ECJ2VB1H561K	S.M.CAP	50V	560pF	
C3606	ECJ2VB1H103K	S.M.CAP	50V	10nF	
C3607	ECEA1HKA4R7	ELECT	50V	4.7µF	
C3800	ECJ2FB1H473K	S.M.CAP	50V	47nF	
C3801	ECJ1VB1C105K	SMD	16V	1000nF	
C3802	ECJ2FB1E224K	S.M.CAP	25V	220nF	
C3803	EEEFK1V331P	ELECT	35V	330µF	
C3804	ECJ2FB1E105K	S.M.CAP	25V	1µF	
C3805	EEFCDOJ470ER	ELECT	6.3V	47µF	
C3806	ECJ1VB1H562K	S.M.CAP	50V	5.6nF	
C3807	ECJ1VB1H104	S.M.CAP	50V	100nF	
C3808	EEFCDOJ470ER	ELECT	6.3V	47µF	
C3809	EEEFK1V331P	ELECT	35V	330µF	
C3810	ECJ1VC1H102J	S.M.CAP	50V	1nF	
C3811	ECJ1VB1H102	S.M.CAP	50V	1nF	
C3812	ECJ1VB1H104	S.M.CAP	50V	100nF	
C3813	ECJ1VB1H222K	S.M.CAP	50V	2.2nF	
C3814	ECJ1VB1H103	S.M.CAP	50V	10nF	
C3815	EEUEB1H100SB	ELECT	50V	10µF	
C3816	ECJ2FB1E224K	S.M.CAP	25V	220nF	
C3817	ECJ2VB1H103K	S.M.CAP	50V	10nF	
C3818	EEUFC1A102B	ELECT	10V	1000µF	
C3819	ECJ2VC1H470J	S.M.CAP	50V	47pF	
C3820	ECJ1VB1E473K	S.M.CAP	25V	47nF	
C3821	ECJ1VB1H102	S.M.CAP	50V	1nF	
C3822	EEUFC1E102	ELECT	25V	1000µF	
C3823	ECJ2VB1E104K	S.M.CAP	25V	100nF	
C3824	ECJ2FB1E105K	S.M.CAP	25V	1µF	
C3825	ECJ1VB1H471K	S.M.CAP	50V	470pF	
C3828	ECJ1VB1C105K	SMD	16V	1000nF	
C3829	ECJ1VF1C105Z	S.M.CAP	16V	1000nF	
C3830	ECJ1VF1C105Z	S.M.CAP	16V	1000nF	
C3831	EEUEB1H100SB	ELECT	50V	10µF	
C3841	ECJ3YB1E106M	S.M.CAP	25V	10µF	
C5000	ECJ2FF1C475Z	S.M.CAP	16V	4.7µF	
C5001	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5002	ECJ1VC1H101J	S.M.CAP	50V	100pF	
C5003	ECJ1VF1A225Z	S.M.CAP	10V	2.2µF	
C5004	F1H1A1050002	CERAMIC	10V	1µF	
C5005	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5006	ECJ1VC1H471J	S.M.CAP	50V	470pF	
C5007	F1H1A1050002	CERAMIC	10V	1µF	
C5008	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5009	ECJ2FF1A106Z	S.M.CAP	10V	10µF	
C5010	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5011	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5012	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5013	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5014	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5015	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5016	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5017	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5018	F1H1H102A219	CERAMIC	50V	1nF	
C5019	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5020	F1H1H102A219	CERAMIC	50V	1nF	
C5021	ECJ2FF1A106Z	S.M.CAP	10V	10µF	

Cct Ref	Parts Number	Description			
C5022	F1H1H102A219	CERAMIC	50V	1nF	
C5023	F1H1H102A219	CERAMIC	50V	1nF	
C5024	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5025	F1H1H102A219	CERAMIC	50V	1nF	
C5026	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5027	F1H1H102A219	CERAMIC	50V	1nF	
C5028	F1H1H102A219	CERAMIC	50V	1nF	
C5029	F1H1H102A219	CERAMIC	50V	1nF	
C5030	F1H1H102A219	CERAMIC	50V	1nF	
C5031	F1H1H102A219	CERAMIC	50V	1nF	
C5032	ECJ2FF1A106Z	S.M.CAP	10V	10µF	
C5033	ECJ2FF1A106Z	S.M.CAP	10V	10µF	
C5034	ECJ2FF1A106Z	S.M.CAP	10V	10µF	
C5035	ECJ2FF1A106Z	S.M.CAP	10V	10µF	
C5036	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5037	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5038	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5039	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5040	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5041	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5042	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5043	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5044	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5045	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5046	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5047	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5048	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5049	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5050	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5051	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5052	F1H1H102A219	CERAMIC	50V	1nF	
C5053	F1H1H102A219	CERAMIC	50V	1nF	
C5054	F1H1H102A219	CERAMIC	50V	1nF	
C5055	F1H1H102A219	CERAMIC	50V	1nF	
C5056	F1H1H102A219	CERAMIC	50V	1nF	
C5057	F1H1H102A219	CERAMIC	50V	1nF	
C5058	F1H1H102A219	CERAMIC	50V	1nF	
C5059	F1H1H102A219	CERAMIC	50V	1nF	
C5060	F1H1H102A219	CERAMIC	50V	1nF	
C5061	F1H1H102A219	CERAMIC	50V	1nF	
C5062	F1H1H102A219	CERAMIC	50V	1nF	
C5063	F1H1H102A219	CERAMIC	50V	1nF	
C5064	F1H1H102A219	CERAMIC	50V	1nF	
C5065	F1H1H102A219	CERAMIC	50V	1nF	
C5066	F1H1H102A219	CERAMIC	50V	1nF	
C5067	F1H1H102A219	CERAMIC	50V	1nF	
C5068	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5069	F1H1A1050002	CERAMIC	10V	1µF	
C5070	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5071	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5072	F1H1H102A219	CERAMIC	50V	1nF	
C5073	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C5074	F1H1H102A219	CERAMIC	50V	1nF	
C5075	F1H1A1050002	CERAMIC	10V	1µF	
C5076	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5077	ECJ1VB1C103K	S.M.CAP	16V	10nF	
C5078	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5081	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5084	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5085	ECJ1VB1C104K	S.M.CAP	16V	100nF	
C5087	ECJ1VC1H150	S.M.CAP	50V	15pF	
C5088	ECJ1VC1H150	S.M.CAP	50V	15pF	

TERMINALS AND LINKS

A1	K1KA15AA0288	15P CONNECTOR
A2	K1KA30AA0250	30P CONNECTOR
A2-PAN	TXJTA2AENE2	A2-PANEL WIRE
A5	K1KA05AA0192	5P CONNECTOR

Cct Ref	Parts Number	Description
A6	K1KA04AA0192	4P CONNECTOR
A7	K1KB23A00003	23P CONNECTOR
A8	K1KA06AA0192	6P CONNECTOR
A8-V2	TXAJTA8AEME	A8 - V2
A10	K1KA03AA0192	3P CONNECTOR
A12	K1KA08A00467	8P CONNECTOR
A13	K1KA04AA0192	4P CONNECTOR
A13-P4	TXJ/P4AE0E	A13 - P4WIRE
B1	K1KB15B00013	15P CONNECTOR
B2	K1KA08BA0061	8P CONNECTOR
H1	K1KA08BA0055	8P CONNECTOR
H2	K1KA04BA0055	4P CONNECTOR
JK2300	K2HA204A0047	AUDIO TERMINAL
JK3000	K1FB121A0012	SCART SOCKET
JK3001	K2HA306A0029	YUV TERMINAL
JK3002	K2HA204A0047	AUDIO TERMINAL
JK3050	K1FB121A0012	SCART SOCKET
JK3600	K4BK23B00004	AV TERMINAL
JK5000	K1FA119D0001	HDMI CONNECTOR
JK5001	K1FA119D0001	HDMI CONNECTOR
K1	K1KA03A00608	3P CONNECTOR
K3	K1KA02A00676	2P CONNECTOR
K3-P1	TXAJTP1AENE1	K3-P1 WIRE
P1	K1KA02A00676	2P CONNECTOR
P2	K1KA23A00003	23P CONNECTOR
P3	K1KA15AA0194	15P CONNECTOR
P3-PAN	TXJ/P3AGLE	P3-PANEL WIRE
P4	K1KA04AA0192	4P CONNECTOR
V2	K1KA06BA0055	6P CONNECTOR
SWITCHES		
SW800	ESB92DA1B	SWITCH
DIFFERENCES FOR MODEL TX--26LM70FA		
EXPLODED VIEW		
16	A-26LM70FA	A P.C.B.
17	TXASX02AERE	AC CORD ASSY
18	TKP0E16901	AV3 BRACKET
19	TKU0E0177	BACK COVER
20	TTY0E0135	CABINET
21	TKZ0E9377	L LCD BOTTOM MTG
23	TKZ0E9376	L/R LCD MTG
24	TKZ0E9411	LCD BOTTOM MTG
25	L5EDD6Q00027	LCD PANEL
26	TKZ0E9356	LCD TOP MTG
27	TBM0E1047	MODEL LABEL
28	TBLA0242	PEDESTAL ASSY
29	TKZ0E9378	R LCD BOTTOM MTG
MISCELLANEOUS COMPONENTS		
.	TMK0E118	FELT
.	TPC0E71801	CARTON
.	TPD0E0140	TOP CUSHION
.	TPD0E0141-1	BOTTOM CUSHION
.	TPD0E9096	BOTTOM PAD
INSTRUCTION BOOKS		
.	TQB0E0506A	GERMAN
.	TQB0E0506B	DUTCH
.	TQB0E0506C	ITALIAN
.	TQB0E0506D	FRENCH
.	TQB0E0506E	SPANISH
.	TQB0E0506F	SWEDISH
.	TQB0E0506K	DANISH
.	TQB0E0506U	ENGLISH
I.C.s		
IC1120	X24C26LM70FA	EEPROM

Cct Ref	Parts Number	Description
TERMINALS AND LINKS		
A5-SPK	TXAJTA5AENE1	A5 - SP
A6-H2	TXJ/A6AGNE	A6-H2 WIRE
A12-H1	TXJ/A12AGNE	A12-H1 WIRE
DIFFERENCES FOR MODEL TX--26LM70LA		
EXPLODED VIEW		
16	A-26LM70LA	A P.C.B.
17	TXASX02AENE	AC CORD ASSY
18	TKP0E16901	AV3 BRACKET
19	TKU0E0177	BACK COVER
20	TTY0E0135	CABINET
21	TKZ0E9377	L LCD BOTTOM MTG
23	TKZ0E9376	L/R LCD MTG
24	TKZ0E9411	LCD BOTTOM MTG
25	L5EDD6Q00027	LCD PANEL
26	TKZ0E9356	LCD TOP MTG
27	TBM0E1106	MODEL LABEL
28	TBLA0242	PEDESTAL ASSY
29	TKZ0E9378	R LCD BOTTOM MTG
MISCELLANEOUS COMPONENTS		
.	TMK0E118	FELT
.	TPC0E71801	CARTON
.	TPD0E0140	TOP CUSHION
.	TPD0E0141-1	BOTTOM CUSHION
.	TPD0E9096	BOTTOM PAD
INSTRUCTION BOOKS		
.	TQB0E0516U	ENGLISH
I.C.s		
IC1120	X24C26LM70LA	EEPROM
TERMINALS AND LINKS		
A5-SPK	TXAJTA5AENE1	A5 - SP
A6-H2	TXJ/A6AGNE	A6-H2 WIRE
A12-H1	TXJ/A12AGNE	A12-H1 WIRE
DIFFERENCES FOR MODEL TX--26LM70PA		
EXPLODED VIEW		
16	A-26LM70PA	A P.C.B.
17	TXASX02AERE	AC CORD ASSY
18	TKP0E16901	AV3 BRACKET
19	TKU0E0177	BACK COVER
20	TTY0E0135	CABINET
21	TKZ0E9377	L LCD BOTTOM MTG
23	TKZ0E9376	L/R LCD MTG
24	TKZ0E9411	LCD BOTTOM MTG
25	L5EDD6Q00027	LCD PANEL
26	TKZ0E9356	LCD TOP MTG
27	TBM0E1095	MODEL LABEL
28	TBLA0242	PEDESTAL ASSY
29	TKZ0E9378	R LCD BOTTOM MTG
MISCELLANEOUS COMPONENTS		
.	TMK0E118	FELT
.	TPC0E71801	CARTON
.	TPD0E0140	TOP CUSHION
.	TPD0E0141-1	BOTTOM CUSHION
.	TPD0E9096	BOTTOM PAD
INSTRUCTION BOOKS		
.	TQB0E0511M	BULGARIAN
.	TQB0E0511N	ROMANIAN
.	TQB0E0511P	POLISH
.	TQB0E0511Q	HUNGARIAN
.	TQB0E0511R	CZECH
.	TQB0E0511U	ENGLISH

Cct Ref	Parts Number	Description
I.C.s		
IC1120	X24C26LM70PA	EEPROM
TERMINALS AND LINKS		
A5-SPK	TXAJTA5AENE1	A5 - SP
A6-H2	TXJ/A6AGNE	A6-H2 WIRE
A12-H1	TXJ/A12AGNE	A12-H1 WIRE
DIFFERENCES FOR MODEL TX--32LM70FA		
EXPLODED VIEW		
16	A-32LM70FA	A P.C.B.
17	TXASX02AERE	AC CORD ASSY
18	TKP0E17001	AV3 BRACKET
19	TKU0E0180	BACK COVER
20	TTY0E0139-2	CABINET
21	TKZ0E9382	L LCD BOTTOM MTG
22	TKZ0E9380	L LCD MTG
24	TKZ0E9412	LCD BOTTOM MTG
25	L5EDD8Q00036	LCD PANEL
26	TKZ0E9365-1	LCD TOP MTG
27	TBM0E1046	MODEL LABEL
28	TBLA0241	PEDESTAL ASSY
29	TKZ0E9383	R LCD BOTTOM MTG
30	TKZ0E9381	R LCD MTG
MISCELLANEOUS COMPONENTS		
	TMK0E090	FELT
	TMK0E119	FELT
	TPC0E72201	CARTON
	TPD0E0148	TOP CUSHION
	TPD0E0149-1	BOTTOM CUSHION
	TPD0E9095	BOTTOM PAD
INSTRUCTION BOOKS		
	TQB0E0506A	GERMAN
	TQB0E0506B	DUTCH
	TQB0E0506C	ITALIAN
	TQB0E0506D	FRENCH
	TQB0E0506E	SPANISH
	TQB0E0506F	SWEDISH
	TQB0E0506K	DANISH
	TQB0E0506U	ENGLISH
I.C.s		
IC1120	X24C32LM70FA	EEPROM
TERMINALS AND LINKS		
A5-SPK	TXAJTA5AE0E1	A5 - SP
A6-H2	TXJ/A6AGLE	A6-H2 WIRE
A12-H1	TXJ/A12AGLE	A12-H1 WIRE
DIFFERENCES FOR MODEL TX--32LM70LA		
EXPLODED VIEW		
16	A-32LM70LA	A P.C.B.
17	TXASX02AENE	AC CORD ASSY
18	TKP0E17001	AV3 BRACKET
19	TKU0E0180	BACK COVER
20	TTY0E0139-2	CABINET
21	TKZ0E9382	L LCD BOTTOM MTG
22	TKZ0E9380	L LCD MTG
24	TKZ0E9412	LCD BOTTOM MTG
25	L5EDD8Q00036	LCD PANEL
26	TKZ0E9365-1	LCD TOP MTG
27	TBM0E1105	MODEL LABEL
28	TBLA0241	PEDESTAL ASSY
29	TKZ0E9383	R LCD BOTTOM MTG
30	TKZ0E9381	R LCD MTG

Cct Ref	Parts Number	Description
MISCELLANEOUS COMPONENTS		
	TMK0E090	FELT
	TMK0E119	FELT
	TPC0E72201	CARTON
	TPD0E0148	TOP CUSHION
	TPD0E0149-1	BOTTOM CUSHION
	TPD0E9095	BOTTOM PAD
INSTRUCTION BOOKS		
	TQB0E0516U	ENGLISH
I.C.s		
IC1120	X24C32LM70LA	EEPROM
TERMINALS AND LINKS		
A5-SPK	TXAJTA5AE0E1	A5 - SP
A6-H2	TXJ/A6AGLE	A6-H2 WIRE
A12-H1	TXJ/A12AGLE	A12-H1 WIRE
DIFFERENCES FOR MODEL TX--32LM70PA		
EXPLODED VIEW		
16	A-32LM70PA	A P.C.B.
17	TXASX02AERE	AC CORD ASSY
18	TKP0E17001	AV3 BRACKET
19	TKU0E0180	BACK COVER
20	TTY0E0139-2	CABINET
21	TKZ0E9382	L LCD BOTTOM MTG
22	TKZ0E9380	L LCD MTG
24	TKZ0E9412	LCD BOTTOM MTG
25	L5EDD8Q00036	LCD PANEL
26	TKZ0E9365-1	LCD TOP MTG
27	TBM0E1094	MODEL LABEL
28	TBLA0241	PEDESTAL ASSY
29	TKZ0E9383	R LCD BOTTOM MTG
30	TKZ0E9381	R LCD MTG
MISCELLANEOUS COMPONENTS		
	TMK0E090	FELT
	TMK0E119	FELT
	TPC0E72201	CARTON
	TPD0E0148	TOP CUSHION
	TPD0E0149-1	BOTTOM CUSHION
	TPD0E9095	BOTTOM PAD
INSTRUCTION BOOKS		
	TQB0E0511M	BULGARIAN
	TQB0E0511N	ROMANIAN
	TQB0E0511P	POLISH
	TQB0E0511Q	HUNGARIAN
	TQB0E0511R	CZECH
	TQB0E0511U	ENGLISH
I.C.s		
IC1120	X24C32LM70PA	EEPROM
TERMINALS AND LINKS		
A5-SPK	TXAJTA5AE0E1	A5 - SP
A6-H2	TXJ/A6AGLE	A6-H2 WIRE
A12-H1	TXJ/A12AGLE	A12-H1 WIRE
DIFFERENCES FOR MODEL TX--R26LM70A		
EXPLODED VIEW		
16	A-R26LM70A	A P.C.B.
17	TXASX02AERE	AC CORD ASSY
18	TKP0E16901	AV3 BRACKET
19	TKU0E0177	BACK COVER
20	TTY0E0135	CABINET
21	TKZ0E9377	L LCD BOTTOM MTG
23	TKZ0E9376	L/R LCD MTG
24	TKZ0E9411	LCD BOTTOM MTG

Cct Ref	Parts Number	Description	
25	L5EDD6Q00027	LCD PANEL	▲
26	TKZ0E9356	LCD TOP MTG	
27	TBM0E1098	MODEL LABEL	
28	TBLA0242	PEDESTAL ASSY	
29	TKZ0E9378	R LCD BOTTOM MTG	
MISCELLANEOUS COMPONENTS			
.	TMK0E118	FELT	
.	TPC0E71801	CARTON	
.	TPD0E0140	TOP CUSHION	
.	TPD0E0141-1	BOTTOM CUSHION	
.	TPD0E9096	BOTTOM PAD	
INSTRUCTION BOOKS			
.	TQB0E0512L	RUSSIAN	
.	TQB0E0512Y	UKRAINIAN	
I.C.s			
IC1120	X24CR26LM70A	EEPROM	
TERMINALS AND LINKS			
A5-SPK	TXAJTA5AENE1	A5 - SP	
A6-H2	TXJ/A6AGNE	A6-H2 WIRE	
A12-H1	TXJ/A12AGNE	A12-H1 WIRE	
DIFFERENCES FOR MODEL TX--R32LM70A			
EXPLODED VIEW			
16	A-R32LM70A	A P.C.B.	RTL ▲
17	TXASX02AERE	AC CORD ASSY	▲
18	TKP0E17001	AV3 BRACKET	
19	TKU0E0180	BACK COVER	▲
20	TTY0E0139-2	CABINET	
21	TKZ0E9382	L LCD BOTTOM MTG	
22	TKZ0E9380	L LCD MTG	
24	TKZ0E9412	LCD BOTTOM MTG	
25	L5EDD8Q00036	LCD PANEL	▲
26	TKZ0E9365-1	LCD TOP MTG	
27	TBM0E1097	MODEL LABEL	
28	TBLA0241	PEDESTAL ASSY	
29	TKZ0E9383	R LCD BOTTOM MTG	
30	TKZ0E9381	R LCD MTG	
MISCELLANEOUS COMPONENTS			
.	TMK0E090	FELT	
.	TMK0E119	FELT	
.	TPC0E72201	CARTON	
.	TPD0E0148	TOP CUSHION	
.	TPD0E0149-1	BOTTOM CUSHION	
.	TPD0E9095	BOTTOM PAD	
INSTRUCTION BOOKS			
.	TQB0E0512L	RUSSIAN	
.	TQB0E0512Y	UKRAINIAN	
I.C.s			
IC1120	X24CR32LM70A	EEPROM	
TERMINALS AND LINKS			
A5-SPK	TXAJTA5AEOE1	A5 - SP	
A6-H2	TXJ/A6AGLE	A6-H2 WIRE	
A12-H1	TXJ/A12AGLE	A12-H1 WIRE	

Schematic Diagrams

IMPORTANT SAFETY NOTICE

Components identified by  mark have special characteristics important for safety. When replacing any of these components, use only manufacturers' specified parts.

NOTE

1. RESISTOR

All resistors are carbon $\frac{1}{4}$ W resistor, unless marked otherwise.
Unit of resistance is OHM (Ω) ($k=1,000$, $M=1,000,000$)


2. CAPACITORS

All capacitors are ceramic 50V unless marked otherwise.
Unit of capacitance is μF unless otherwise stated.


3. COIL

Unit of inductance is μH , unless otherwise stated.

4. TEST POINT





5. EARTH SYMBOL



6. VOLTAGE MEASUREMENT

Voltage is measured by a D.C. voltmeter.
Measurement conditions are as follows:
Power source a.c. 220V-240V, 50Hz
Receiving Signal Colour Bar signal (RF)
All customer controls Maximum position

7.




These schematic diagrams are the latest at time of printing and are subject to change without notice.


REMARKS


- a. Do not touch the hot part, or the hot and cold parts at the same time, as you are liable to a shock hazard.
- b. Do not short circuit the hot and cold circuits as electrical components may be damaged.
- c. Do not connect an instrument, such as an oscilloscope, to the hot and cold circuits simultaneously as this may cause fuse failure. Connect the earth of the instruments to the earth connection of the circuit being measured.
- d. Make sure to disconnect the power plug before removing the chassis.


NOTE


1. The Power Supply Circuit contains a circuit area, which uses a separate power supply to isolate the earth connection. The circuit is defined by HOT and COLD indications in the schematic diagram. All circuits, except the Power Circuit, are COLD.














A

B


C


D

E

H-BOARD TNPOEH009


AV3






⚠ P-BOARD TNPOEP009

A



B



C


D

E


F

HOT

COLD




A



V-BOARD TNPOEV009

LED_IR



R1061


100

BATS

Conductor Views


A-BOARD TNP0EA009 - top

TRAN'S	Q5000	D2	D5023	D2		
Q250	B2	Q5002	D2	D5024	C2	
Q254	B2	Q5003	C2	D5025	C2	
Q270	A3	Q5005	C2	D5026	C2	
Q271	A2	Q5007	D3	D5027	C2	
Q272	A3	Q5008	D3	D5028	C2	
Q273	A2	Q5011	D3	D5029	C2	
Q274	A2			D5030	C2	
Q275	A2			DIODE'S	D5031	C2
Q276	B2	D270	A3	D5032	D3	
Q277	B2	D271	A3	D5033	D3	
Q1100	C4	D274	A2	D5034	C3	
Q1101	B4	D275	A2	D5035	C3	
Q1207	C2	D1201	C2	D5038	C3	
Q1208	B2	D1700	C6			
Q1209	B2	D3800	A6		IC'S	
Q1212	E6	D3801	D6	IC251	A2	
Q1213	E6	D3802	B4	IC252	A1	
Q1214	E6	D3803	A5	IC863	C5	
Q1217	C4	D3804	B5	IC1120	C4	
Q1221	E3	D3805	B5	IC1220	E3	
Q1222	E3	D3806	B5	IC1380	B3	
Q1229	E4	D3807	B5	IC1381	B3	
Q1230	E3	D3808	B4	IC1500	D3	
Q1231	E3	D3810	A5	IC1501	D4	
Q1232	E4	D3811	A6	IC3300	B1	
Q1700	C6	D3816	C5	IC3800	A5	
Q1701	C6	D3817	C5	IC3801	B4	
Q1721	D5	D3818	C5	IC3802	A5	
Q2301	E3	D3819	C5	IC3803	B4	
Q2302	E2	D3820	C5	IC5000	C3	
Q2303	E3	D3822	C5	IC5001	D3	
Q2304	E3	D5000	D3	IC5002	C2	
Q2305	E3	D5003	C2	IC5003	C3	
Q3201	E1	D5010	D3			
Q3202	E1	D5011	C3		TP'S	
Q3204	E1	D5012	D3	TP5002	D3	
Q3205	E1	D5013	C2	TP5003	D3	
Q3803	B6	D5016	D3			
Q3804	B6	D5017	D2			
Q3805	B4	D5018	D2			
Q3807	B6	D5019	D2			
Q3810	C5	D5020	D2			
Q3811	C5	D5021	D2			
Q3812	C5	D5022	D2			




A-BOARD TNP0EA009 - bottom

IC'S	TP'S
IC270 A3	TP018 B2 TP860 B5
TRAN'S	TP861 A4
Q122 A3	TP3800 A6
Q123 A3	TP3801 B4
Q1380 B3	TP3802 A5
Q3800 A6	TP3803 C5
Q3801 B6	TP3804 A5
Q3802 A5	TP3805 A6
Q3806 A6	TP3806 A5
Q3808 B6	TP3807 C4
Q3809 B6	TP3808 C5
Q5001 D3	TP3809 C5
Q5004 C2	TP3810 A6
Q5009 C3	TP3811 B6
Q5010 C3	TP3812 B4
Q5012 C2	TP3813 A5 TP3814 B5
DIODE'S	TP3815 B5
D272 A2	TP3816 B3
D273 A2	TP5000 D2
D301 B2	TP5001 D3
D1101 B4	TP5004 C2
D1102 B4	TP5005 C2
D3809 A5	TP5006 C3
D3812 A6	TP5007 C3
D3813 A5	TP5008 D3
D5001 D3	TP5009 D3
D5004 C2	TP5010 D3
D5006 D2	TP5011 D3
D5007 C2	TP5012 C2
D5036 C3	TP5013 D2
D5037 C3	




P-BOARD TNP0EP009

TRAN'S	D811	A3
Q801	C3	D828
Q802	C3	D830
Q830	E2	D831
Q831	C2	D832
Q832	E1	D833
Q833	E1	D835
Q834	C2	D836
		D837
IC'S	D838	E2
IC800	B3	D839
IC830	C2	D840
		D841
DIODE'S		
D800	D4	TP'S
D803	D4	TP830
D804	B3	TP831
D805	C5	TP832
D808	A3	TP833
D809	B3	TP834
D810	C3	




V-BOARD TNP0EV009 - bottom

DIODE'S
D1062 A1



V-BOARD TNP0EV009 - top

DIODE'S
D1051 A2
IC'S
PC1060 A1
RM1050 A1



B-BOARD TNP0EB009

TP'S
TP801 A1

