




RTV servis Horvat

Kešinci, 31402 Semeljci

031-856-139

031-856-637

098-788-319

rtv-servis-horvat@os.tel.hr

Croatia

RTV servis Horvat

Tel: ++385-31-856-637


Tel/fax: ++385-31-856-139

Mob. 098-788-319


www.rtv-horvat-dj.hr

B/G-D/K SYSTEM

R12 GRAND SUPER



SCHEMATIC DIAGRAM FOR PAL-B/G-D/K SYSTEM



APACITORS ARE IN μ F UNLESS OTHERWISE NOTED
APACITORS ARE 50V UNLESS OTHERWISE NOTED
ITOR NOT SPECIFICALLY DESIGNATED ARE CERAMIC
ITORS

⊗ ELECTROLYTIC CAPACITOR
⊗ BI-POLAR ELECTROLYTIC CAPACITOR
⊗ TANTALUM CAPACITOR
⊗ METALLIZED POLYESTER
⊗ POLYESTER FILM CAPACITOR
⊗ POLYPROPYLENE CAPACITOR
⊗ MYLAR CAPACITOR




RESISTORS ARE IN OHM 1/16 ATT UNLESS OTHERWISE

OR NOT SPECIFICALLY DESIGNATED ARE CARBON
RESISTORS

⊗ NONFLAMMABLE RESISTOR
⊗ FUSEBLE RESISTOR
⊗ CEMENT RESISTOR
⊗ METAL OXIDE RESISTOR
⊗ THERMISTOR

VOLTAGE ARE MEASURED FROM PINTS INDICATED TO
CIRCUIT GROUND WITH A DIGITAL MULTIMETER TEST
TERMS ARE TAKEN WITH SETTING CONTROLS TO A
L CONDITIONS (COLOR BAR PATTERN)

CIRCUIT DIAGRAM IS SUBJECT TO CHANGE WITHOUT
NOTICE



RTV servis Horvat

Kešinci, 31402 Semeljci

031-856-139

031-856-637

098-788-319

rtv-servis-horvat@os.tel.hr

Croatia