


## SPARE PARTS LIST

Household washing machines

2520


| PNC                                                                                                       |           | Brand   | Model | Market                                      |
|-----------------------------------------------------------------------------------------------------------|-----------|---------|-------|---------------------------------------------|
| A                                                                                                         | 914281005 | Zanussi | FA832 | BG - CZ - GR - HR - HU<br>PL - RO - SI - SK |
| <p>Electrolux-Zanussi<br/>Corso Lino Zanussi<br/>I - 33080 Porcia<br/>Italy<br/>Fax +39 (0)434 394096</p> |           |         |       | <p>Washing machines,<br/>front-loaded</p>   |
| <p>Publ.No.<br/><b>599349191</b><br/><b>2001/10/22</b><br/>ESA</p>                                        |           |         |       |                                             |



9143009660

|          |                         |                       |
|----------|-------------------------|-----------------------|
| <b>A</b> | <b>PNC</b><br>914281005 | <b>Model</b><br>FA832 |
|----------|-------------------------|-----------------------|


| Pos  | Part No.         |   | Description                              |
|------|------------------|---|------------------------------------------|
| 106  | 1246 23 110 / 2  | A | connector,conveyor                       |
| 109  | 1246 24 600 / 1  | A | conveyor,Container cup,detergent,RID.    |
| 110  | 1260 59 100 / 1  | A | outlet tube,tub,manifold                 |
| 110C | 1260 59 000 / 3  | A | Hose,intake,detergent,RIM                |
| 110G | 3548 40 460 / 1  | A | Hose,Solenoid,detergent drawer,L=255 RIM |
| 110S | 1260 60 301 / 2  | A | Pipe,water drain,filter,RIM              |
| 111  | 1260 48 800 / 0  | A | Input hose                               |
| 112  | 3566 80 140 / 7  | A | discharge hose,L=2050                    |
| 114  | 1260 50 001 / 0  | A | bell,air chamber                         |
| 118  | 1246 24 510 / 2  | A | water distributor                        |
| 120  | 1260 59 800 / 6  | A | filter,RIM                               |
| 130  | 1320 71 200 / 1  | A | gasket,Bung,filter,RIM                   |
| 130E | 50651 83 900 / 8 | A | Sealing,Input hose                       |
| 140  | 1260 58 050 / 9  | A | dispenser,detergent,S/S VAP.             |
| 143  | 1240 10 100 / 4  | A | adjuster,distributor,water               |
| 145  | 1260 59 351 / 0  | A | filter body,RIM                          |
| 148  | 1246 24 200 / 0  | A | syphon,soap drawer                       |
| 251  | 1260 61 200 / 5  | A | rubber buffer,filter body,RIM            |
| 260  | 1240 14 800 / 5  | A | Spring,distributor,Container cup         |
| 307  | 1246 24 310 / 7  | A | detergent drawer,3SC/RID                 |
| 338  | 1260 43 100 / 0  | A | Support,piple                            |
| 509  | 1247 42 800 / 4  | A | lever,water distributor                  |
| 509A | 1240 04 400 / 6  | A | lever,Cam                                |
| 514  | 1260 61 300 / 3  | A | Bush,filter body,RIM                     |
| 521  | 1260 59 900 / 4  | A | Bung,closure,filter,RIM                  |
| 538  | 1260 61 400 / 1  | A | Spacer,drain hose,RIM                    |
| 540  | 5331 44 020 / 5  | A | collar,Hose,air chamber,D=44             |
| 540A | 3540 60 310 / 1  | A | Bell                                     |
| 540C | 1246 64 600 / 2  | A | tube clip,detergent,d=59                 |
| 563  | 1240 04 200 / 0  | A | bolt,distributor                         |



9143009696

|          |                         |                       |
|----------|-------------------------|-----------------------|
| <b>A</b> | <b>PNC</b><br>914281005 | <b>Model</b><br>FA832 |
|----------|-------------------------|-----------------------|


| Pos  | Part No.         |   | Description                            |
|------|------------------|---|----------------------------------------|
| 001  | 1249 21 420 / 4  | A | Timer,VD 54/55 AKO                     |
| 003  | 3562 21 040 / 5  | A | temperature regulator,adjustable,(80°) |
| 004  | 1247 01 003 / 4  | A | commutator motor,6/850R SOLE           |
| 005  | 3562 40 280 / 4  | A | cold water inlet valve,ELBI RIM        |
| 006  | 1260 61 150 / 2  | A | drain pump,AKOLL "290889" C/PR         |
| 007  | 50226 73 500 / 4 | A | Kit,delayer,porthole                   |
| 010  | 1240 32 540 / 5  | A | heater,1950W-230V IRCA                 |
| 011  | 3561 83 150 / 8  | A | Capacitor                              |
| 012  | 3562 32 020 / 4  | A | pressure switch,2N+1T(CB)P5 ELBI       |
| 013  | 1249 27 100 / 6  | A | keyboard                               |
| 016  | 1320 50 300 / 4  | A | Programme selector,8P DREEF            |
| 019  | 3567 55 510 / 1  | A | Pilot light                            |
| 037  | 1253 05 513 / 9  | A | Terminal board                         |
| 110  | 3548 40 440 / 3  | A | Hose,pressure switch,L=485mm           |
| 130  | 1260 53 800 / 2  | A | gasket,temperature regulator           |
| 531C | 1240 22 200 / 8  | A | Screw,main motor,bob                   |
| 550  | 1320 71 800 / 8  | A | Protection,drain pump,RIM              |
| 550D | 1260 60 500 / 9  | A | coat,Timer,RIM                         |
| 999  | 1266 11 310 / 7  | A | Harness,main,VD54/55 1N RIM            |
|      | 1266 11 401 / 4  | A | Harness,drain pump,VD54/55 RIM         |



9143008949

|          |                         |                       |
|----------|-------------------------|-----------------------|
| <b>A</b> | <b>PNC</b><br>914281005 | <b>Model</b><br>FA832 |
|----------|-------------------------|-----------------------|

| Pos  | Part No.         |   | Description                       |
|------|------------------|---|-----------------------------------|
| 300  | 3565 31 270 / 3  | A | cabinet,white,RIM                 |
| 308  | 1260 58 400 / 6  | A | assembly,door hinge,BD RIM        |
| 310  | 1260 59 401 / 3  | A | Compartment door,filter           |
| 312  | 1260 58 100 / 2  | A | glass,porthole,BD RIM             |
| 323  | 1260 59 500 / 2  | A | decor frame,porthole,back,RIM     |
| 323A | 1260 59 600 / 0  | A | a-frame,porthole,front,DELTA RIM  |
| 328  | 3415 21 432 / 3  | A | cover,behind                      |
| 330  | 1260 41 710 / 8  | A | Foot,front,adjustable             |
| 330A | 3540 50 250 / 1  | A | Foot,back,fix                     |
| 523C | 1320 72 710 / 8  | A | pipe stud,Back panel              |
| 527  | 50654 76 500 / 2 | A | ferrule,fixing,Foot               |
| 530  | 50267 90 700 / 9 | A | Kit,handle,porthole,RIM BD DELTA  |
| 541  | 3440 24 284 / 4  | A | Catch,Drainage hose               |
| 555B | 1320 16 001 / 1  | A | decor plate,cabinet,BD 7801       |
| 563B | 1260 58 300 / 8  | A | peg,fixing,table top              |
| 999  | 3529 27 070 / 8  | A | Instruction book,(en-cs-hu-pl-sk) |
|      | 3529 27 100 / 3  | A | Instruction book,(hr-bg-ro)       |
|      | 3529 27 110 / 2  | A | Instruction book,(sl)             |
|      | 3529 27 290 / 2  | A | Instruction book,(el)             |




9143009698



|          |                         |                       |
|----------|-------------------------|-----------------------|
| <b>A</b> | <b>PNC</b><br>914281005 | <b>Model</b><br>FA832 |
|----------|-------------------------|-----------------------|


| Pos  | Part No.        |   | Description                                              |
|------|-----------------|---|----------------------------------------------------------|
| 313  | 3565 40 510 / 1 | A | table top,RIM                                            |
| 501  | 1260 56 401 / 6 | A | programmer knob                                          |
| 501A | 1264 25 020 / 8 | A | Knob,Thermostat                                          |
| 501B | 1264 25 040 / 6 | A | Knob,speed regulator                                     |
| 502  | 1260 56 600 / 3 | A | indicating plate,programme switch                        |
| 502A | 1320 58 100 / 0 | A | indicating plate,temperature regulator,speed regulator,D |
| 510  | 1266 76 150 / 9 | A | Control panel,handle,silkscreened,FA832                  |
| 519  | 1260 48 960 / 2 | A | Cam,(VD51/53) AKO                                        |
| 523  | 1260 55 400 / 9 | A | crosspiece,Support,command                               |
| 523A | 1260 55 500 / 6 | A | crossbar,central                                         |
| 525  | 1260 56 851 / 2 | A | Push button,push button unit                             |
| 525A | 1260 56 801 / 7 | A | Push button,keyboard                                     |
| 545  | 1264 25 030 / 7 | A | dial programme,VD54                                      |
| 594  | 1320 52 200 / 4 | A | indicating glass,control lamp                            |




9143009692

|          |                         |                       |
|----------|-------------------------|-----------------------|
| <b>A</b> | <b>PNC</b><br>914281005 | <b>Model</b><br>FA832 |
|----------|-------------------------|-----------------------|

| Pos  | Part No.         |   | Description                           |
|------|------------------|---|---------------------------------------|
| 115  | 1260 58 900 / 5  | A | rubber bellow,porthole,RIM            |
| 125  | 1260 53 900 / 0  | A | lock ring,rubber bellow,tub           |
| 125A | 1260 60 100 / 8  | A | connection ring,rubber bellow,cabinet |
| 130  | 1240 15 903 / 6  | A | gasket,shell,tub                      |
| 130X | 1246 14 900 / 7  | A | gasket,drum shaft                     |
| 150  | 1260 49 130 / 1  | A | shell,front,tub,RIM                   |
| 150A | 1260 54 100 / 6  | A | shell,back,tub,(800)P/AM RIM          |
| 250  | 1260 40 501 / 2  | A | drum,complete                         |
| 251A | 1260 03 850 / 8  | A | Shock absorber                        |
| 253  | 3588 30 110 / 5  | A | drive belt                            |
| 254A | 1260 39 401 / 8  | A | assembly,cross piece,basket           |
| 255X | 50061 47 900 / 7 | A | bearing,back,20x47x14                 |
| 255Y | 50215 93 800 / 7 | A | bearing,front,20x52x15                |
| 257  | 1260 39 920 / 7  | A | bob,back                              |
| 257A | 1260 58 210 / 9  | A | bob,front,14KG RIM                    |
| 260  | 3422 47 510 / 7  | A | Spring,suspension,tub,RIM             |
| 260B | 1247 82 510 / 0  | A | retaining spring,heater               |
| 264  | 1260 39 300 / 2  | A | pulley                                |
| 531  | 3522 00 810 / 5  | A | Screw,bracket,M8x25,pulley            |
| 531B | 1260 53 300 / 3  | A | Screw,lock,tub                        |
| 531C | 3522 00 821 / 2  | A | Screw,bracket,behind,yoke             |
| 531D | 5111 66 846 / 2  | A | Screw,bob,front,M6X68 AC10,9 ZN       |
| 531F | 1260 53 310 / 2  | A | Screw,shell,tub,C/CIL RIM             |
| 563  | 1260 53 400 / 1  | A | bolt,cushion                          |



126 691110b



## P0ESA300000162

|                            |                          |
|----------------------------|--------------------------|
| Adjustable thermostat      | Adjustable thermostat    |
| Anti-interference filter   | Anti-interference filter |
| Cold water inlet valve     | Cold water inlet valve   |
| Door safety interlok       | Door safety interlok     |
| Drain pump                 | Drain pump               |
| Earth                      | Earth                    |
| Electronic module          | Electronic module        |
| Heating element earth      | Heating element earth    |
| Heating elements (washing) |                          |
| Heating elements (washing) |                          |
| Junction box               | Junction box             |
| Motor                      | Motor                    |
| Motor earth                | Motor earth              |
| Motor overload cut-out     | Motor overload cut-out   |
| ON/OFF button              | ON/OFF button            |
| Pilot lamp                 | Pilot lamp               |
| Pressure switch            | Pressure switch          |
| Spin reduction button      | Spin reduction button    |
| Timer motor                | Timer motor              |
| Tub earth                  | Tub earth                |
| Blue                       | Blue                     |
| Brown                      | Brown                    |
| Black                      | Black                    |
| Grey                       | Grey                     |
| Green                      | Green                    |
| Orange                     | Orange                   |
| Red                        | Red                      |
| Violet                     | Violet                   |

