



website:<http://biz.LGservice.com>
e-mail:<http://www.LGservice.com/techsup.html>

LCD TV

SERVICE MANUAL

CHASSIS : AL-04DA

MODEL : 32LP1D-UA
37LP1D-UA
42LP1D-UA

CAUTION

BEFORE SERVICING THE CHASSIS,
READ THE SAFETY PRECAUTIONS IN THIS MANUAL.



CONTENTS

CONTENTS	2
PRODUCT SAFETY	3
SPECIFICATION	6
ADJUSTMENT INSTRUCTION.....	11
SVC REMOCON	13
TROUBLE SHOOTING	14
BLOCK DIAGRAM.....	17
WIRING DIAGRAM	19
EXPLODED VIEW	20
EXPLODED VIEW PARTS LIST	21
REPLACEMENT PARTS LIST	24
SVC. SHEET	

SAFETY PRECAUTIONS

IMPORTANT SAFETY NOTICE

Many electrical and mechanical parts in this chassis have special safety-related characteristics. These parts are identified by $\triangle$ in the Schematic Diagram and Replacement Parts List.

It is essential that these special safety parts should be replaced with the same components as recommended in this manual to prevent Shock, Fire, or other Hazards.

Do not modify the original design without permission of manufacturer.

General Guidance

An **isolation Transformer** should always be used during the servicing of a receiver whose chassis is not isolated from the AC power line. Use a transformer of adequate power rating as this protects the technician from accidents resulting in personal injury from electrical shocks.

It will also protect the receiver and its components from being damaged by accidental shorts of the circuitry that may be inadvertently introduced during the service operation.

If any fuse (or Fusible Resistor) in this TV receiver is blown, replace it with the specified.

When replacing a high wattage resistor (Oxide Metal Film Resistor, over 1W), keep the resistor 10mm away from PCB.

Keep wires away from high voltage or high temperature parts.

Before returning the receiver to the customer,

always perform an **AC leakage current check** on the exposed metallic parts of the cabinet, such as antennas, terminals, etc., to be sure the set is safe to operate without damage of electrical shock.

Leakage Current Cold Check(Antenna Cold Check)

With the instrument AC plug removed from AC source, connect an electrical jumper across the two AC plug prongs. Place the AC switch in the on position, connect one lead of ohm-meter to the AC plug prongs tied together and touch other ohm-meter lead in turn to each exposed metallic parts such as antenna terminals, phone jacks, etc.

If the exposed metallic part has a return path to the chassis, the measured resistance should be between $1M\Omega$ and $5.2M\Omega$.

When the exposed metal has no return path to the chassis the reading must be infinite.

An other abnormality exists that must be corrected before the receiver is returned to the customer.

Leakage Current Hot Check (See below Figure)

Plug the AC cord directly into the AC outlet.

Do not use a line Isolation Transformer during this check.


Connect 1.5K/10watt resistor in parallel with a 0.15 μ F capacitor between a known good earth ground (Water Pipe, Conduit, etc.) and the exposed metallic parts.

Measure the AC voltage across the resistor using AC voltmeter with 1000 ohms/volt or more sensitivity.

Reverse plug the AC cord into the AC outlet and repeat AC voltage measurements for each exposed metallic part. Any voltage measured must not exceed 0.75 volt RMS which corresponds to 0.5mA.

In case any measurement is out of the limits specified, there is possibility of shock hazard and the set must be checked and repaired before it is returned to the customer.

Leakage Current Hot Check circuit



SERVICING PRECAUTIONS

CAUTION: Before servicing receivers covered by this service manual and its supplements and addenda, read and follow the **SAFETY PRECAUTIONS** on page 3 of this publication.

NOTE: If unforeseen circumstances create conflict between the following servicing precautions and any of the safety precautions on page 3 of this publication, always follow the safety precautions. Remember: Safety First.

General Servicing Precautions

1. Always unplug the receiver AC power cord from the AC power source before;
 - a. Removing or reinstalling any component, circuit board module or any other receiver assembly.
 - b. Disconnecting or reconnecting any receiver electrical plug or other electrical connection.
 - c. Connecting a test substitute in parallel with an electrolytic capacitor in the receiver.**CAUTION:** A wrong part substitution or incorrect polarity installation of electrolytic capacitors may result in an explosion hazard.

2. Test high voltage only by measuring it with an appropriate high voltage meter or other voltage measuring device (DVM, FETVOM, etc) equipped with a suitable high voltage probe. Do not test high voltage by "drawing an arc".

3. Do not spray chemicals on or near this receiver or any of its assemblies.

4. Unless specified otherwise in this service manual, clean electrical contacts only by applying the following mixture to the contacts with a pipe cleaner, cotton-tipped stick or comparable non-abrasive applicator; 10% (by volume) Acetone and 90% (by volume) isopropyl alcohol (90%-99% strength)

CAUTION: This is a flammable mixture.

Unless specified otherwise in this service manual, lubrication of contacts is not required.

5. Do not defeat any plug/socket B+ voltage interlocks with which receivers covered by this service manual might be equipped.
6. Do not apply AC power to this instrument and/or any of its electrical assemblies unless all solid-state device heat sinks are correctly installed.

7. Always connect the test receiver ground lead to the receiver chassis ground before connecting the test receiver positive lead.

Always remove the test receiver ground lead last.

8. Use with this receiver only the test fixtures specified in this service manual.

CAUTION: Do not connect the test fixture ground strap to any heat sink in this receiver.

Electrostatically Sensitive (ES) Devices

Some semiconductor (solid-state) devices can be damaged easily by static electricity. Such components commonly are called *Electrostatically Sensitive (ES) Devices*. Examples of typical ES devices are integrated circuits and some field-effect transistors and semiconductor "chip" components. The following techniques should be used to help reduce the incidence of component damage caused by static by static electricity.

1. Immediately before handling any semiconductor component or semiconductor-equipped assembly, drain off any electrostatic charge on your body by touching a known earth ground. Alternatively, obtain and wear a commercially available discharging wrist strap device, which should be removed to prevent potential shock reasons prior to applying power to the

unit under test.

2. After removing an electrical assembly equipped with ES devices, place the assembly on a conductive surface such as aluminum foil, to prevent electrostatic charge buildup or exposure of the assembly.
3. Use only a grounded-tip soldering iron to solder or unsolder ES devices.
4. Use only an anti-static type solder removal device. Some solder removal devices not classified as "anti-static" can generate electrical charges sufficient to damage ES devices.
5. Do not use freon-propelled chemicals. These can generate electrical charges sufficient to damage ES devices.
6. Do not remove a replacement ES device from its protective package until immediately before you are ready to install it. (Most replacement ES devices are packaged with leads electrically shorted together by conductive foam, aluminum foil or comparable conductive material).
7. Immediately before removing the protective material from the leads of a replacement ES device, touch the protective material to the chassis or circuit assembly into which the device will be installed.
CAUTION: Be sure no power is applied to the chassis or circuit, and observe all other safety precautions.
8. Minimize bodily motions when handling unpackaged replacement ES devices. (Otherwise harmless motion such as the brushing together of your clothes fabric or the lifting of your foot from a carpeted floor can generate static electricity sufficient to damage an ES device.)

General Soldering Guidelines

1. Use a grounded-tip, low-wattage soldering iron and appropriate tip size and shape that will maintain tip temperature within the range of 500 °F to 600 °F.
2. Use an appropriate gauge of RMA resin-core solder composed of 60 parts tin/40 parts lead.
3. Keep the soldering iron tip clean and well tinned.
4. Thoroughly clean the surfaces to be soldered. Use a mall wire-bristle (0.5 inch, or 1.25cm) brush with a metal handle. Do not use freon-propelled spray-on cleaners.
5. Use the following unsoldering technique
 - a. Allow the soldering iron tip to reach normal temperature. (500 °F to 600 °F)
 - b. Heat the component lead until the solder melts.
 - c. Quickly draw the melted solder with an anti-static, suction-type solder removal device or with solder braid.
CAUTION: Work quickly to avoid overheating the circuitboard printed foil.
6. Use the following soldering technique.
 - a. Allow the soldering iron tip to reach a normal temperature (500 °F to 600 °F)
 - b. First, hold the soldering iron tip and solder the strand against the component lead until the solder melts.
 - c. Quickly move the soldering iron tip to the junction of the component lead and the printed circuit foil, and hold it there only until the solder flows onto and around both the component lead and the foil.
CAUTION: Work quickly to avoid overheating the circuit board printed foil.
 - d. Closely inspect the solder area and remove any excess or splashed solder with a small wire-bristle brush.

IC Remove/Replacement

Some chassis circuit boards have slotted holes (oblong) through which the IC leads are inserted and then bent flat against the circuit foil. When holes are the slotted type, the following technique should be used to remove and replace the IC. When working with boards using the familiar round hole, use the standard technique as outlined in paragraphs 5 and 6 above.

Removal

1. Desolder and straighten each IC lead in one operation by gently prying up on the lead with the soldering iron tip as the solder melts.
2. Draw away the melted solder with an anti-static suction-type solder removal device (or with solder braid) before removing the IC.

Replacement

1. Carefully insert the replacement IC in the circuit board.
2. Carefully bend each IC lead against the circuit foil pad and solder it.
3. Clean the soldered areas with a small wire-bristle brush.
(It is not necessary to reapply acrylic coating to the areas).

"Small-Signal" Discrete Transistor

Removal/Replacement

1. Remove the defective transistor by clipping its leads as close as possible to the component body.
2. Bend into a "U" shape the end of each of three leads remaining on the circuit board.
3. Bend into a "U" shape the replacement transistor leads.
4. Connect the replacement transistor leads to the corresponding leads extending from the circuit board and crimp the "U" with long nose pliers to insure metal to metal contact then solder each connection.

Power Output, Transistor Device

Removal/Replacement

1. Heat and remove all solder from around the transistor leads.
2. Remove the heat sink mounting screw (if so equipped).
3. Carefully remove the transistor from the heat sink of the circuit board.
4. Insert new transistor in the circuit board.
5. Solder each transistor lead, and clip off excess lead.
6. Replace heat sink.

Diode Removal/Replacement

1. Remove defective diode by clipping its leads as close as possible to diode body.
2. Bend the two remaining leads perpendicular y to the circuit board.
3. Observing diode polarity, wrap each lead of the new diode around the corresponding lead on the circuit board.
4. Securely crimp each connection and solder it.
5. Inspect (on the circuit board copper side) the solder joints of the two "original" leads. If they are not shiny, reheat them and if necessary, apply additional solder.

Fuse and Conventional Resistor

Removal/Replacement

1. Clip each fuse or resistor lead at top of the circuit board hollow stake.
2. Securely crimp the leads of replacement component around notch at stake top.
3. Solder the connections.

CAUTION: Maintain original spacing between the replaced component and adjacent components and the circuit board to prevent excessive component temperatures.

Circuit Board Foil Repair

Excessive heat applied to the copper foil of any printed circuit board will weaken the adhesive that bonds the foil to the circuit board causing the foil to separate from or "lift-off" the board. The following guidelines and procedures should be followed whenever this condition is encountered.

At IC Connections

To repair a defective copper pattern at IC connections use the following procedure to install a jumper wire on the copper pattern side of the circuit board. (Use this technique only on IC connections).

1. Carefully remove the damaged copper pattern with a sharp knife. (Remove only as much copper as absolutely necessary).
2. Carefully scratch away the solder resist and acrylic coating (if used) from the end of the remaining copper pattern.
3. Bend a small "U" in one end of a small gauge jumper wire and carefully crimp it around the IC pin. Solder the IC connection.
4. Route the jumper wire along the path of the out-away copper pattern and let it overlap the previously scraped end of the good copper pattern. Solder the overlapped area and clip off any excess jumper wire.

At Other Connections

Use the following technique to repair the defective copper pattern at connections other than IC Pins. This technique involves the installation of a jumper wire on the component side of the circuit board.

1. Remove the defective copper pattern with a sharp knife. Remove at least 1/4 inch of copper, to ensure that a hazardous condition will not exist if the jumper wire opens.
2. Trace along the copper pattern from both sides of the pattern break and locate the nearest component that is directly connected to the affected copper pattern.
3. Connect insulated 20-gauge jumper wire from the lead of the nearest component on one side of the pattern break to the lead of the nearest component on the other side. Carefully crimp and solder the connections.

CAUTION: Be sure the insulated jumper wire is dressed so the it does not touch components or sharp edges.

SPECIFICATION

NOTE : Specifications and others are subject to change without notice for improvement.

1. Application range

- 1.1 This spec sheet is applied all of the 32"/37"/42" LCD DTV with AL-04DA chassis.
- 1.2 Not included spec and each product spec in this spec sheet apply correspondingly to the following each country standard and requirement of Buye

3. Test method

- 3.1 Performance : LGE TV test method followed.
- 3.2 Demanded other specification.
EMC : FCC, ICES, IEC specification
SAFETY : UL, CSA, IEC specification

2. Specification

Each part is tested as below without special appointment.

- A. Temperature : $20 \pm 5^{\circ}\text{C}$
B. Relative Humidity : $65 \pm 10\%$
C. Power Voltage : Standard input voltage
(110~240V@ 50/60Hz)
* Standard Voltage of each product is marked by models
D. Specification and performance of each parts are followed each drawing and specification by part number in accordance with BOM.
E. The receiver must be operated for about 20 minutes prior to the adjustment.

4. General Specification

No	Item	Specification	Remark
1.	Receiving System	ATSC/64 & 256 QAM/ NTSC-M	
2.	Available Channel	1) VHF : 02~13 2) UHF : 14~69 3) DTV : 02-69 4) CATV : 01~135 5) CADTV : 01~135	
3.	Input Voltage	1) AC 100 ~ 260V 50/60Hz	
4.	Market	NORTH AMERICA	
5.	Screen Size	32 inch Wide	For 32LP1D-UA
		37 inch Wide	For 37LP1D-UA
		42 inch Wide	For 42LP1D-UA
6.	Aspect Ratio	16:9	
7.	Tuning System	FS	
8.	LCD Module	LC320W01-A6K6 (1366 x 768)	LPL
		LC370W01-C6K1 (1366 x 768)	
		LC420W01-B6K1 (1366 x 768)	
9.	Operating Environment	1) Temp : 0 ~ 40 deg	
		2) Humidity : ~ 80 %	
10.	Storage Environment	1)Temp : -20 ~ 60 deg	
		2) Humidity : 0 ~ 90 %	

5. Optical Characteristics (Condition : EZ-Picture "Daylight")

5-1. For 32LP1D-UA / 37LP1D-UA

No	Item	Min	Typ	Max	Unit	Remark
1.	Brightness	300	450		cd/m ²	
2.	Contrast Ratio	500:1	600:1			
3.	Luminance Variation			1.3	%	
4.	Viewing Angle(Left, Right, Up, Down)	85	88		Degree	

5-2. For 42LP1D-UA

No	Item	Min	Typ	Max	Unit	Remark
1.	Brightness	250	400		cd/m ²	
2.	Contrast Ratio	500:1	600:1			
3.	Luminance Variation			1.3	%	
4.	Viewing Angle(Left, Right, Up, Down)	85	88		Degree	

6. External Input Format

Component Video Input (Y, C_B/P_B, C_R/P_R)

No	Resolution	H-freq(kHz)	V-freq.(kHz)	Pixel clock	Proposed
1	640 x 480	15.73	60		SDTV ,DVD 480I
2	704 x 480	31.47	59.94		SDTV 480P
3	1280 x 720	45.00	60.00		HDTV 720P
4	1280 x 720	44.96	59.94		HDTV 720P
5	1920 x 1080	33.75	60.00		HDTV 1080I
6	1920 x 1080	33.72	59.94		HDTV 1080I

RGB Input (PC/DTV)

No	Resolution	H-freq(kHz)	V-freq.(Hz)	Pixel clock(MHz)	Proposed	
	PC					DDC
1	640X350	31.468	70.09	25.17	EGA	O
2	640X350	37.861	85.08	31.50	EGA	O
3	720X400	31.469	70.08	28.32	DOS	O
5	640X480	31.469	59.94	25.17	VESA(VGA)	O
6	640X480	37.861	72.80	31.50	VESA(VGA)	O
7	640X480	37.500	75.00	31.50	VESA(VGA)	O
9	800X600	35.156	56.25	36.00	VESA(SVGA)	O
10	800X600	37.879	60.31	40.00	VESA(SVGA)	O
11	800X600	49.077	72.18	50.00	VESA(SVGA)	O
12	800X600	46.875	75.00	49.50	VESA(SVGA)	O
14	1024X768	48.363	60.00	65.00	VESA(XGA)	O
15	1024X768	56.476	70.06	75.00	VESA(XGA)	O
16	1024X768	60.023	75.02	78.75	VESA(XGA)	O
	DTV					
17	704X480	31.47	59.94		SDTV 480P	
18	1280X720	45.00	60.00		HDTV 720P	
19	1280X720	44.96	59.94		HDTV 720P	
20	1920X1080	33.75	60.00		HDTV 1080I	
21	1920X1080	33.72	59.94		HDTV 1080I	

HDMI Input (PC/DTV)

No	Resolution	H-freq(kHz)	V-freq.(Hz)	Pixel clock(MHz)	Proposed	
1	PC	DDC				
2	640X480	31.469	59.94	25.17	VESA(VGA)	O
3	640X480	37.861	72.80	31.50	VESA(VGA)	O
4	640X480	37.500	75.00	31.50	VESA(VGA)	O
5	800X600	35.156	56.25	36.00	VESA(SVGA)	O
6	800X600	37.879	60.31	40.00	VESA(SVGA)	O
7	800X600	48.077	72.18	50.00	VESA(SVGA)	O
8	800X600	46.875	75.00	49.50	VESA(SVGA)	O
9	1024X768	48.363	60.00	65.00	VESA(XGA)	O
10	1024X768	56.476	70.06	75.00	VESA(XGA)	O
11	1024X768	60.023	75.02	78.75	VESA(XGA)	O
	DTV					
12	720X480	31.500	60	27.03	SDTV 480P	O
13	720X480	31.469	59.94	27.00	SDTV 480P	O
14	1280X720	45.000	60.00	74.25	HDTV 720P	O
15	1280X720	44.955	59.94	74.175	HDTV 720P	O
16	1920X1080	33.750	60.00	74.175	HDTV 1080I	O
17	1920X1080	33.716	59.94	74.25	HDTV 1080I	O

EDID data (HDMI) for 32LP1D-UA

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	00	FF	FF	FF	FF	FF	FF	00	1E	6D	01	00	01	01	01	01
10	00	0E	01	03	80	46	28	96	0A	FB	2C	A3	57	47	9A	25
20	10	48	4B	AF	CE	00	31	4F	45	4F	61	4F	01	01	01	01
30	01	01	01	01	01	01	64	19	00	40	41	00	26	30	18	88
40	36	00	BA	88	21	00	00	18	00	00	00	FD	00	38	4B	1E
50	3D	08	00	0A	20	20	20	20	20	20	00	00	00	FC	00	33
60	32	4C	50	31	44	2D	55	0A	20	20	20	20	00	00	00	00
70	00	00	00	00	00	00	00	00	00	00	00	00	00	00	01	F0
	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	02	03	13	F1	44	84	05	03	02	23	15	07	50	65	03	0C
10	00	10	00	01	1D	00	72	51	D0	1E	20	DC	28	45	04	BA
20	88	21	00	00	1E	01	1D	80	18	71	1C	16	20	94	2C	F5
30	00	BA	88	21	00	00	1E	8C	0A	D0	8A	20	E0	2D	10	3C
40	3E	E6	04	BA	88	21	00	00	18	8C	0A	D0	8A	20	E0	2D
50	10	3C	3E	E6	04	BA	88	21	00	00	18	00	00	00	00	00
60	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
70	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	8E

EDID data (RGB) for 32LP1D-UA

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	00	FF	FF	FF	FF	FF	FF	00	1E	6D	5D	46	01	01	01	01
10	07	0F	01	03	68	46	28	96	0A	FB	2C	A3	57	47	9A	25
20	10	48	4B	AF	CE	00	31	4F	45	4F	61	4F	01	01	01	01
30	01	01	01	01	01	01	64	19	00	40	41	00	26	30	18	88
40	36	00	BC	88	21	00	00	18	00	00	00	FD	00	38	4B	1E
50	3D	08	00	0A	20	20	20	20	20	20	00	00	00	FC	00	33
60	32	4C	50	31	44	2D	55	0A	20	20	20	20	00	00	00	00
70	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	5D

EDID data (HDMI) for 37LP1D-UA

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	00	FF	FF	FF	FF	FF	FF	00	1E	6D	01	00	01	01	01	01
10	00	0E	01	03	80	52	2E	78	0A	D4	6C	A3	57	49	9C	25
20	11	48	4B	AF	CE	00	31	4F	45	4F	61	4F	01	01	01	01
30	01	01	01	01	01	01	64	19	00	40	41	00	26	30	18	88
40	36	00	BA	88	21	00	00	18	00	00	00	FD	00	38	4B	1E
50	3D	08	00	0A	20	20	20	20	20	20	00	00	00	FC	00	33
60	37	4C	50	31	44	2D	55	0A	20	20	20	20	00	00	00	00
70	00	00	00	00	00	00	00	00	00	00	00	00	00	00	01	D9
	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	02	03	13	F1	44	84	05	03	02	23	15	07	50	65	03	0C
10	00	10	00	01	1D	00	72	51	D0	1E	20	DC	28	45	04	BA
20	88	21	00	00	1E	01	1D	80	18	71	1C	16	20	94	2C	F5
30	00	BA	88	21	00	00	1E	8C	0A	D0	8A	20	E0	2D	10	3C
40	3E	E6	04	BA	88	21	00	00	18	8C	0A	D0	8A	20	E0	2D
50	10	3C	3E	E6	04	BA	88	21	00	00	18	00	00	00	00	00
60	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
70	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	8E

EDID data (RGB) for 37LP1D-UA

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	00	FF	FF	FF	FF	FF	FF	00	1E	6D	5D	46	01	01	01	01
10	07	0F	01	03	68	46	28	96	0A	D4	6C	A3	57	49	9C	25
20	11	48	4B	AF	CE	00	31	4F	45	4F	61	4F	01	01	01	01
30	01	01	01	01	01	01	64	19	00	40	41	00	26	30	18	88
40	36	00	BC	88	21	00	00	18	00	00	00	FD	00	38	4B	1E
50	3D	08	00	0A	20	20	20	20	20	20	00	00	00	FC	00	33
60	37	4C	50	31	44	2D	55	0A	20	20	20	20	00	00	00	00
70	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	55

EDID data (HDMI) for 42LP1D-UA

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	00	FF	FF	FF	FF	FF	FF	00	1E	6D	01	00	01	01	01	01
10	00	0E	01	03	80	5D	34	78	10	A0	AC	A3	57	48	9C	25
20	12	47	4B	AF	CE	00	31	4F	45	4F	61	4F	01	01	01	01
30	01	01	01	01	01	01	64	19	00	40	41	00	26	30	18	88
40	36	00	BA	88	21	00	00	18	00	00	00	FD	00	38	4B	1E
50	3D	08	00	0A	20	20	20	20	20	20	00	00	00	FC	00	34
60	32	4C	50	31	44	2D	55	0A	20	20	20	20	00	00	00	00
70	00	00	00	00	00	00	00	00	00	00	00	00	00	00	01	A1
	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	02	03	13	F1	44	84	05	03	02	23	15	07	50	65	03	0C
10	00	10	00	01	1D	00	72	51	D0	1E	20	DC	28	45	04	BA
20	88	21	00	00	1E	01	1D	80	18	71	1C	16	20	94	2C	F5
30	00	BA	88	21	00	00	1E	8C	0A	D0	8A	20	E0	2D	10	3C
40	3E	E6	04	BA	88	21	00	00	18	8C	0A	D0	8A	20	E0	2D
50	10	3C	3E	E6	04	BA	88	21	00	00	18	00	00	00	00	00
60	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
70	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	8E

EDID data (RGB) for 42LP1D-UA

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	00	FF	FF	FF	FF	FF	FF	00	1E	6D	5D	46	01	01	01	01
10	07	0F	01	03	68	46	28	96	0A	A0	AC	A3	57	48	9C	25
20	12	47	4B	AF	CE	00	31	4F	45	4F	61	4F	01	01	01	01
30	01	01	01	01	01	01	64	19	00	40	41	00	26	30	18	88
40	36	00	BC	88	21	00	00	18	00	00	00	FD	00	38	4B	1E
50	3D	08	00	0A	20	20	20	20	20	20	00	00	00	FC	00	34
60	32	4C	50	31	44	2D	55	0A	20	20	20	20	00	00	00	00
70	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	55

7. General spec(Module)

7-1. For 32LP1D-UA

No	Item		Min	Typ	Max	Unit	Remark
1	Active Screen Size			800.4(diagonal)		mm	31.51 inches
2	Outline Dimension			760(H) x 450(V) x 48(D)		mm	Typ.
3	Pixel Pitch			170.25 x 510.75 x RGB		μm	
4	Pixel Format			1366(H)x768(V) RGB stripe arrangement			
5	Color Depth			8bit 16.7		Mbit	
6	Luminance ,White			500		cd/m2	Center 1 point
7	Viewing Angle (CR>10)			R/L 176(Typ),U/P 176(Typ)		degree	
8	Power Consumption			89.5		Watt	Typ.
9	Weight			7.2		kg	
10	Display Operating Mode			Transmissive mode ,normally black			
11	Surface Treatment			Hard coating (3H), Anti-glare treatment			
12	Altitude	Operating		0 - 14,000		feet	4,267.2 m
		Storage/Shipement		0 - 40,000		feet	12,192.0 m
13	Lamp Life Time			50,000 (min.)		Hrs	25±2°C

7-2. For 37LP1D-UA

No	Item		Min	Typ	Max	Unit	Remark
1	Active Screen Size			940.3(diagonal)		mm	37.02 inches
2	Outline Dimension			877(H) x 516.8(V) x 55.5(D)		mm	Typ.
3	Pixel Pitch			200 x600 x RGB		μm	
4	Pixel Format			1366(H)x768(V) RGB stripe arrangement			
5	Color Depth			8bit 16.7		Mbit	
6	Luminance ,White			500		cd/m2	Center 1 point
7	Viewing Angle (CR>10)			R/L 176(Typ),U/P 176(Typ)		degree	
8	Power Consumption			125		Watt	Typ.
9	Weight			11.5		kg	
10	Display Operating Mode			Transmissive mode ,normally black			
11	Surface Treatment			Hard coating (3H), Anti-glare treatment			
12	Altitude	Operating		0 - 14,000		feet	4,267.2 m
		Storage/Shipment		0 - 40,000		feet	12,192.0 m
13	Lamp Life Time			50,000 (min.)		Hrs	25±2°C

7-3. For 42LP1D-UA

No	Item		Min	Typ	Max	Unit	Remark
1	Active Screen Size			1067.3(diagonal)		mm	42.02 inches
2	Outline Dimension			1006(H) x 610(V) x 56(D)		mm	Typ.
3	Pixel Pitch			227 x 681 x RGB		μm	
4	Pixel Format			1366(H)x768(V) RGB stripe arrangement			
5	Color Depth			8bit 16.7		Mbit	
6	Luminance ,White			500		cd/m2	Center 1 point
7	Viewing Angle (CR>10)			R/L 176(Typ),U/P 176(Typ)		degree	
8	Power Consumption			168.3		Watt	Typ.
9	Weight			11.8		kg	
10	Display Operating Mode			Transmissive mode ,normally black			
11	Surface Treatment			Hard coating (3H), Anti-glare treatment			
12	Altitude	Operating		0 - 14,000		feet	4,267.2 m
		Storage/Shipment		0 - 40,000		feet	12,192.0 m
13	Lamp Life Time			50,000 (min.)		Hrs	25±2°C

ADJUSTMENT INSTRUCTION

1. Applicability

These specifications are applicable for all LCD TV models with an AL-04DA chassis that are manufactured by the Manufacturing Group of the Display Business Division, or any of its related manufacturers.

2. Specifications

2.1 This chassis is the non-charging type chassis for which the power unit is insulated. Therefore, the insulated type transformer is not required but it is recommended that it be used between the power supply line and chassis input side before running the chassis, in order to protect the adjustment equipment.

2.2 Adjustment should be made in the correct sequence. However, the order can be changed for mass production purposes.

2.3 The suggested surrounding temperature is $25\pm 5^{\circ}\text{C}$, and suggested relative humidity is $65\pm 10\%$ for the adjustment of the chassis, unless specified.

2.4 The input voltage should be maintained at 110V and 60MHz.

2.5 The receiver should run for about 15 minutes before starting adjustment, unless specified.

- Run prior operation after receiving 100% White pattern (06CH).
(OR, 9. White Pattern state in Ez-Adjust.)

- How to enter into the White Pattern

- 1) Press the Power ON key in the adjustment remote control.

- 2) Or, press the ADJ key on the adjustment remote control to enter into Ez-Adjust and select 9. White Pattern using CH +/- key. Then, press the OK (■) key to display 100% Full White Pattern.

* In this mode, the SET can be put on HEAT RUN without a separate signal generator.

Note) If you leave the stop image on for more than 20 minutes, you must be careful because an afterimage will appear on the black level section. (Applies to internal digital pattern (13CH) and cross hatch pattern (03CH) with clear black/white contrast, in particular).

3. Full assembly process adjustment

<Precaution>

Each PCB assembly must be checked using the check jig set before the full assembly process. (The power PCB assembly can damage the LCD module irreparably.)

3.1. Extended Display Identification Data (EDID) and Display Data Channel (DDC) download

3.1.1 Overview

Developed by VESA, the EDID function is designed to support the "plug & play" function, which enables the computer to configure the user environment automatically through communication with the monitor.

3.1.2 Entering the HDMI EDID Data

1) Equipment

- PC and DDC adjustment jig (PC serial to D-sub connection device)
- DDC recording software (EDID data write & read)
- D-Sub terminal
- Need separate HDMI cable connection jig.

3.2. Adjusting AD9883A-Set

3.2.1. Overview

AD9883A-Set adjustment automatically sets the optimal black level, and readjusts the RGB differences in analog -> digital converter. Adjustment is made separately for the component mode and RGB-DTV mode input.

3.2.2. Equipment

Adjustment remote control: 801GF (802B, 802F, 802R) or MSPG925FA Pattern Generator (It should support 720P horizontal 100% color bar pattern display, and the output level should be accurately corrected to $0.7\pm 0.1\text{Vp-p}$.)

Adjustment pattern: 720P/60Hz HozBar Pattern (Format No. 217, Pattern No. 65)

3.2.3 Signal input method

Connect the component output and RGB D-Sub output of the Pattern Generator to the component 1 and RGB D-Sub jack of the set.

3.2.4. Adjustment method

- A) When entering the component, input 100% Horizontal Color Bar Pattern (HozTV30Bar) of the supportable 720P mode, and select Component 1 or Component 2 input, and select Normal image.
- B) Wait for at least one second after receiving the signal and press the ADJ key on the adjustment remote control to enter into Ez-Adjust. Then, select "1. AD9883A-Set" and press the + key for automatic adjustment.
- C) If adjustment is completed successfully, the "AD9883A Component Success" message will be displayed. Otherwise, the "AD9883A Configuration Error" message will be displayed.
- D) If the adjustment for component AD9883A is finished, it will automatically switch to RGB-DTV mode, and the above-mentioned pattern will be displayed. If adjustment is successfully completed, "AD9883A RGB_DTV Success" message will be displayed.
- E) If adjustment is not completed successfully, check the pattern or adjustment condition and try again.
- F) If adjustment is completed successfully, press the ADJ key to exit from the adjustment mode.

3.3. Adjusting White Balance

3.3.1 Equipment

- Color Analyzer (CA-100 or equivalent item)
- Automatic adjustment device (Needed for automatic adjustment. It should support RS-232C communication, Baud rate: 115,600)
- Pattern Generator (MSPG-925FA): Equipment with DVI output.
- Pattern: High light 80% Full White

3.3.2 Measurer Connection Diagram (Automatic adjustment)

Connection diagram for 32LX1D-U automatic adjustment

Note) RS-232C Commands used for automatic adjustment.

3.3.3. Manual White Balance Adjustment

When adjusting after carrying out zero calibration for CA-100, the sensor should be tightly fixed on the LCD module surface. Take the following steps for manual adjustment.

- A) Press the ADJ key on the adjustment remote control to enter into "Ez-Adjust."
- B) Select "9. White Pattern" using CH +/- key and press the OK key. Then, perform Heat Run for more than 30 minutes.
- C) Make the Digital Pattern Generator supply Full White Pattern signal.
(Connect the external input to "HDMI".)
- D) Fix the sensor to the screen center and press the ADJ key on the adjustment remote control to select "6. White balance" in "Ez-Adjust". Then, press the right direction key (▶) to enter into the adjustment mode.
- E) Adjust the high light using R Gain, G Gain, and B Gain.
- F) Use Volume +/- key for adjustment.

3.3.4. Adjustment Target value

- Brightness value
- Target value
- X coordinate value / Y coordinate value / White Balance / Special items.

3.4 Video (uPD) - Automatic Set Adjustment


This automatic adjustment function narrows the color difference between the main and sub screen of the RF and video signal. Adjustment is made for both RF mode and video 1 mode. The signal source of RF is internal 02Ch, and the signal source for video 1 is 100% full color bar.

3.5 RS232C Operation Check


Press In-start in the adjustment remote control and enter '6. Baud Rate' menu. Then, change the baud rate to 9600 and check RS232C operation.


SVC REMOCON


NO	KEY	FUNTION	REMARK
1	POWER	To turn the TV on or off	
2	POWER ON	To turn the TV on automatically if the power is supplied to the TV. (Use the POWER key to deactivate): It should be deactivated when delivered.	
3	MUTE	To activate the mute function.	
4	P-CHECK	To check TV screen image easily.	Shortcut keys
5	S-CHECK	To check TV screen sound easily	Shortcut keys
6	ARC	To select size of the main screen (Normal, Spectacle, Wide or Zoom)	Shortcut keys
7	CAPTION	Switch to closed caption broadcasting	
8	TXT	To toggle on/off the teletext mode	
9	TV/AV	To select an external input for the TV screen	
10	TURBO SOUND	To start turbo sound	
11	TURBO PICTURE	To start turbo picture	
12	IN-START	To enter adjustment mode when manufacturing the TV sets. To adjust the screen voltage (automatic): In-start → mute → Adjust → AV(Enter into W/B adjustment mode) W/B adjustment (automatic): After adjusting the screen →W/B adjustment →Exit two times (Adjustment completed)	Use the AV key to enter the screen W/B adjustment mode.
13	ADJ	To enter into the adjustment mode. To adjust horizontal line and sub-brightness.	
14	MPX	To select the multiple sound mode (Mono, Stereo or Foreign language)	
15	EXIT	To release the adjustment mode	
16	APC(PSM)	To easily adjust the screen according to surrounding brightness	
17	ASC(SSM)	To easily adjust sound according to the program type	
18	MULTIMEDIA	To check component input	Shortcut keys
19	FRONT-AV	To check the front AV	Shortcut keys
20	CH ±	To move channel up/down or to select a function displayed on the screen.	
21	VOL ±	To adjust the volume or accurately control a specific function.	
22	ENTER	To set a specific function or complete setting.	
23	PIP CH-(OP1)	To move the channel down in the PIP screen. To use as a red key in the teletext mode	
24	PIP CH+(OP2)	To move the channel in the PIP screen To use as a green key in the teletext mode	
25	PIP SWAP(OP3)	To switch between the main and sub screens To use as a yellow key in the teletext mode	
26	PIP INPUT(OP4)	To select the input status in the PIP screen To use as a blue key in the teletext mode	
27	EYE	To set a function that will automatically adjust screen status to match the surrounding brightness so natural color can be displayed.	
28	MENU	To select the functions such as video, voice, function or channel.	
29	IN-STOP	To set the delivery condition status after manufacturing the TV set.	
30	STILL	To halt the main screen in the normal mode, or the sub screen at the PIP screen. Used as a hold key in the teletext mode (Page updating is stopped.)	
31	TIME	Displays the teletext time in the normal mode Enables to select the sub code in the teletext mode	
32	SIZE	Used as the size key in the PIP screen in the normal mode Used as the size key in the teletext mode	
33	MULTI PIP	Used as the index key in the teletext mode (Top index will be displayed if it is the top text.)	
34	POSITION	To select the position of the PIP screen in the normal mode Used as the update key in the teletext mode (Text will be displayed if the current page is updated.)	
35	MODE	Used as Mode in the teletext mode	
36	PIP	To select the simultaneous screen	
37	TILT	To adjust screen tilt	Shortcut keys
38	0~9	To manually select the channel.	




TROUBLESHOOTING







BLOCK DIAGRAM



BLOCK DIAGRAM DESCRIPTION

In this system there are 2 tuners - ATSC/NTSC tuner(TDVS-H701P) and NTSC-only tuner.(TAFM-H103P)
So it is impossible to have a digital (main)/digital (sub) PIP.

CXA2181Q is the AV switch for the component signals and CXA2069Q is the AV switch for the composite signals.
The audio signals which separated by CXA2069 are sent to MSP4440.
AD9883 is AD converter and there are 2 NT decoders (uPD64011B) for main and sub NT signals each.

Gemstar is TV Guide On Screen system which provides program listings for cable-ready, cable box, and digital cable services as well as over-the-air broadcast. And it needs 2 micoms (PIC18F242 is for IR blast and PIC18F1220 is for VBI slicing).

HD2.3 can receive TP data, MPEG2 video decoding and image processing. IEP2 chip enhances the output image quality.

Main CPU (PPC405GPr-266) is the central processing IC, which controls most of the ICs.
CPLD (XC95288, XC95144) implements the glue-logic.

SATA Link(Sil3512) converts the SATA I/F to PCI for the EPF(memory card I/F) data. This TV will display images or play music from a memory card(CF,SD,xD, MMC etc.)

1394 communicates to either direction and can give and take image, sound, or each control commands with only one cable (this TV can communicate with DVHS / Camcorder).


HDMI port can receive video data via High-Definition Multimedia Interface (HDMI) or the Digital Visual Interface (DVI).
Sil9012 is HDMI receiver IC and TSB43DA42 controls the 1394 I/F.

This TV is capable of receiving basic analog, digital basic and digital premium cable television programming by direct connection to a cable system providing such programming. A security card provided by cable operator (CableCard) is required to view encrypted digital programming. Channel informations can receive in the OOB channel.

LGDT3701A demodulates the VSB/QAM signals and also OOB signal (QPSK).

LGDT3502B generates the CableCard I/F signals and decodes copy protected stream.


WIRING DIAGRAM



Wiring Part List

NO.	PART NO.	NO.	PART NO.	NO.	PART NO.	NO.	PART NO.	NO.	PART NO.	NO.	PART NO.
1	6631T11022A	3	6631900001D-37LP1D	6	6631T20037E-32LP1D	9	6631T25024E	13	6631T20037V-42LP1D	16	6631T25023V-32LP1D
2	6631900001A-32LP1D		6631900001F-42LP1D		6631T20041C-37LP1D	10	6631T12006Q	14	6631T25023Z-37LP1D		6631T25019C-37/42LP1D
	6631900001C-37LP1D	4	6631T11023F		6631T20041B-42LP1D	11	6631T20028H		6631T25023R-37/42LP1D	17	6631T25025D
	6631900001E-42LP1D	5	6631T20037D-32/37LP1D	7	6631T25019B	12	6631T20036F	15	6631T25023H-32LP1D	18	6631T20037H
3	6631900001B-32LP1D		6631T20041A-42LP1D	8	6631T25019V	13	6631T20037L-32/37LP1D		6631T25025C-37/42LP1D	19	6631T20034H

EXPLODED VIEW



EXPLODED VIEW PARTS LIST(32LP1D-UA)

No.	PART NO.	DESCRIPTION
010	3091TKE023B	CABINET ASSEMBLY, 32LP10 BRAND 3090TKE019 BLACK, FOR DU
	3091TKE023G	CABINET ASSEMBLY, 32LP1D-UA BRAND 3090TKE019 BLACK, FOR CKD
020	6304FLP290A	LCD(LIQUID CRYSTAL DISPLAY), LC320W01-A6K6 LG PHILPS TFT COLOR WXGA AIODC
	or 6304FLP181A	LCD(LIQUID CRYSTAL DISPLAY), LC320W01-A6K3 LG PHILPS TFT COLOR AI ODC
030	3809TKE022D	BACK COVER ASSEMBLY, 32LP1D 3808TKE020 DARK GRAY(WHITH HOLDER)
	3809TKE022E	BACK COVER ASSEMBLY, 32LP1D 3808TKE020 DARK GRAY, FOR CKD(WHITH HOLDER)
040	3043TKK214B	TILT SWIVEL ASSEMBLY, 32LP10 . FOR DU
	3043TKK214E	TILT SWIVEL ASSEMBLY, 32LP1D-UA . FOR CKD
050	3550TKK714A	COVER, 32LP10 REAR A/V
	3550TKK714B	COVER, 32LP10 REAR A/V FOR CKD
060	4951TKS193B	METAL ASSEMBLY, FRAME 32LP10-DU
	4951TKS193F	METAL ASSEMBLY, FRAME 32LP1D-UA FOR CKD
070	6871TPT303B	PWB(PCB) ASSEMBLY,POWER, DU/DN/DI-32LP10 POWER TOTAL BRAND DU(DCR) COMM - SH(D112)
080	3313TD3049A	MAIN TOTAL ASSEMBLY, 32LP1D-UA DIGITAL BRAND AL-04DA
090	3313TD3047A	MAIN TOTAL ASSEMBLY, 32LP1D-UA ANALOG BRAND AL-04DA
100	4951TKK228B	METAL ASSEMBLY, FRAME SIDE R(32LP10)
101	4951TKK228B	METAL ASSEMBLY, FRAME SIDE R(32LP10)
110	4951TKK238G	METAL ASSEMBLY, FRAME REAR 32LP1D
	4951TKK238H	METAL ASSEMBLY, FRAME REAR 32LP1D, CKD
120	6871TSTB40A	PWB(PCB) ASSEMBLY,SUB, 32LP1D-UA SIDE AV ETC TOTAL BRAND .
130	4951TKK263B	METAL ASSEMBLY, REAR 32LP1D-UA SHIELD
140	3551TKK561B	COVER ASSEMBLY, 32LP10-DU REAR AV BRACKET
	3551TKK561G	COVER ASSEMBLY, 32LP1D-UA REAR AV BRACKET, CKD
150	3551TKS058B	COVER ASSEMBLY, 32LP10 SPEAKER . BLACK(32LP1D-UA/DC-UA)
151	3551TKS058B	COVER ASSEMBLY, 32LP10 SPEAKER . BLACK(32LP1D-UA/DC-UA)
160	4950TKA058A	METAL, PLATE AL DECO REAR SPEAKER L (32LP10)
161	4950TKA058A	METAL, PLATE AL DECO REAR SPEAKER L (32LP10)
170	6871TST754A	PWB(PCB) ASSEMBLY,SUB, DU-32LP10 ETC TOTAL BRAND TUNER
180	3141TZZ173A	CHASSIS ASSEMBLY, 32LP1D-U EPF BOARD
190	6871TSTA93A	PWB(PCB) ASSEMBLY,SUB, 32LP1D-UA LOGO ETC TOTAL BRAND .
200	6871TSTA73A	PWB(PCB) ASSEMBLY,SUB, 32LP1D-U IR SUB TOTAL BRAND .
210	6871TSTB39A	PWB(PCB) ASSEMBLY,SUB, 32LP1D-UA FRONT CONTROL TOTAL BRAND .
220	6871TSTA24A	PWB(PCB) ASSEMBLY,SUB, 37LP1D-UA VFD LED & P/SW TOTAL BRAND .

EXPLODED VIEW PARTS LIST(37LP1D-UA)

No.	PART NO.	DESCRIPTION
010	3091TKE028C	CABINET ASSEMBLY, 37LP1D-UA BRAND . CABINET ASSY
	3091TKE028F	CABINET ASSEMBLY, 37LP1D-UA BRAND . CABINET ASSY(C/SKD)
020	6304FLP291A	LCD(LIQUID CRYSTAL DISPLAY), LC370W01-C6K1 LG PHILPS TFT COLOR ODC
	or 6304FLP178A	LCD(LIQUID CRYSTAL DISPLAY), LC370W01-C6 LG PHILPS TFT COLOR P6 PLANT, ODC
030	3809TKE026A	BACK COVER ASSEMBLY, 37LP10 . BACK COVER ASSY
	3809TKE026D	BACK COVER ASSEMBLY, 37LP10 . BACK COVER ASSY, 37LP1D-UA(C/SKD)
040	3043TKK224B	TILT SWIVEL ASSEMBLY, 37LP1D-UA . STAND ASSY(SET)
	3043TKK224D	TILT SWIVEL ASSEMBLY, 37LP1D-UA . STAND ASSY(C/SKD)
050	3550TKK768A	COVER, 37LP10 REAR .
	3550TKK768B	COVER, 37LP10 REAR C/SKD
060	4951TKS213B	METAL ASSEMBLY, FRAME 37LP1D-UA, 37LP1D-NA
	4951TKS213D	METAL ASSEMBLY, FRAME MAIN FRAME ASSY, 37LP1D-UA(C/SKD)
070	6871TPT315A	PWB(PCB) ASSEMBLY,POWER, 37-42 DCR POWER TOTAL BRAND KNPOWERTEK
080	3313TD3050A	MAIN TOTAL ASSEMBLY, 37LP1D-UA DIGITAL BRAND AL-04DA
090	3313TD3048A	MAIN TOTAL ASSEMBLY, 37LP1D-UA ANALOG BRAND AL-04DA
100	4951TKK262C	METAL ASSEMBLY, SUPPORT FAN ASSY 5900V05005A(37LP10 ONLY)
101	4951TKK262C	METAL ASSEMBLY, SUPPORT FAN ASSY 5900V05005A(37LP10 ONLY)
110	4951TKS240A	METAL ASSEMBLY, REAR SHIELD ASSY
	4951TKS240B	METAL ASSEMBLY, REAR SHIELD ASSY(C/SKD)
120	6871TSTA23A	PWB(PCB) ASSEMBLY,SUB, 37LP1D-UA SIDE A/V ETC TOTAL BRAND .
130	4950TKA120B	METAL, SHIELD REAR, AV, 37LP1D-UA/ 37LP1D-NA
140	3551TKK586B	COVER ASSEMBLY, 37LP1D-U REAR . BRACKET AV
150	3551TKS063B	COVER ASSEMBLY, 37LP1D-UA SPEAKER . BLACK
151	3551TKS063B	COVER ASSEMBLY, 37LP1D-UA SPEAKER . BLACK
160	4950TKA131A	METAL, SUPPORT METAL AL DECO SPK REAR LEFT, 37LP10
161	4950TKA132A	METAL, SUPPORT METAL AL DECO SPK REAR RIGHT, 37LP10
170	6871TSTA25A	PWB(PCB) ASSEMBLY,SUB, 37LP1D-UA TUNER ETC TOTAL BRAND .
180	3141TZZ177A	CHASSIS ASSEMBLY, 37LP1D-U EPF ASSY
190	6871TSTB31A	PWB(PCB) ASSEMBLY,SUB, 37LP1D-UA LOGO ETC TOTAL BRAND .
200	6871TSTA73A	PWB(PCB) ASSEMBLY,SUB, 32LP1D-U IR SUB TOTAL BRAND .
210	6871TSTB41A	PWB(PCB) ASSEMBLY,SUB, 37LP1D-UA FRONT CONTROL TOTAL BRAND ..
220	6871TSTA24A	PWB(PCB) ASSEMBLY,SUB, 37LP1D-UA VFD LED & P/SW TOTAL BRAND .

EXPLODED VIEW PARTS LIST(42LP1D-UA)

No.	PART NO.	DESCRIPTION
010	3091TKE031B	CABINET ASSEMBLY, 42LP10 BRAND 3090TKE023A (UA)
	3091TKE031F	CABINET ASSEMBLY, 42LP10 BRAND 3090TKE023A (UA-SKD)
020	6304FLP286A	LCD(LIQUID CRYSTAL DISPLAY), LC420W02-B4K4 LG PHILPS TFT COLOR B4K3 REV.
	or 6304FLP216A	LCD(LIQUID CRYSTAL DISPLAY), LC420W02-B4K3 LG PHILPS TFT COLOR LEAD FREE
	6304FLP295A	LCD(LIQUID CRYSTAL DISPLAY), LC420W02-B6K1 LG PHILPS TFT COLOR B6+STATUS PIN
030	3809TKE028B	BACK COVER ASSEMBLY, 42LP10 3808TKE023 (NO SERVICE LABEL)
	3809TKE028C	BACK COVER ASSEMBLY, 42LP10 3808TKE023 (SKD-NO SERVICE LABEL)
040	3043TKK238B	TILT SWIVEL ASSEMBLY, 42LP1D . STAND(UA)
	3043TKK238D	TILT SWIVEL ASSEMBLY, 42LP1D . STAND(UA), SKD
050	3550TKK812A	COVER, 42LP10 REAR (DECO)
	3550TKK812B	COVER , 42LP10 REAR (DECO-SKD)
060	4951TKS210B	METAL ASSEMBLY, FRAME (42LP10,UA)
070	6871TPT315A	PWB(PCB) ASSEMBLY,POWER, 37-42 DCR POWER TOTAL BRAND KNPOWERTEK
080	3313TD4015A	MAIN TOTAL ASSEMBLY, 42LP1D-UA DIGITAL BRAND AL-04DA
090	3313TD4014A	MAIN TOTAL ASSEMBLY, 42LP1D-UA ANALOG BRAND AL-04DA
100	4951TKK262A	METAL ASSEMBLY, SUPPORT FAN ASSY 5900V05005A
101	4951TKK262A	METAL ASSEMBLY, SUPPORT FAN ASSY 5900V05005A
110	4951TKK276K	METAL ASSEMBLY, SHIELD AV ASSY, 42LP1D-UA
120	6871TSTA27A	PWB(PCB) ASSEMBLY,SUB, 42LP1D-UA SIDE A/V ETC TOTAL BRAND .
130	4950TKA120F	METAL, SHIELD REAR AV, 42LP1D-UA,NA
140	3551TKK597B	COVER ASSEMBLY, 42LP1D REAR . A/V COVER(UA)
150	3551TKS061B	COVER ASSEMBLY, 42LP1D SPEAKER . LEFT(UA,BLACK)
151	3551TKS062B	COVER ASSEMBLY, 42LP1D SPEAKER . RIGHT(UA,BLACK)
160	4950TKA189A	METAL, FIX AL DECO REAR PIECE
161	4950TKA189A	METAL, FIX AL DECO REAR PIECE
170	6871TSTA29A	PWB(PCB) ASSEMBLY,SUB, 42LP1D-UA TUNER ETC TOTAL BRAND .
180	3141TZZ178A	CHASSIS ASSEMBLY, 42LP1D-U EPF ASSY
190	6871TSTB32A	PWB(PCB) ASSEMBLY,SUB, 42LP1D-UA LOGO ETC TOTAL BRAND .
200	6871TSTA73A	PWB(PCB) ASSEMBLY,SUB, 32LP1D-U IR SUB TOTAL BRAND .
210	6871TSTB42A	PWB(PCB) ASSEMBLY,SUB, 42LP1D-UA FRONT CONTROL TOTAL BRAND ..
220	6871TSTA24A	PWB(PCB) ASSEMBLY,SUB, 37LP1D-UA VFD LED & P/SW TOTAL BRAND .

REPLACEMENT PARTS LIST

For Capacitor & Resistors, the characters at 2nd and 3rd digit in the P/No. means as follows;

CC, CX, CK, CN, CH : Ceramic
CQ : Polyester
CE : Electrolytic
CF : Fixed Film

RD : Carbon Film
RS : Metal Oxide Film
RN : Metal Film
RH : CHIP, Metal Glazed(Chip)
RR : Drawing

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
MAIN BOARD(Analog)				
CAPACITOR				
		C646	0CH8106J611	10UF 35V M 85STD(CYL) R/TP
		C102	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C103	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C106	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C111	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C118	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C203	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C217	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C218	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C219	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C401	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C405	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C407	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C411	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C412	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C601	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C602	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C603	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C604	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C605	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C607	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C609	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C610	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C611	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C612	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C624	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C626	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C629	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C631	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C633	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C634	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C635	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C637	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C644	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C645	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C647	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C648	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C658	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C659	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C660	0CH3105H946	"1UF 2012 25V 80%,-20% F(Y5V)"
		C701	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C703	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C705	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C706	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C708	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C712	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C713	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C715	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C717	0CH3334K946	"0.33UF 50V 80%,-20% F(Y5V)"
		C718	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C720	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C721	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C723	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C725	0CH3334K946	"0.33UF 50V 80%,-20% F(Y5V)"
		C728	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C729	0CH3103K516	10000PF 50V 10% B(Y5P) 2012

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C739	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C740	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C742	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C803	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C804	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C806	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C808	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C810	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C812	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C814	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C815	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C817	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C819	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C822	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C823	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C825	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C827	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C828	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C830	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C833	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C837	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C109	0CK102CK56A	1000PF 1608 50V 0.1 R/TP X7
		C120	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C122	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C613	0CK105DK94A	"1UF 2012 50V 80%,-20% R/TP"
		C614	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C615	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C616	0CK105DK94A	"1UF 2012 50V 80%,-20% R/TP"
		C623	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C625	0CK333CK56A	33000PF 1608 50V 10% R/TP X
		C627	0CK333CK56A	33000PF 1608 50V 10% R/TP X
		C628	0CK333CK56A	33000PF 1608 50V 10% R/TP X
		C630	0CK333CK56A	33000PF 1608 50V 10% R/TP X
		C638	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(
		C639	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(
		C640	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(
		C641	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(
		C663	0CK102CK56A	1000PF 1608 50V 0.1 R/TP X7
		C664	0CK102CK56A	1000PF 1608 50V 0.1 R/TP X7
		C665	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C710	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C726	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C843	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C114	0CH6150K416	15PF 2012 50V 5% NP0 R/TP
		C115	0CH6150K416	15PF 2012 50V 5% NP0 R/TP
		C205	0CH6101K416	100PF 50V 5% NP0 2012 R/TP
		C206	0CH6220K416	22PF 2012 50V 5% NP0 -
		C207	0CH6220K416	22PF 2012 50V 5% NP0 -
		C208	0CH6101K416	100PF 50V 5% NP0 2012 R/TP
		C408	0CH6100K116	10PF 2012 50V 0.5 PF COG R/
		C409	0CH6100K116	10PF 2012 50V 0.5 PF COG R/
		C107	0CC221CK41A	220PF 1608 50V 5% R/TP NP0
		C110	0CC221CK41A	220PF 1608 50V 5% R/TP NP0
		C113	0CC561CK41A	560PF 1608 50V 5% NP0 R/TP

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C214	0CC220CK41A	22PF 1608 50V 5% R/TP NP0
		C215	0CC220CK41A	22PF 1608 50V 5% R/TP NP0
		C216	0CC220CK41A	22PF 1608 50V 5% R/TP NP0
		C662	0CC101CK41A	100PF 1608 50V 5% R/TP NP0
		C642	0CE108EJK18	"1000UF KMG,RD 35V 20%,-20%"
		C643	0CE108EJK18	"1000UF KMG,RD 35V 20%,-20%"
		C101	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C105	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C108	0CE105SK6DC	1UF MVG 50V 20% SMD R/TP
		C117	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C119	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C121	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C204	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C403	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C404	0CE476VK6DC	47UF MV 50V 20% R/TP(SMD) S
		C406	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C410	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C413	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C606	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C608	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C650	0CE336VF6DC	33UF MV 16V 20% R/TP(SMD) S
		C657	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C661	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C702	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C704	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C707	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C709	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C711	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C714	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C716	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C719	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C722	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C724	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C727	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C730	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C741	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C743	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C801	0CE476VK6DC	47UF MV 50V 20% R/TP(SMD) S
		C802	0CE476VK6DC	47UF MV 50V 20% R/TP(SMD) S
		C805	0CE107VH6DC	100UF MV 25V 20% R/TP(SMD)
		C807	0CE107VH6DC	100UF MV 25V 20% R/TP(SMD)
		C809	0CE107VH6DC	100UF MV 25V 20% R/TP(SMD)
		C811	0CE107VH6DC	100UF MV 25V 20% R/TP(SMD)
		C813	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C816	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C818	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C820	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C821	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C824	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C826	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C829	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C831	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C832	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C834	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C835	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C836	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C838	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C840	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C841	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C842	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C844	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C632	0CF4741L438	0.47UF D 63V 5% TP 5 M/PE N

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C636	0CF4741L438	0.47UF D 63V 5% TP 5 M/PE N
DIODEs				
		D201	0DRSE00038A	SDC15 TVS DIODE ARRAY SEMTE
		D202	0DRSE00038A	SDC15 TVS DIODE ARRAY SEMTE
		D203	0DRSE00038A	SDC15 TVS DIODE ARRAY SEMTE
		D101	0DS181009AA	KDS181 TP KEC SOT-23 80V
		D701	0DS226009AA	KDS226 TP KEC - 80V - - 4NS
		D702	0DS226009AA	KDS226 TP KEC - 80V - - 4NS
		ZD205	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		ZD221	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		ZD222	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		ZD224	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		ZD225	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		ZD228	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		ZD229	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		ZD215	0DZ820009AK	UDZS 8.2B ROHM R/TP SOD323
		ZD216	0DZ820009AK	UDZS 8.2B ROHM R/TP SOD323
		ZD217	0DZ820009AK	UDZS 8.2B ROHM R/TP SOD323
		ZD218	0DZ820009AK	UDZS 8.2B ROHM R/TP SOD323
		ZD219	0DZ820009AK	UDZS 8.2B ROHM R/TP SOD323
		ZD401	0DZ330009DF	MTZJ33B TP ROHM-K DO34 0.5W
IC				
		IC103	0IKE704200J	KIA7042AF SOT-89 TP 4.2V VO
		IC601	0ILNR00015A	"NSP-2100A,LF NEOFIDELITY TQ"
		IC102	0IMCRAL006A	"AT24C16AN-10SU-2.7,LF ATMEL"
		IC201	0IMMRAL014B	AT24C02N-10SI-2.7 ATMEL 8P
		IC602	0IMCRTI028C	"TAS5122DCARG4,LF TEXAS INS"
		IC701	0IMCRSH001A	"PQ05DZ1U SHARP 5, SMD TYPE"
		IC702	0IMCRSH001A	"PQ05DZ1U SHARP 5, SMD TYPE"
		IC704	0IMCRFA010A	"KA7809R, FAIRCHILD 2P D-PAK"
		IC705	0IMCRSJ001A	SC15651ST-1.8 SEMTECH 3P SO
COIL & CORE & & FILTER & INDUCTOR				
		L602	6140VB0022A	CPS-0810 GET 22UH 21.5TURNS
		L603	6140VB0022A	CPS-0810 GET 22UH 21.5TURNS
		L604	6140VB0022A	CPS-0810 GET 22UH 21.5TURNS
		L605	6140VB0022A	CPS-0810 GET 22UH 21.5TURNS
		L101	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L103	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L235	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L401	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L601	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L606	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L607	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L701	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L702	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L703	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L816	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L819	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L820	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L821	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L823	6210TCE001G	"HH-1M3216-501 CERATEC 3216M-32LP1D-UA
		L826	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		GT10	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		GT2	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		GT3	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		GT5	6210TCE001G	HH-1M3216-501 CERATEC 3216M

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		GT8	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		GT9	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L102	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L203	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L704	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L705	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L706	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L707	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L708	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L711	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L801	6210TCE001A	HB-1S2012-080JT CERATEC 201
		L804	6210TCE001A	HB-1S2012-080JT CERATEC 201
		L805	6210TCE001A	HB-1S2012-080JT CERATEC 201
		L806	6210TCE001A	HB-1S2012-080JT CERATEC 201
		L807	6210TCE001A	HB-1S2012-080JT CERATEC 201
		L808	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L809	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L810	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L811	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L812	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L813	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L814	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L818	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L825	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L829	6210TCE001A	HB-1S2012-080JT CERATEC 201
		L830	6210TCE001S	HU-1M2012-121 CERATECH 2012
		L831	6210TCE001S	HU-1M2012-121 CERATECH 2012
		L832	6210TCE001S	HU-1M2012-121 CERATECH 2012
		L833	6210TCE001S	HU-1M2012-121 CERATECH 2012
		R805	6210TCE001A	HB-1S2012-080JT CERATEC 201
		L201	0LC2000005J	"FI-C2012-682,6.8UH CERATECH"
		L202	0LC2000005J	"FI-C2012-682,6.8UH CERATECH"
		L402	0LC2000005J	"FI-C2012-682,6.8UH CERATECH"
		L403	0LC2000005J	"FI-C2012-682,6.8UH CERATECH"
TRANSISTOR				
		Q101	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q103	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q105	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q401	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q402	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q403	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q404	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q806	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q807	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q808	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q102	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q104	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q701	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q809	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q810	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q811	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		IC707	0TF492509AA	SI4925DY TP TEMIC 30V 6.1A
RESISTORS				
		R128	0RH1004D422	1M OHM 1 / 10 W 1% D R/TP
		R101	0RH3300D622	330 OHM 1 / 10 W 2012 5.00%
		R102	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R104	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R105	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R107	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R109	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R111	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R115	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R120	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R121	0RH3300D622	330 OHM 1 / 10 W 2012 5.00%
		R122	0RH0000D622	"0 OHM 1 / 10 W 2012 5.00% D-32LP1D-UA
		R123	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R124	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R125	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R127	0RH4700D622	470 OHM 1 / 10 W 2012 5.00%
		R131	0RH2001D622	2K OHM 1 / 10 W 2012 5.00%
		R132	0RH2001D622	2K OHM 1 / 10 W 2012 5.00%
		R133	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R135	0RH6202D622	62K OHM 1 / 10 W 2012 5.00%
		R136	0RH2201D622	2.2K OHM 1 / 10 W 2012 5.00%
		R140	0RH2201D622	2.2K OHM 1 / 10 W 2012 5.00%
		R141	0RH2201D622	2.2K OHM 1 / 10 W 2012 5.00%
		R143	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R144	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R145	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R147	0RH3301D622	3.3K OHM 1 / 10 W 2012 5.00%
		R151	0RH4702D622	47K OHM 1 / 10 W 2012 5.00%
		R152	0RH2201D622	2.2K OHM 1 / 10 W 2012 5.00%
		R154	0RH3301D622	3.3K OHM 1 / 10 W 2012 5.00%
		R156	0RH2201D622	2.2K OHM 1 / 10 W 2012 5.00%
		R163	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00%
		R172	0RH1202D622	12K OHM 1 / 10 W 2012 5.00%
		R173	0RH0222D622	"22 OHM 1 / 10 W 2012 5.00%-32LP1D-UA
		R201	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R202	0RH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R203	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R204	0RH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R205	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R206	0RH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R207	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R208	0RH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R209	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R210	0RH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R211	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R213	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R214	0RH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R215	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R216	0RH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R217	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R218	0RH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R219	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R220	0RH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R221	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R222	0RH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R223	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R224	0RH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R225	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R226	0RH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R228	0RH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R229	0RH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R233	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R234	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R236	0RH1202D622	12K OHM 1 / 10 W 2012 5.00%
		R237	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R238	0RH7500D622	750 OHM 1 / 10 W 5% D R/TP
		R239	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R240	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R241	ORH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R242	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R243	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R244	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R245	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R247	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R248	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R249	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R250	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R251	ORH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R255	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R261	ORH0272D622	27 OHM 1 / 10 W 2012 5.00%
		R262	ORH0272D622	27 OHM 1 / 10 W 2012 5.00%
		R263	ORH0272D622	27 OHM 1 / 10 W 2012 5.00%
		R401	ORH4700D622	470 OHM 1 / 10 W 2012 5.00%
		R402	ORH1202D622	12K OHM 1 / 10 W 2012 5.00%
		R403	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R405	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R406	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R407	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R408	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R410	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R411	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R419	ORH1201D622	1.2K OHM 1 / 10 W 2012 5.00%
		R422	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R423	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00%
		R424	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R426	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R427	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00%
		R428	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R429	ORH0102D622	10 OHM 1 / 10 W 2012 5.00%
		R616	ORH0201D622	2 OHM 1 / 10 W 2012 5.00% D
		R618	ORH0331D622	3.3 OHM 1 / 10 W 2012 5.00%
		R619	ORH0201D622	2 OHM 1 / 10 W 2012 5.00% D
		R624	ORH0201D622	2 OHM 1 / 10 W 2012 5.00% D
		R625	ORH0201D622	2 OHM 1 / 10 W 2012 5.00% D
		R634	ORH0331D622	3.3 OHM 1 / 10 W 2012 5.00%
		R649	ORH0102D622	10 OHM 1 / 10 W 2012 5.00%
		R652	ORH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R701	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R806	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R824	ORH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R825	ORH6801D622	6.8K OHM 1 / 10 W 2012 5.00%
		R826	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R827	ORH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R828	ORH6801D622	6.8K OHM 1 / 10 W 2012 5.00%
		R829	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R830	ORH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R831	ORH6801D622	6.8K OHM 1 / 10 W 2012 5.00%
		R832	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R845	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00%
		R846	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00%
		R847	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00%
		R849	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00-37/42LP1D-UA
		R850	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00%
		L802	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		L803	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R100	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R103	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R108	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R110	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R112	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R113	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R114	ORJ2201D677	2200 OHM 1/10 W 5% 1608 R/T
		R116	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R117	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R118	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T-32/42LP1D-UA
		R119	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D-37LP1D-UA
		R126	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R129	ORJ1004D477	1M OHM 1/10 W 1% 1608 R/TP
		R130	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R134	ORJ2001D677	2K OHM 1/10 W 5% 1608 R/TP
		R137	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R138	ORJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R139	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R142	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R146	ORJ3300D677	330 OHM 1/10 W 5% 1608 R/TP
		R148	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R149	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R150	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R153	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R155	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R157	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R158	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R159	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R160	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R161	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R162	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R164	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R166	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R230	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R231	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R256	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R257	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R259	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R260	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R604	ORJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R605	ORJ4700D677	470 OHM 1/10 W 5% 1608 R/TP
		R606	ORJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R607	ORJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R608	ORJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R609	ORJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R610	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R611	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R612	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R614	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R617	ORJ0471D677	4.7 OHM 1/10 W 5% 1608 R/TP
		R620	ORJ0201D677	2 OHM 1/10 W 5% 1608 R/TP
		R621	ORJ0201D677	2 OHM 1/10 W 5% 1608 R/TP
		R622	ORJ0201D677	2 OHM 1/10 W 5% 1608 R/TP
		R623	ORJ0201D677	2 OHM 1/10 W 5% 1608 R/TP
		R626	ORJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R627	ORJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R628	ORJ0101D677	1 OHM 1/10 W 5% 1608 R/TP
		R629	ORJ0101D677	1 OHM 1/10 W 5% 1608 R/TP
		R630	ORJ0101D677	1 OHM 1/10 W 5% 1608 R/TP
		R631	ORJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R632	ORJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R633	ORJ0101D677	1 OHM 1/10 W 5% 1608 R/TP
		R636	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R637	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R650	ORJ3301D677	3.3K OHM 1/10 W 5% 1608 R/T
		R651	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T

DATE: 2005.06.13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R653	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R654	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R655	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R658	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R659	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R660	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R661	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R662	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R703	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R705	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R706	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R801	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R802	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R803	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R804	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP-37/42LP1D-UA
		R807	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R808	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R809	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R810	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R811	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R836	0RJ1502D677	15K OHM 1/10 W 5% 1608 R/TP
		R837	0RJ6801D677	6800 OHM 1/10 W 5% 1608 R/T
		R838	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R839	0RJ1502D677	15K OHM 1/10 W 5% 1608 R/TP
		R840	0RJ6801D677	6800 OHM 1/10 W 5% 1608 R/T
		R841	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R842	0RJ1502D677	15K OHM 1/10 W 5% 1608 R/TP
		R843	0RJ6801D677	6800 OHM 1/10 W 5% 1608 R/T
		R844	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
OTHERS				
		X101	6202VDT002D	SX-1SMD SUNNY RADIAL 8.0MHZ
		IC101	381-204B	42PIN(1.78-15.24AMMON)
		IC101	3850TVZ003B	11X11(4-1R) BRAND MICOM EAN
		TU402	6634D00010B	TASA-H301P LG INNOTEK 75 CH
		TU401	6700NF0019B	TAFM-H103P LGIT NTSC FS PRO
MAIN BOARD(Digital)				
CAPACITOR				
		C1013	0CH6152K406	1500PF 50V J SL 2012 R/TP
		C1018	0CH6152K406	1500PF 50V J SL 2012 R/TP
		C100	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1000	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C1005	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1007	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1008	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1009	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1012	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C1016	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1017	0CH3822K516	8200PF 2012 50V 10% B(Y5P)
		C1020	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C1021	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C1029	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C103	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1030	0CH3474H946	"0.47UF 25V 80%,-20% F(Y5V)"
		C1031	0CH3222K516	2200PF 2012 50V 10% B(Y5P)
		C1032	0CH3474H946	"0.47UF 25V 80%,-20% F(Y5V)"
		C1034	0CH3222K516	2200PF 2012 50V 10% B(Y5P)
		C1035	0CH3474H946	"0.47UF 25V 80%,-20% F(Y5V)"
		C1037	0CH3222K516	2200PF 2012 50V 10% B(Y5P)

DATE: 2005.06.13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C1038	0CH3474H946	"0.47UF 25V 80%,-20% F(Y5V)"
		C1039	0CH3222K516	2200PF 2012 50V 10% B(Y5P)
		C104	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1041	0CH3474H946	"0.47UF 25V 80%,-20% F(Y5V)"
		C1042	0CH3222K516	2200PF 2012 50V 10% B(Y5P)
		C1043	0CH3474H946	"0.47UF 25V 80%,-20% F(Y5V)"
		C1045	0CH3222K516	2200PF 2012 50V 10% B(Y5P)
		C1046	0CH3474H946	"0.47UF 25V 80%,-20% F(Y5V)"
		C1047	0CH3222K516	2200PF 2012 50V 10% B(Y5P)
		C1048	0CH3474H946	"0.47UF 25V 80%,-20% F(Y5V)"
		C1049	0CH3222K516	2200PF 2012 50V 10% B(Y5P)
		C1050	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C1055	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1059	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1065	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1068	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1069	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C107	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C108	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C109	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C110	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1101	0CK476FD67A	47UF 3225 10V 20% X5R R/TP
		C1102	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1104	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1106	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1107	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1108	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1109	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C111	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1110	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1111	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1112	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1113	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1114	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1115	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1116	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1117	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C112	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1121	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1122	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1123	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1124	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C113	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1131	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1132	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1134	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1136	0CH3105F946	"1UF 16V 80%,-20% F(Y5V) 201"
		C1137	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C114	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1145	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1146	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1147	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1148	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1149	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C115	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1150	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1151	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1154	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1155	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1156	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C116	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1160	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP

				DATE: 2005. 06. 13.
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C431	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C432	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C433	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C434	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C435	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C436	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C437	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C438	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C439	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C440	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C441	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C442	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C443	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C445	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C446	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C447	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C448	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C449	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C450	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C451	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C452	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C453	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C454	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C455	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C456	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C457	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C458	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C460	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C463	0CH3103K516	10000PF 50V 10% B(Y5P) 2012
		C464	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C466	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C467	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C468	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C469	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C470	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C471	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C472	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C473	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C474	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C475	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C476	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C477	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C478	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C479	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C480	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C481	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C482	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C483	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C484	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C485	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C487	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C500	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C501	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C502	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C503	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C504	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C505	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C506	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C507	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C508	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C510	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C511	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C1103	0CK476FD67A	47UF 3225 10V 20% X5R R/TP
		C1105	0CK476FD67A	47UF 3225 10V 20% X5R R/TP
		C1129	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1130	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1139	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(
		C1140	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1143	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1144	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1152	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1153	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1157	0CK102CK56A	1000PF 1608 50V 0.1 R/TP X7
		C1158	0CK102CK56A	1000PF 1608 50V 0.1 R/TP X7
		C1159	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1161	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(
		C1162	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(
		C1166	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1167	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1181	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1182	0CK476FD67A	47UF 3225 10V 20% X5R R/TP
		C1183	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1185	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1186	0CK476FD67A	47UF 3225 10V 20% X5R R/TP
		C1197	0CK476FD67A	47UF 3225 10V 20% X5R R/TP
		C1198	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1199	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1213	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1216	0CK102CK56A	1000PF 1608 50V 0.1 R/TP X7
		C1221	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1316	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1323	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1327	0CK476FD67A	47UF 3225 10V 20% X5R R/TP
		C1332	0CK476FD67A	47UF 3225 10V 20% X5R R/TP
		C1600	0CK823CK56A	82NF 1608 50V 10% R/TP X7R
		C1621	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1650	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1651	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1652	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1656	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1657	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1658	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1709	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1730	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1731	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1732	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1733	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1734	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1737	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1738	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1739	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1740	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1741	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1747	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1748	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1756	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C205	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C207	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C208	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C209	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C210	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C211	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C231	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C300	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C301	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(
		C302	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(
		C303	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(
		C324	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C337	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C346	0CK476FD67A	47UF 3225 10V 20% X5R R/TP
		C347	0CK476FD67A	47UF 3225 10V 20% X5R R/TP
		C461	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(
		C462	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(
		C509	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C519	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C526	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C540	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C560	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C561	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C656	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(
		C691	0CK473CK56A	4700PF 1608 50V 10% R/TP X
		C692	0CK473CK56A	4700PF 1608 50V 10% R/TP X
		C693	0CK473CK56A	4700PF 1608 50V 10% R/TP X
		C699	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C737	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C757	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C760	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C761	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C762	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C765	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C766	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C767	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C768	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C769	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C770	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C774	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C777	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C801	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(
		C815	0CK474CH94A	"0.47UF 1608 25V 80%,-20% R"
		C825	0CK103CK51A	0.01UF 1608 50V 10% R/TP B(
		C826	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C829	0CK474CH94A	"0.47UF 1608 25V 80%,-20% R"
		C830	0CK474CH94A	"0.47UF 1608 25V 80%,-20% R"
		C831	0CK474CH94A	"0.47UF 1608 25V 80%,-20% R"
		C832	0CK474CH94A	"0.47UF 1608 25V 80%,-20% R"
		C833	0CK474CH94A	"0.47UF 1608 25V 80%,-20% R"
		C834	0CK474CH94A	"0.47UF 1608 25V 80%,-20% R"
		C835	0CK474CH94A	"0.47UF 1608 25V 80%,-20% R"
		C836	0CK474CH94A	"0.47UF 1608 25V 80%,-20% R"
		C837	0CK474CH94A	"0.47UF 1608 25V 80%,-20% R"
		C838	0CK474CH94A	"0.47UF 1608 25V 80%,-20% R"
		C839	0CK474CH94A	"0.47UF 1608 25V 80%,-20% R"
		C840	0CK474CH94A	"0.47UF 1608 25V 80%,-20% R"
		C843	0CK474CH94A	"0.47UF 1608 25V 80%,-20% R"
		C844	0CK474CH94A	"0.47UF 1608 25V 80%,-20% R"
		C847	0CK472CK51A	4700PF 1608 50V 10% R/TP B(
		C1003	0CH6470K416	47PF 2012 50V 5% NP0 R/TP
		C1011	0CH6470K416	47PF 2012 50V 5% NP0 R/TP
		C1023	0CH6020K116	2PF 2012 50V 0.5 PF C0G R/T
		C1024	0CH6020K116	2PF 2012 50V 0.5 PF C0G R/T
		C1027	0CH6560K416	56PF 2012 50V 5% NP0 -
		C1070	0CH6560K416	56PF 2012 50V 5% NP0 -
		C1203	0CH2392K516	3900PF 50V 10% B(Y5P) 2012
		C1204	0CH6561K416	560PF 2012 50V 5% NP0 R/TP
		C1207	0CH6561K416	560PF 2012 50V 5% NP0 R/TP
		C1210	0CH6471K416	470PF 2012 50V 5% NP0 R/TP

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C1219	0CH6101K416	100PF 50V 5% NP0 2012 R/TP
		C1224	0CH6101K416	100PF 50V 5% NP0 2012 R/TP
		C1226	0CH6220K416	22PF 2012 50V 5% NP0 -
		C1329	0CH6221K416	220PF 2012 50V 5% NP0 -
		C1331	0CH6221K416	220PF 2012 50V 5% NP0 -
		C1722	0CH6221K416	220PF 2012 50V 5% NP0 -
		C1723	0CH6331K416	330PF 2012 50V 5% NP0 R/TP
		C344	0CC270DK41A	27PF 2012 50V 5% NP0 R/TP
		C345	0CC270DK41A	27PF 2012 50V 5% NP0 R/TP
		C556	0CH6330K416	33PF 50V 5% NP0 2012 R/TP
		C558	0CH6330K416	33PF 50V 5% NP0 2012 R/TP
		C688	0CH6102K406	1000PF 50V 5% SL 2012 R/TP
		C750	0CH6221K416	220PF 2012 50V 5% NP0 -
		C751	0CH6331K416	330PF 2012 50V 5% NP0 R/TP
		C806	0CH6101K416	100PF 50V 5% NP0 2012 R/TP
		C807	0CH6101K416	100PF 50V 5% NP0 2012 R/TP
		C808	0CH6101K416	100PF 50V 5% NP0 2012 R/TP
		C809	0CH6101K416	100PF 50V 5% NP0 2012 R/TP
		C816	0CH6101K416	100PF 50V 5% NP0 2012 R/TP
		C817	0CH6101K416	100PF 50V 5% NP0 2012 R/TP
		C1026	0CC560CK41A	56PF 1608 50V 5% R/TP NP0
		C1044	0CC101CK41A	100PF 1608 50V 5% R/TP NP0
		C1051	0CC471CK41A	470PF 1608 50V 5% R/TP NP0
		C1127	0CC200CK41A	20PF 1608 50V 5% R/TP NP0
		C1128	0CC200CK41A	20PF 1608 50V 5% R/TP NP0
		C1205	0CC200CK41A	20PF 1608 50V 5% R/TP NP0
		C1206	0CC200CK41A	20PF 1608 50V 5% R/TP NP0
		C1211	0CC271CK41A	270PF 1608 50V 5% R/TP NP0
		C1222	0CC101CK41A	100PF 1608 50V 5% R/TP NP0
		C1223	0CC220CK41A	22PF 1608 50V 5% R/TP NP0
		C1225	0CC101CK41A	100PF 1608 50V 5% R/TP NP0
		C1227	0CC180CK41A	18PF 1608 50V 5% R/TP NP0
		C1228	0CC180CK41A	18PF 1608 50V 5% R/TP NP0
		C1229	0CC220CK41A	22PF 1608 50V 5% R/TP NP0
		C1324	0CC180CK41A	18PF 1608 50V 5% R/TP NP0
		C1325	0CC180CK41A	18PF 1608 50V 5% R/TP NP0
		C1705	0CC221CK41A	220PF 1608 50V 5% R/TP NP0
		C1706	0CC331CK41A	330PF 1608 50V 5% R/TP NP0
		C1720	0CC180CK41A	18PF 1608 50V 5% R/TP NP0
		C1721	0CC180CK41A	18PF 1608 50V 5% R/TP NP0
		C204	0CC331CK41A	330PF 1608 50V 5% R/TP NP0
		C239	0CC470CK41A	47PF 1608 50V 5% R/TP NP0
		C243	0CC330CK41A	33PF 1608 50V 5% R/TP NP0
		C3129	0CC330CK41A	33PF 1608 50V 5% R/TP NP0
		C341	0CC221CK41A	220PF 1608 50V 5% R/TP NP0
		C342	0CC221CK41A	220PF 1608 50V 5% R/TP NP0
		C612	0CC180CK41A	18PF 1608 50V 5% R/TP NP0
		C613	0CC180CK41A	18PF 1608 50V 5% R/TP NP0
		C735	0CC221CK41A	220PF 1608 50V 5% R/TP NP0
		C736	0CC331CK41A	330PF 1608 50V 5% R/TP NP0
		C748	0CC180CK41A	18PF 1608 50V 5% R/TP NP0
		C749	0CC180CK41A	18PF 1608 50V 5% R/TP NP0
		C845	0CC101CK41A	100PF 1608 50V 5% R/TP NP0
		C904	0CC220CK41A	22PF 1608 50V 5% R/TP NP0
		C1001	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C1002	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C1006	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C1010	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C1014	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C1015	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C1019	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C102	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C1022	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C1028	0CE335VK6DC	3.3UF MV 50V 20% R/TP(SMD)
		C1033	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C105	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C1052	0CE335VK6DC	3.3UF MV 50V 20% R/TP(SMD)
		C1054	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C1057	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C106	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C1060	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C1061	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C1066	0CE475VK6DC	4.7UF MV 50V 20% R/TP(SMD)
		C1067	0CE475VK6DC	4.7UF MV 50V 20% R/TP(SMD)
		C1138	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C1188	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C1190	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C1194	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C1200	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C1208	0CE475VK6DC	4.7UF MV 50V 20% R/TP(SMD)
		C1209	0CE105VK6DC	10UF MV 50V 20% R/TP(SMD) SM
		C1218	0CE335VK6DC	3.3UF MV 50V 20% R/TP(SMD)
		C1300	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C1310	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C1318	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C1321	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C1402	0CE477VF6DC	470UF MV 16V 20% R/TP(SMD)
		C1405	0CE477VF6DC	470UF MV 16V 20% R/TP(SMD)
		C1411	0CE477VF6DC	470UF MV 16V 20% R/TP(SMD)
		C1414	0CE477VF6DC	470UF MV 16V 20% R/TP(SMD)
		C1417	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C1420	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C1430	0CE476VH6DC	47UF MV 25V 20% R/TP(SMD) S
		C1432	0CE476VH6DC	47UF MV 25V 20% R/TP(SMD) S
		C1435	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C1438	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C1449	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C1452	0CE476VH6DC	47UF MV 25V 20% R/TP(SMD) S
		C1601	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C1607	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C1622	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C1630	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C1636	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C1647	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C1655	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C1743	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C1745	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C1749	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C1752	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C202	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C203	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C206	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C343	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C459	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C486	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C488	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C534	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C537	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C548	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C549	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C550	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C559	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C605	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C609	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S

DATE: 2005.06.13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C678	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C684	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C686	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C689	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C694	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C695	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C701	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C704	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C705	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C708	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C709	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C711	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C713	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C715	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C719	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C771	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C775	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C778	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C780	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C782	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C784	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C786	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C789	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C800	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C802	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C813	0CE105VK6DC	1UF MV 50V 20% R/TP(SMD) SM
		C814	0CE105VK6DC	1UF MV 50V 20% R/TP(SMD) SM
		C818	0CE105VK6DC	1UF MV 50V 20% R/TP(SMD) SM
		C819	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C820	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C822	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C823	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C848	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C849	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C860	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C862	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C863	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C864	0CE106VF6DC	10UF MV 16V 20% R/TP(SMD) S
		C917	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
		C919	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C921	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C924	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C926	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C927	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C933	0CE476VF6DC	47UF MV 25V 20% R/TP(SMD) S
		C939	0CE476SF6DC	47UF MVG 16V 20% SMD R/TP
DIODES				
		D1202	0DRSE00038A	SDC15 TVS DIODE ARRAY SEMTE
		D1203	0DRSE00038A	SDC15 TVS DIODE ARRAY SEMTE
		D1204	0DRSE00038A	SDC15 TVS DIODE ARRAY SEMTE
		IC1304	0DRSE00048A	RLCAMP0504M SEMTECH R/TP MS
		IC1406	0DRSE00048A	RLCAMP0504M SEMTECH R/TP MS
		IC606	0DRSE00048A	RLCAMP0504M SEMTECH R/TP MS
		IC607	0DRSE00048A	RLCAMP0504M SEMTECH R/TP MS
		D1200	0DD184009AA	KDS184 TP KEC - 85V - - - 3
		D1201	0DD184009AA	KDS184 TP KEC - 85V - - - 3
		D600	0DD184009AA	KDS184 TP KEC - 85V - - - 3
		D801	0DD184009AA	KDS184 TP KEC - 85V - - - 3
		D802	0DD184009AA	KDS184 TP KEC - 85V - - - 3
		ZD1000	0DZ820009AK	UDZS 8.2B ROHM R/TP SOD323

DATE: 2005.06.13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
IC				
		IC1001	0ICB533100A	CS5331A-KSR 8SOIC TP ADC -
		IC1005	0ICB841500B	CS8415A-CZR 28P TSSOP R/TP
		IC1101	0ICTMLG017A	LGDT3502B LG IC 208P/PBGA T
		IC1102	0ICTM00006A	LGDT3701 LG SYSTEM IC 128P/
		IC401	0ICTMLG009C	LGDT1102C HD2.3 LG IC SBGA-
		IC504	0ICTMLG013B	LGDT1901B LG IC SSOP 24P TR
		IC902	0ICTMLG018B	LGDP4411 IEP2 LG IC 208P LQ
		IC101	0IZZTSZ672A	"32LP1D-U MICOM 48P-32LP1D-UA
		IC101	0IZZTSZ726A	"37LP1D-UA MICOM 48P-37LP1D-UA
		IC101	0IZZTSZ729A	"42LP1D-UA MICOM 48P-42LP1D-UA
		IC202	0IZZTSZ670A	"32LP1D-U FLASH 48P-32LP1D-UA
		IC202	0IZZTSZ727A	"37LP1D-UA FLASH 48P-37LP1D-UA
		IC202	0IZZTSZ730A	"42LP1D-UA FLASH 48P-42LP1D-UA
		IC203	0IZZTSZ671A	"32LP1D-U FLASH 48P IC203-32LP1D-UA
		IC203	0IZZTSZ728A	"37LP1D-UA FLASH 48P-37LP1D-UA
		IC203	0IZZTSZ731A	"42LP1D-UA FLASH 48P-42LP1D-UA
		IC209	0IZZTSZ754A	"32LP1D-U FLASH AUTO DEMO 48-32LP1D-UA
		IC209	0IZZTSZ775A	"37LP1D-UA AUTODEMO 48P 1-37LP1D-UA
		IC209	0IZZTSZ777A	"42LP1D-UA AUTODEMO 48P 1-42LP1D-UA
		IC210	0IZZTSZ755A	"32LP1D-U FLASH AUTO DEMO 48-32LP1D-UA
		IC210	0IZZTSZ776A	"37LP1D-UA AUTODEMO 48P 2-37LP1D-UA
		IC210	0IZZTSZ778A	"42LP1D-UA AUTODEMO 48P 2-42LP1D-UA
		IC204	0IKE702900G	KIA7029AF SOT-89 TP 2.9V VO
		IC203	0IMMRHY038C	HY57V561620CT-H HYNIX 54PIN
		IC201	0IMMRHY038C	HY57V561620CT-H HYNIX 54PIN
		IC301	0IMMRMP008A	24LC512 MICRO CHIP TECHNOLO
		IC500	0IMMRSS041D	K4S641632H-TL75 SAMSUNG ELE
		IC501	0IMMRSS041D	K4S641632H-TL75 SAMSUNG ELE
		IC502	0IMMRSS041D	K4S641632H-TL75 SAMSUNG ELE
		IC503	0IMMRSS041D	K4S641632H-TL75 SAMSUNG ELE
		IC603	0IMMRSG036A	"M24C02-WMN6T(P),LF SGS-THOM"
		IC701	0IMMRB006A	M12L16161A-7T-TI ELITE MEMO
		IC702	0IMMRB006A	M12L16161A-7T-TI ELITE MEMO
		IC1003	0IMCRMN027B	MSP4440G-QA-C13-101WITH SRS
		IC1200	0IMCRMT003A	MM1108XFFE MITSUMI 8P SOP R
		IC1201	0IMCRMP007A	PIC18F242T-I/SO MICRO CHIP
		IC1204	0IMCRMP006A	PIC18F1220T-I/SO MICRO CHIP
		IC206	0IMCRCY002A	CY2309SXC-1HT CYPRESS SOIC
		IC207	0IMCRCY001A	CY2305SXC-1HT CYPRESS SOIC
		IC208	0IMCRXL004A	"XC95288XL-10TQG144C,LF XIL"
		IC300	0IMCRPH026A	PCA9516PW PHILIPS 16P TSSOP
		IC302	0IMCRSG010A	ST3232CDR SGS-THOMSON SOP16
		IC304	0IMCRXL003B	XC95144XL-10TQG144C XILINX
		IC801	0ISO206900A	CXA2069Q QFP64 BK I2C BUS A
		IC804	0IMCRS0025A	CXA2181Q SONY 48P QFP TRAY
		IC1002	0IMO330780B	MC33078D 8/SOIC TP LINEAR +
		IC100	0IPRPBM001B	PPC405GPR-3JB266C IBM E-PBG
		IC1300	0IPRP00018A	"TSB43DA42AZHCR,LF TEXAS INS"
		IC305	0IPRP00032A	"SIL3512ECTU128,LF SILICON I"
		IC601	0IPRPS5006A	SIL9021CTU(PB FREE) SILICON
		IC604	0IPRPAD008B	"AD9883AKST(Z)-110,LF ANALOG"
		IC608	0IPRPFA016A	FMS6407MTC20X-NL(PB-FREE) F
		IC705	0IPRPNE008A	"UPD64011BGM-8ED-A NEC 160,L"
		IC706	0IPRPNE008A	"UPD64011BGM-8ED-A NEC 160,L"
		IC707	0IPRPFA015A	FMS6410CSX-NL(PB-FREE) FAIR
		IC708	0IPRPFA015A	FMS6410CSX-NL(PB-FREE) FAIR
		IC903	0ITH638300C	"THC63LVDM83R(F),LF THINE EL"
		IC101	0IMCRSJ001A	SC1565IST-1.8 SEMTECH 3P SO
		IC1103	0IMCRSJ001B	SC1565IST-2.5TR 2.5V 1.5A S
		IC1104	0IPMGLT008A	LTC1470CS8TRPBF LINEAR TECH
		IC1108	0IMCRSJ001A	SC1565IST-1.8 SEMTECH 3P SO

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		IC1203	OIPMGNS026A	LM311MX NATIONAL SEMICONDUCT
		IC1303	OIPMGRH001D	"BA15BC0FP-E2 ROHM 3P,TO252"
		IC1401	OIMCRSH001A	"PQ05DZ1U SHARP 5, SMD TYPE"
		IC1404	OIMCRFA010A	"KA7809R, FAIRCHILD 2P D-PAK"
		IC1405	OIMCRSH001A	"PQ05DZ1U SHARP 5, SMD TYPE"
		IC306	OIMCRSJ001A	SC1565IST-1.8 SEMTECH 3P SO
		IC400	OIMCRSJ001A	SC1565IST-1.8 SEMTECH 3P SO
		IC600	OIMCRSJ001A	SC1565IST-1.8 SEMTECH 3P SO
		IC704	OIPMGRH001D	"BA15BC0FP-E2 ROHM 3P,TO252"
		IC905	OIMCRSJ001A	SC1565IST-1.8 SEMTECH 3P SO
		IC1107	OIRH033200A	BA033FP-E2 MOLD-3 TP REGULA
		IC605	OIRH033200A	BA033FP-E2 MOLD-3 TP REGULA
		IC703	OIRH033200A	BA033FP-E2 MOLD-3 TP REGULA
		IC1000	OIMCRFA013A	74LCX244MTC FAIRCHILD 20P T
		IC1004	OITO741570C	"TC74LCX157FT 16P,TSSOP TP Q"
		IC1106	OIMCRFA013A	74LCX244MTC FAIRCHILD 20P T
		IC1202	OISTL00024A	"MC14053BDR2G,LF ON SEMI 16P"
		IC205	OISTLPH026A	74LVC14APW PHILIPS 14PIN TS
		IC303	OISTL00024A	"MC14053BDR2G,LF ON SEMI 16P"
COIL & CORE & & FILTER & INDUCTOR				
		L1401	6140VB0004B	26UH 1UEWPHY 22.5TURN YL-9N
		L1402	6140VB0004B	26UH 1UEWPHY 22.5TURN YL-9N
		L1403	6140VB0004B	26UH 1UEWPHY 22.5TURN YL-9N
		L1411	6140VB0004B	26UH 1UEWPHY 22.5TURN YL-9N
		L1413	6140VB0004B	26UH 1UEWPHY 22.5TURN YL-9N
		CH1300	6140VB0021A	944CM-0004=P3 TOKO 4TURN 8P
		CH1301	6140VB0021A	944CM-0004=P3 TOKO 4TURN 8P
		L816	6210TCE001P	HB-1S2012-121JT CERATECH 20
		L805	6210TCE001P	HB-1S2012-121JT CERATECH 20
		L806	6210TCE001P	HB-1S2012-121JT CERATECH 20
		L808	6210TCE001P	HB-1S2012-121JT CERATECH 20
		L810	6210TCE001P	HB-1S2012-121JT CERATECH 20
		L812	6210TCE001P	HB-1S2012-121JT CERATECH 20
		L814	6210TCE001P	HB-1S2012-121JT CERATECH 20
		L100	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1000	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1001	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1002	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1005	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1006	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1007	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1008	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1103	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1107	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1111	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1112	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1114	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1201	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1203	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1300	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1301	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1302	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1303	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1405	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1406	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1409	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1410	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L200	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L300	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L301	6210TCE001G	HH-1M3216-501 CERATEC 3216M

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		L302	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L401	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L501	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L600	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L601	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L602	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L603	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L604	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L605	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L606	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L607	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L610	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L702	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L703	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L704	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L705	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L707	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L708	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L709	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L710	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L715	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L801	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L901	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L902	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L903	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L904	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L905	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		FL1200	6200VJT001A	BMK400 TA NIIGATA 50VOLT 1A
		L101	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1113	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L1115	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L400	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L506	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L714	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		R523	6200J000012	NFL21SP207X1C3 MURATA R/TP
		L1003	0LC1020101A	10UH 10% 2012 R/TC FI-B2012-
		L1004	0LC1020101A	10UH 10% 2012 R/TC FI-B2012-
		L608	0LC1032101A	10UH 10% 3216 R/TC FI-C3216
		L609	0LC1032101A	10UH 10% 3216 R/TC FI-C3216
		L701	0LCTA00006E	"LEM2520T390J, 39UH TAIYOYUD"
		L706	0LCTA00006E	"LEM2520T390J, 39UH TAIYOYUD"
		L712	0LCTA00006E	"LEM2520T390J, 39UH TAIYOYUD"
		L717	0LCTA00006E	"LEM2520T390J, 39UH TAIYOYUD"
		L800	0LC2000005K	"FI-D2012-223, 22UH CERATECH"
		L804	0LC2000005K	"FI-D2012-223, 22UH CERATECH"
		L1108	0LC2000005K	"FI-D2012-223, 22UH CERATECH"
		L1109	0LC2000005K	"FI-D2012-223, 22UH CERATECH"
		L711	0LCTA00006E	"LEM2520T390J, 39UH TAIYOYUD"
		L718	0LCTA00006E	"LEM2520T390J, 39UH TAIYOYUD"
		L802	0LC2000005K	"FI-D2012-223, 22UH CERATECH"
TRANSISTOR				
		Q1204	0TR390609FA	KST3906-MTF TP SAMSUNG SOT
		Q603	0TR102009AJ	KRC102S NPN SOT-23 TP KEC
		Q604	0TR102009AJ	KRC102S NPN SOT-23 TP KEC
		Q1203	0TR390609FA	KST3906-MTF TP SAMSUNG SOT
		Q1000	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1001	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q1002	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q1003	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q1004	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		Q1101	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q1102	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1200	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1202	0TR390409AE	FAIRCHILD KST3904(LGEMTF) T
		Q703	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q704	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q708	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q709	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q710	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q711	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q712	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q800	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q801	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q802	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q803	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q804	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q806	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q807	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q808	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q809	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q812	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q813	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q814	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q815	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q816	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q817	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q821	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q822	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q823	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q824	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q901	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q902	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1005	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1006	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1007	0TR102008AA	KRA102S R/TP KEC SOT23 CHIP
		Q600	0TR830009BA	BSS83 TP PHILIPS NON N-CHAN
		Q601	0TR830009BA	BSS83 TP PHILIPS NON N-CHAN
		Q602	0TR830009BA	BSS83 TP PHILIPS NON N-CHAN
		Q702	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q707	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q805	0TR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q825	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		IC904	0TF492509AA	SI4925DY TP TEMIC 30V 6.1A
RESISTORS				
		AR100	0RHZTCZ001F	RCA SMART 4.7KOHM 1/16 W 5%
		AR101	0RHZTCZ001F	RCA SMART 4.7KOHM 1/16 W 5%
		AR102	0RHZTCZ001F	RCA SMART 4.7KOHM 1/16 W 5%
		AR103	0RHZTCZ001F	RCA SMART 4.7KOHM 1/16 W 5%
		AR104	0RHZTCZ001F	RCA SMART 4.7KOHM 1/16 W 5%
		AR105	0RHZTCZ001F	RCA SMART 4.7KOHM 1/16 W 5%
		AR106	0RHZTCZ001F	RCA SMART 4.7KOHM 1/16 W 5%
		AR107	0RHZTCZ001F	RCA SMART 4.7KOHM 1/16 W 5%
		AR108	0RHZTCZ001F	RCA SMART 4.7KOHM 1/16 W 5%
		AR109	0RHZTCZ001F	RCA SMART 4.7KOHM 1/16 W 5%
		AR110	0RHZTCZ001F	RCA SMART 4.7KOHM 1/16 W 5%
		AR1101	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR1102	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR1103	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR1104	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR1105	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		AR111	0RHZTCZ001F	RCA SMART 4.7KOHM 1/16 W 5%
		AR112	0RHZTCZ001F	RCA SMART 4.7KOHM 1/16 W 5%
		AR113	0RHZTCZ001F	RCA SMART 4.7KOHM 1/16 W 5%
		AR114	0RHZTCZ001F	RCA SMART 4.7KOHM 1/16 W 5%
		AR300	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR301	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR302	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR303	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR401	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR402	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR403	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR404	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR405	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR406	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR601	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR602	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR603	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR604	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR605	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR606	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR608	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR609	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR610	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR611	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR612	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR613	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR700	0RHZTCZ001A	RCA SMART 100OHM 1/16 W 5%
		AR701	0RHZTCZ001A	RCA SMART 100OHM 1/16 W 5%
		AR702	0RHZTCZ001A	RCA SMART 100OHM 1/16 W 5%
		AR703	0RHZTCZ001A	RCA SMART 100OHM 1/16 W 5%
		AR704	0RHZTCZ001A	RCA SMART 100OHM 1/16 W 5%
		AR705	0RHZTCZ001A	RCA SMART 100OHM 1/16 W 5%
		AR706	0RHZTCZ001A	RCA SMART 100OHM 1/16 W 5%
		AR707	0RHZTCZ001A	RCA SMART 100OHM 1/16 W 5%
		AR708	0RHZTCZ001A	RCA SMART 100OHM 1/16 W 5%
		AR709	0RHZTCZ001A	RCA SMART 100OHM 1/16 W 5%
		AR710	0RHZTCZ001A	RCA SMART 100OHM 1/16 W 5%
		AR711	0RHZTCZ001A	RCA SMART 100OHM 1/16 W 5%
		AR901	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR902	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR903	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR904	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR905	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		AR906	0RHZTCZ001D	RCA SMART 22OHM 1/16 W 5% 3
		R100	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1001	0RH1500D622	150 OHM 1 / 10 W 2012 5.00%
		R1002	0RH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R1003	0RH6801D622	6.8K OHM 1 / 10 W 2012 5.00
		R1004	0RH2700D622	270 OHM 1 / 10 W 2012 5.00%
		R1006	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1007	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1008	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1009	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R101	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1010	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1011	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1013	0RH4702D622	47K OHM 1 / 10 W 2012 5.00%
		R1018	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1019	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1020	0RH6801D622	6.8K OHM 1 / 10 W 2012 5.00
		R1021	0RH2700D622	270 OHM 1 / 10 W 2012 5.00%
		R1022	0RH3300D622	330 OHM 1 / 10 W 2012 5.00%

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R1023	ORH1500D622	150 OHM 1 / 10 W 2012 5.00%
		R1024	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R1026	ORH1202D622	12K OHM 1 / 10 W 2012 5.00%
		R1027	ORH3901D622	3.9K OHM 1 / 10 W 2012 5.00
		R1029	ORH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1030	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1032	ORH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1033	ORH0432D622	43 OHM 1 / 10 W 2012 5.00%
		R1034	ORH0432D622	43 OHM 1 / 10 W 2012 5.00%
		R1041	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1042	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1043	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1044	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1045	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1046	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1047	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1050	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1051	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1052	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1053	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1057	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1058	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1059	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1060	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1063	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1064	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1065	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1066	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1067	ORH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R1068	ORH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R1070	ORH0272D622	27 OHM 1 / 10 W 2012 5.00%
		R1071	ORH0272D622	27 OHM 1 / 10 W 2012 5.00%
		R1072	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1073	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1074	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1075	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1076	ORH4703D622	470K OHM 1 / 10 W 2012 5.00
		R1077	ORH4703D622	470K OHM 1 / 10 W 2012 5.00
		R1078	ORH2001D622	2K OHM 1 / 10 W 2012 5.00%
		R1079	ORH2001D622	2K OHM 1 / 10 W 2012 5.00%
		R108	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1082	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R109	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1113	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1114	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1140	ORH0332D622	33 OHM 1 / 10 W 2012 5.00%
		R1141	ORH0332D622	33 OHM 1 / 10 W 2012 5.00%
		R1144	ORH0332D622	33 OHM 1 / 10 W 2012 5.00%
		R1145	ORH0332D622	33 OHM 1 / 10 W 2012 5.00%
		R1146	ORH0332D622	33 OHM 1 / 10 W 2012 5.00%
		R1148	ORH0332D622	33 OHM 1 / 10 W 2012 5.00%
		R1155	ORH0332D622	33 OHM 1 / 10 W 2012 5.00%
		R1157	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R1158	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R1159	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R1160	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R1168	ORH0332D622	33 OHM 1 / 10 W 2012 5.00%
		R1172	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1173	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1184	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1185	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1200	ORH0152D622	15 OHM 1 / 10 W 2012 5.00%

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R1203	ORH1003D622	100K OHM 1 / 10 W 2012 5.00
		R1205	ORH5600D622	560 OHM 1 / 10 W 2012 5.00%
		R1206	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1207	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1208	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1209	ORH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R1211	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1212	ORH3303D622	330K OHM 1 / 10 W 2012 5.00
		R1213	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1214	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1215	ORH4702D622	47K OHM 1 / 10 W 2012 5.00%
		R1219	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1221	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1222	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1224	ORH4702D622	47K OHM 1 / 10 W 2012 5.00%
		R1225	ORH2202D622	22K OHM 1 / 10 W 2012 5.00%
		R1226	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R1227	ORH8200D622	820 OHM 1 / 10 W 2012 5.00%
		R1228	ORH0562D622	56 OHM 1 / 10 W 2012 5.00%
		R1229	ORH5600D622	560 OHM 1 / 10 W 2012 5.00%
		R1230	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1231	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1232	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1233	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1234	ORH0152D622	15 OHM 1 / 10 W 2012 5.00%
		R1235	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1236	ORH4700D622	470 OHM 1 / 10 W 2012 5.00%
		R1237	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1238	ORH4702D622	47K OHM 1 / 10 W 2012 5.00%
		R1239	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1240	ORH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R1242	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1243	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1245	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1247	ORH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R1248	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R1249	ORH0332D622	33 OHM 1 / 10 W 2012 5.00%
		R1250	ORH0332D622	33 OHM 1 / 10 W 2012 5.00%
		R1252	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1253	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1254	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1255	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1300	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1301	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1305	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1312	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1313	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1314	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1315	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1316	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1317	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1318	ORH0562D622	56 OHM 1 / 10 W 2012 5.00%
		R1319	ORH0562D622	56 OHM 1 / 10 W 2012 5.00%
		R132	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1320	ORH0562D622	56 OHM 1 / 10 W 2012 5.00%
		R1321	ORH5101D622	5.1K OHM 1 / 10 W 2012 5.00
		R1322	ORH0562D622	56 OHM 1 / 10 W 2012 5.00%
		R1323	ORH0562D622	56 OHM 1 / 10 W 2012 5.00%
		R1324	ORH0562D622	56 OHM 1 / 10 W 2012 5.00%
		R1325	ORH0562D622	56 OHM 1 / 10 W 2012 5.00%
		R1326	ORH5101D622	5.1K OHM 1 / 10 W 2012 5.00
		R1327	ORH0562D622	56 OHM 1 / 10 W 2012 5.00%

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R1328	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1329	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1330	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1332	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1404	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1405	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1406	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1408	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1410	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1601	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1706	0RH2402D622	24K OHM 1 / 10 W 2012 5.00%
		R1707	0RH2402D622	24K OHM 1 / 10 W 2012 5.00%
		R1708	0RH3300D622	330 OHM 1 / 10 W 2012 5.00%
		R1709	0RH3300D622	330 OHM 1 / 10 W 2012 5.00%
		R1712	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1714	0RH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R1715	0RH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R1720	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1801	0RH7500D622	750 OHM 1 / 10 W 5% D R/TP
		R1802	0RH7500D622	750 OHM 1 / 10 W 5% D R/TP
		R1803	0RH7500D622	750 OHM 1 / 10 W 5% D R/TP
		R1804	0RH7500D622	750 OHM 1 / 10 W 5% D R/TP
		R1805	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1806	0RH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R1807	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1812	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1813	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1815	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1816	0RH1003D622	100K OHM 1 / 10 W 2012 5.00
		R1819	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R210	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R212	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R213	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R214	0RH3300D622	330 OHM 1 / 10 W 2012 5.00%
		R215	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R216	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R242	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R262	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R272	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R273	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R275	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R281	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R304	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R305	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R306	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R307	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R3118	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R3119	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R3120	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R3121	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R3122	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R314	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R315	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R319	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R320	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R335	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R343	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R344	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R345	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R350	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R351	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R352	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R353	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R354	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R355	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R402	0RH0272D622	27 OHM 1 / 10 W 2012 5.00%
		R403	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R404	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R405	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R406	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R407	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R408	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R409	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R410	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R411	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R412	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R423	0RH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R427	0RH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R428	0RH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R429	0RH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R430	0RH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R431	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R432	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R433	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R434	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R435	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R436	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R437	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R439	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R440	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R441	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R442	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R443	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R444	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R445	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R446	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R447	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R451	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R500	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R501	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R511	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R512	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R513	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R514	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R518	0RH6202D622	62K OHM 1 / 10 W 2012 5.00%
		R521	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R525	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R528	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R535	0RH0682D622	68 OHM 1 / 10 W 2012 5.00%
		R536	0RH0682D622	68 OHM 1 / 10 W 2012 5.00%
		R537	0RH0682D622	68 OHM 1 / 10 W 2012 5.00%
		R544	0RH4703D622	470K OHM 1 / 10 W 2012 5.00
		R545	0RH4703D622	470K OHM 1 / 10 W 2012 5.00
		R546	0RH4703D622	470K OHM 1 / 10 W 2012 5.00
		R548	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R600	0RH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R602	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R604	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R609	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R611	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R623	0RH0332D622	33 OHM 1 / 10 W 2012 5.00%
		R624	0RH0332D622	33 OHM 1 / 10 W 2012 5.00%
		R625	0RH0332D622	33 OHM 1 / 10 W 2012 5.00%
		R628	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R629	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R630	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R647	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R648	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R650	0RH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R654	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R655	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R656	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R665	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R667	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R683	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R684	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R685	0RH2001D622	2K OHM 1 / 10 W 2012 5.00%
		R687	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R688	0RH3301D622	3.3K OHM 1 / 10 W 2012 5.00
		R689	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R694	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R695	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R696	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R697	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R710	0RH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R711	0RH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R715	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R716	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R717	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R718	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R720	0RH3600D622	CHIP 360-J 1/10 W
		R723	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R731	0RH0682D622	68 OHM 1 / 10 W 2012 5.00%
		R748	0RH1500D622	150 OHM 1 / 10 W 2012 5.00%
		R751	0RH1500D622	150 OHM 1 / 10 W 2012 5.00%
		R752	0RH0682D622	68 OHM 1 / 10 W 2012 5.00%
		R767	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R768	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R769	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R771	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R772	0RH3600D622	CHIP 360-J 1/10 W
		R775	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R800	0RH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R801	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R802	0RH1501D622	1.5K OHM 1 / 10 W 2012 5.00
		R803	0RH1501D622	1.5K OHM 1 / 10 W 2012 5.00
		R804	0RH7500D622	750 OHM 1 / 10 W 5% D R/TP
		R806	0RH7500D622	750 OHM 1 / 10 W 5% D R/TP
		R807	0RH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R809	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R810	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R811	0RH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R812	0RH2700D622	270 OHM 1 / 10 W 2012 5.00%
		R815	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R816	0RH5601D622	5.6K OHM 1 / 10 W 2012 5.00
		R817	0RH5601D622	5.6K OHM 1 / 10 W 2012 5.00
		R818	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R819	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R820	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R821	0RH4702D622	47K OHM 1 / 10 W 2012 5.00%
		R822	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R823	0RH5601D622	5.6K OHM 1 / 10 W 2012 5.00
		R824	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R825	0RH5601D622	5.6K OHM 1 / 10 W 2012 5.00
		R826	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R827	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R828	0RH4702D622	47K OHM 1 / 10 W 2012 5.00%
		R829	0RH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R830	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R831	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R832	0RH4703D622	470K OHM 1 / 10 W 2012 5.00
		R833	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R834	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R835	0RH0682D622	68 OHM 1 / 10 W 2012 5.00%
		R836	0RH3300D622	330 OHM 1 / 10 W 2012 5.00%
		R837	0RH3300D622	330 OHM 1 / 10 W 2012 5.00%
		R838	0RH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R839	0RH7500D622	750 OHM 1 / 10 W 5% D R/TP
		R840	0RH7500D622	750 OHM 1 / 10 W 5% D R/TP
		R841	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R842	0RH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R844	0RH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R854	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R855	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R856	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R859	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R863	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R864	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R869	0RH4700D622	470 OHM 1 / 10 W 2012 5.00%
		R871	0RH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R873	0RH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R880	0RH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R881	0RH6801D622	6.8K OHM 1 / 10 W 2012 5.00
		R883	0RH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R884	0RH6801D622	6.8K OHM 1 / 10 W 2012 5.00
		R886	0RH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R887	0RH6801D622	6.8K OHM 1 / 10 W 2012 5.00
		R898	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R905	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R911	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R912	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R913	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R914	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R915	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R916	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R917	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R918	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R919	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R920	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R921	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R922	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R923	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R924	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R925	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R929	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R930	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R931	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R932	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R933	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R934	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R937	0RH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R938	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R939	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R952	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		L807	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		L809	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		L811	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		L813	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		L815	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1012	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1015	0RJ0512D677	51 OHM 1/10 W 5% 1608 R/TP
		R1016	0RJ0512D677	51 OHM 1/10 W 5% 1608 R/TP
		R1017	0RJ0512D677	51 OHM 1/10 W 5% 1608 R/TP
		R102	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1028	0RJ4700D677	470 OHM 1/10 W 5% 1608 R/TP
		R103	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1035	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1036	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1037	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R1038	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R1039	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R104	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1049	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R105	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1054	0RJ1201D677	1200 OHM 1/10 W 5% 1608 R/T
		R1055	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1056	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R106	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1061	0RJ4702D677	47000 OHM 1/10 W 5% 1608 R/
		R1062	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1069	0RJ0272D677	27 OHM 1/10 W 5% 1608 R/TP
		R107	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1080	0RJ1501D677	1.5K OHM 1/10 W 5% 1608 R/T
		R1081	0RJ1501D677	1.5K OHM 1/10 W 5% 1608 R/T
		R1083	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R110	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1105	0RJ5101D677	5.1K OHM 1/10 W 5% 1608 R/T
		R1109	0RJ3002D677	30000 OHM 1/10 W 5% 1608 R/
		R111	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1110	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1111	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1112	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1115	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1116	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1117	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1118	0RJ1004D677	1000000 OHM 1/10 W 5% 1608
		R1119	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R112	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1120	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1121	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1129	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R113	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1130	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R1131	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R1132	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R1133	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R1135	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1136	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1137	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R1138	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R1139	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R114	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1142	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R1143	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R1147	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R1149	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R115	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1150	0RJ3300D677	330 OHM 1/10 W 5% 1608 R/TP
		R1151	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R1152	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R1153	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R1154	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R1156	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R1161	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1162	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1163	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1164	0RJ1003D677	100K OHM 1/10 W 5% 1608 R/T
		R1166	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1167	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R117	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1175	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1176	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1177	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1178	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1179	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R118	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1181	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1186	0RJ3001D677	3K OHM 1/10 W 5% 1608 R/TP
		R1187	0RJ3001D677	3K OHM 1/10 W 5% 1608 R/TP
		R119	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1190	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1191	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1192	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1193	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1194	0RJ3300D677	330 OHM 1/10 W 5% 1608 R/TP
		R1195	0RJ3300D677	330 OHM 1/10 W 5% 1608 R/TP
		R1196	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1197	0RJ3300D677	330 OHM 1/10 W 5% 1608 R/TP
		R1198	0RJ3300D677	330 OHM 1/10 W 5% 1608 R/TP
		R1199	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R120	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1202	0RJ8252D477	82.5K OHM 1/10 W 1% 1608 R/
		R121	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1217	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1218	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1220	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1223	0RJ4700D677	470 OHM 1/10 W 5% 1608 R/TP
		R123	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R124	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1241	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1244	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R125	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1251	0RJ1500D677	150 OHM 1/10 W 5% 1608 R/TP
		R1256	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1257	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1258	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R126	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R127	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R128	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R130	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1302	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1303	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1304	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1306	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R1307	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1308	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1309	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R131	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1310	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R1311	0RJ6341D477	6.34K OHM 1/10 W 1% 1608 R/
		R133	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1331	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R134	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R135	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R136	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R137	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R138	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R139	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R140	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1401	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1402	0RJ2201D677	2200 OHM 1/10 W 5% 1608 R/T
		R1403	0RJ2201D677	2200 OHM 1/10 W 5% 1608 R/T
		R1407	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R141	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R142	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R144	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R148	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R149	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R150	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R151	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R152	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R153	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R154	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R156	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R157	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1700	0RJ1500D677	150 OHM 1/10 W 5% 1608 R/TP
		R1703	0RJ1500D677	150 OHM 1/10 W 5% 1608 R/TP
		R1704	0RJ0682D677	68 OHM 1/10 W 5% 1608 R/TP
		R1713	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R1721	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R1817	0RJ1003D677	100K OHM 1/10 W 5% 1608 R/T
		R1818	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R1820	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R1821	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1822	0RJ3301D677	3.3K OHM 1/10 W 5% 1608 R/T
		R200	0RJ2201D677	2200 OHM 1/10 W 5% 1608 R/T
		R201	0RJ2201D677	2200 OHM 1/10 W 5% 1608 R/T
		R202	0RJ2201D677	2200 OHM 1/10 W 5% 1608 R/T
		R203	0RJ2201D677	2200 OHM 1/10 W 5% 1608 R/T
		R204	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R205	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R206	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R207	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R208	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R209	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R211	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R217	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R218	0RJ1602D677	16K OHM 1/10 W 5% 1608 R/TP
		R219	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R230	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R231	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R232	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R234	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R235	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R236	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R237	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R238	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R239	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R240	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R243	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R244	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R245	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R246	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R247	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R248	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R249	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R250	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R251	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R252	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R253	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R254	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R255	0RJ0752D677	75 OHM 1/10 W 5% 1608 R/TP
		R256	0RJ0752D677	75 OHM 1/10 W 5% 1608 R/TP
		R257	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R258	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R259	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R263	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R264	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R265	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R266	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R267	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R269	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R270	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R271	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R274	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R276	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R277	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R283	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R300	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R301	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R302	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R303	0RJ6801D677	6800 OHM 1/10 W 5% 1608 R/T
		R308	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R309	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R3101	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R3102	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R3103	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R3108	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R3109	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R3112	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R3113	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R3114	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R3115	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R3116	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R3117	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R3123	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R3124	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R3125	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R3126	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R3127	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R3128	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R3129	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R316	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R317	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R318	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R321	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R323	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R324	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R325	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R327	0RJ1005D677	10M OHM 1/10 W 5% 1608 R/TP
		R328	0RJ1001D477	1K OHM 1/10 W 1% 1608 R/TP
		R329	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R334	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R336	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R337	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R338	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R339	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R340	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R341	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R342	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R346	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R347	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R348	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R349	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R356	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R413	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R414	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R415	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R416	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R417	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R420	0RJ1800D677	180 OHM 1/10 W 5% 1608 R/TP
		R421	0RJ1800D677	180 OHM 1/10 W 5% 1608 R/TP
		R424	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R425	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R426	0RJ0752D677	75 OHM 1/10 W 5% 1608 R/TP
		R448	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R449	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R452	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R522	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R527	0RJ0272D677	27 OHM 1/10 W 5% 1608 R/TP
		R529	0RJ0272D677	27 OHM 1/10 W 5% 1608 R/TP
		R530	0RJ0272D677	27 OHM 1/10 W 5% 1608 R/TP
		R531	0RJ0272D677	27 OHM 1/10 W 5% 1608 R/TP
		R532	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R533	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R547	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R606	0RJ1004D677	1000000 OHM 1/10 W 5% 1608
		R614	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R615	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R616	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R619	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R620	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R621	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R622	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R626	0RJ1800D677	180 OHM 1/10 W 5% 1608 R/TP
		R635	0RJ4703D677	470K OHM 1/10 W 5% 1608 R/T
		R636	0RJ4703D677	470K OHM 1/10 W 5% 1608 R/T
		R637	0RJ4702D677	47000 OHM 1/10 W 5% 1608 R/
		R639	0RJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R640	0RJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R641	0RJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R642	0RJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R643	0RJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R644	0RJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R645	0RJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R646	0RJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R663	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R664	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R669	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R670	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R671	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R672	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R673	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R674	0RJ2701D677	2.7K OHM 1/10 W 5% 1608 R/T
		R675	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R679	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R680	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R681	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R690	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R700	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R701	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R702	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R703	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R704	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R705	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R706	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R707	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R708	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R709	0RJ3600D477	360 OHM 1/10 W 1% 1608 R/TP
		R712	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R713	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R714	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R722	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R724	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R732	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R733	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R734	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R735	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R736	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R737	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R738	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R739	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R740	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R741	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R742	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R743	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R744	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R745	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R746	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R757	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R758	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R759	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R760	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R761	0RJ3600D477	360 OHM 1/10 W 1% 1608 R/TP
		R764	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R765	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R766	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R774	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R776	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R778	0RJ0682D677	68 OHM 1/10 W 5% 1608 R/TP
		R784	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R785	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R786	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R787	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R788	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R789	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R790	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R791	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R792	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R793	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R794	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R795	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R796	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R797	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R798	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R813	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R814	0RJ0752D677	75 OHM 1/10 W 5% 1608 R/TP
		R848	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R849	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R850	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP

DATE: 2005.06.13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R851	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R852	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R853	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R857	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R858	0RJ1502D677	15K OHM 1/10 W 5% 1608 R/TP
		R860	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R861	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R862	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R865	0RJ4700D677	470 OHM 1/10 W 5% 1608 R/TP
		R866	0RJ4700D677	470 OHM 1/10 W 5% 1608 R/TP
		R867	0RJ4700D677	470 OHM 1/10 W 5% 1608 R/TP
		R868	0RJ4700D677	470 OHM 1/10 W 5% 1608 R/TP
		R870	0RJ0752D677	75 OHM 1/10 W 5% 1608 R/TP
		R872	0RJ0752D677	75 OHM 1/10 W 5% 1608 R/TP
		R874	0RJ0822D677	82 OHM 1/10 W 5% 1608 R/TP
		R875	0RJ0822D677	82 OHM 1/10 W 5% 1608 R/TP
		R876	0RJ0822D677	82 OHM 1/10 W 5% 1608 R/TP
		R877	0RJ0822D677	82 OHM 1/10 W 5% 1608 R/TP
		R878	0RJ0822D677	82 OHM 1/10 W 5% 1608 R/TP
		R879	0RJ0822D677	82 OHM 1/10 W 5% 1608 R/TP
		R882	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R885	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R888	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R900	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R901	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R902	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R903	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R904	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R906	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R907	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R908	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/TP
		R909	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R910	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R928	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R935	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R936	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R940	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
OTHERS				
		IC202	3850TAZ028C	LM295B BRAND UL/CSA LGMNT M
		IC203	3850TAZ028C	LM295B BRAND UL/CSA LGMNT M
		IC209	3850TAZ028C	LM295B BRAND UL/CSA LGMNT M
		IC210	3850TAZ028C	LM295B BRAND UL/CSA LGMNT M
		DL1101	ODL233309AC	SAM2333 TP KWANG GREEN/RED
		DL1102	ODL233309AC	SAM2333 TP KWANG GREEN/RED
		DL1401	ODL233309AC	SAM2333 TP KWANG GREEN/RED
		DL1402	ODL233309AC	SAM2333 TP KWANG GREEN/RED
		DL1403	ODL233309AC	SAM2333 TP KWANG GREEN/RED
		DL200	ODL233309AC	SAM2333 TP KWANG GREEN/RED
		DL201	ODL233309AC	SAM2333 TP KWANG GREEN/RED
		IC1301	6204B47985M	SCO-103 SUNNY 13.5MHZ +/- 3
		X1102	6204B47985K	BMS-873R BUBANG 25MHZ +/- 5
		X200	6204B47985L	SCO-103 SUNNY 33.33HZ +/- 3
		X500	6204B60001B	VCXO BUBANG 27MHZ +/- 100 P
		X801	6212AB3004D	CSALF2M69G4ZF01-A3 MURATA 2
		X1000	6202VDT002H	SX-1 SUNNY 18.432000MHZ +/-
		X1101	6212AB2015F	HC-49/SM BUBANG 14MHZ +/- 3
		X1200	6212AB2015E	HC-49/SM BUBANG 10.0MHZ +/-
		X1201	6212AB2015A	HC-49/SM4H BUBANG 4MHZ +/-
		X1300	6212AB2806A	SX-1 SUNNY 24.576MHZ +/- 50
		X300	6212AB2015C	HC-49/SM4H BUBANG 25MHZ +/-





DATE: 2005.06.13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		X600	6202TST001H	SX-1 SUNNY 27MHZ +/- 30 PPM
		X700	6212AB2806A	SX-1 SUNNY 24.576MHZ +/- 50
		X701	6212AB2806A	SX-1 SUNNY 24.576MHZ +/- 50
		X800	6212AB2015A	HC-49/SM4H BUBANG 4MHZ +/-
		P201	6600VR1004A	SKHMPW 5P CHIP TACT J-ALPS
		TU401	6852TAZ012J	"COAXIAL, UL 1365 AWG 26 70M"
LED & P/SW BOARD				
		C1210	0CE3363F618	"33UF SRE,SE 16V 20% FL TP 5"
		C1211	0CE3363F618	"33UF SRE,SE 16V 20% FL TP 5"
		C1214	0CE3363F618	"33UF SRE,SE 16V 20% FL TP 5"
		L1201	0LA0102K119	10UH K 2.3*3.4 TP
		L1202	0LA0102K119	10UH K 2.3*3.4 TP
		C1201	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1202	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1203	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1204	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1206	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1207	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1208	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1209	0CH6101K416	100PF 50V 5% NP0 2012 R/TP
		C1215	0CH6101K416	100PF 50V 5% NP0 2012 R/TP
		IC1201	0NE163110A	UPD16311GC-AB6 FIP DRIV 52P
		IC1202	0KE657830B	KID65783AF 20PIN SOP TRAY T
		IC1203	0MI623200B	"M62320FP,I/O EXPANDER 16P S"
		L1205	6210TCE001A	HB-1S2012-080JT CERATEC 201
		L1206	6210TCE001A	HB-1S2012-080JT CERATEC 201
		L1207	0LCTA00006C	"LBC2518T100M, 10UH TAIYOYUD"
		Q1201	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1202	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1203	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1204	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1205	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1206	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1207	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1208	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1210	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1212	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1213	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1214	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1215	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		R1202	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1204	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1205	0RH0392D622	39 OHM 1 / 10 W 2012 5.00%
		R1207	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1208	0RH5100D622	510 OHM 1 / 10 W 2012 5.00%
		R1210	6210TCE001A	HB-1S2012-080JT CERATEC 201
		R1211	0RH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1212	6210TCE001A	HB-1S2012-080JT CERATEC 201
		R1213	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1216	0RH0392D622	39 OHM 1 / 10 W 2012 5.00%
		R1217	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1218	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1220	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1221	0RH0392D622	39 OHM 1 / 10 W 2012 5.00%
		R1226	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1228	0RH0392D622	39 OHM 1 / 10 W 2012 5.00%
		R1229	6210TCE001A	HB-1S2012-080JT CERATEC 201
		R1230	0RH0392D622	39 OHM 1 / 10 W 2012 5.00%
		R1233	6210TCE001A	HB-1S2012-080JT CERATEC 201
		R1234	6210TCE001A	HB-1S2012-080JT CERATEC 201







DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R1235	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1236	0RH0392D622	39 OHM 1 / 10 W 2012 5.00%
		R1237	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1238	0RH1500D622	150 OHM 1 / 10 W 2012 5.00%
		R1239	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1240	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1241	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1242	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1243	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1244	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1245	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1246	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1247	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1248	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1250	0RH0392D622	39 OHM 1 / 10 W 2012 5.00%
		R1253	0RH0392D622	39 OHM 1 / 10 W 2012 5.00%
		R1257	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1258	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1260	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1261	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1262	0RH1500D622	150 OHM 1 / 10 W 2012 5.00%
		R1263	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1264	6210TCE001A	HB-1S2012-080JT CERATEC 201
		R1266	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1267	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1268	0RH1500D622	150 OHM 1 / 10 W 2012 5.00%
		R1272	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1275	0RH3302D622	33K OHM 1 / 10 W 2012 5.00%
		R1277	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1278	0RH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1279	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1280	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1281	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1282	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1283	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1284	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1285	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1286	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1287	0RH0392D622	39 OHM 1 / 10 W 2012 5.00%
		R1288	0RH0392D622	39 OHM 1 / 10 W 2012 5.00%
		R1289	0RH0392D622	39 OHM 1 / 10 W 2012 5.00%
		R1290	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1291	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1292	0RH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1293	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1295	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		IC1204	6301T00008B	"YANGWO LED ASSEMBLY D-TV,"
IR BOARD				
		C1000	0CN1010K519	100PF D 50V 10% B(Y5P) TA52
		C1001	0CE475DK618	4.7UF STD 50V 20% FL TP 5
		L1000	0RD1000F609	100 OHM 1/6 W 5% TA52
		R1000	0RD0102F609	10 OHM 1/6 W 5% TA52
		PA1000	6712R1538GG	TSOP2438MQ1 VISHAY 38KHZ DU
CONTROL BOARD				
		SW1201	6600R00001B	JTP1289 JEIL 12V DC 1MA VER
		SW1202	6600R00001B	JTP1289 JEIL 12V DC 1MA VER
		SW1203	6600R00001B	JTP1289 JEIL 12V DC 1MA VER
		SW1204	6600R00001B	JTP1289 JEIL 12V DC 1MA VER





DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		SW1205	6600R00001B	JTP1289 JEIL 12V DC 1MA VER
		SW1206	6600R00001B	JTP1289 JEIL 12V DC 1MA VER
		SW1207	6600R00001B	JTP1289 JEIL 12V DC 1MA VER
		SW1208	6600R00001B	JTP1289 JEIL 12V DC 1MA VER
		C2103	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		L2101	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		L2102	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		L2104	6210TCE001A	HB-1S2012-080JT CERATEC 201
		L2105	6210TCE001A	HB-1S2012-080JT CERATEC 201
		R2101	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R2102	0RH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R2103	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R2104	0RH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R2105	0RH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R2107	0RH4703D622	470K OHM 1 / 10 W 2012 5.00
		R2110	0RH4703D622	470K OHM 1 / 10 W 2012 5.00
		ZD1201	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		ZD1202	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		ZD1203	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		ZD1204	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		ZD1205	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		ZD1206	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		ZD2101	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		ZD2102	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		ZD2103	0DZ510009EE	UDZ S 5.1B TP ROHM-K SOD323
		LED801	0DLNC0058AA	NICHIA NSCW215T R/TP WHITE
		LED802	0DLNC0058AA	NICHIA NSCW215T R/TP WHITE
		LED803	0DLNC0058AA	NICHIA NSCW215T R/TP WHITE
		LED804	0DLNC0058AA	NICHIA NSCW215T R/TP WHITE
		LED805	0DLNC0058AA	NICHIA NSCW215T R/TP WHITE
		LED806	0DLNC0058AA	NICHIA NSCW215T R/TP WHITE
		LED807	0DLNC0058AA	NICHIA NSCW215T R/TP WHITE
		LED808	0DLNC0058AA	NICHIA NSCW215T R/TP WHITE
		LED809	0DLNC0058AA	NICHIA NSCW215T R/TP WHITE
		LED810	0DLNC0058AA	NICHIA NSCW215T R/TP WHITE
		LED811	0DLNC0058AA	NICHIA NSCW215T R/TP WHITE
		LED812	0DLNC0058AA	NICHIA NSCW215T R/TP WHITE
		LED813	0DLNC0058AA	NICHIA NSCW215T R/TP WHITE
		LED814	0DLNC0058AA	"NICHIA NSCW215T R/TP WHITE-37/42LP1D-UA
		LED815	0DLNC0058AA	"NICHIA NSCW215T R/TP WHITE-37/42LP1D-UA
		LED816	0DLNC0058AA	"NICHIA NSCW215T R/TP WHITE-37/42LP1D-UA
TUNER BOARD				
		C2004	0CH2103K666	0.01UF 50V 20% X7R 2012 R/T
		C2007	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C2009	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C2013	0CH2334F566	0.33UF 16V 10% X7R 2012 R/T
		C2014	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C2016	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C2017	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C2018	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C2019	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C2023	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C2024	0CH2103K666	0.01UF 50V 20% X7R 2012 R/T
		C2025	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C2027	0CH2103K666	0.01UF 50V 20% X7R 2012 R/T
		C2029	0CH3224K946	0.22UF 50V Z F 2012 R/TP
		C2041	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		L2003	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L2004	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L2005	6210TCE001G	HH-1M3216-501 CERATEC 3216M

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		L2006	0LC2000005K	"FI-D2012-223, 22UH CERATECH"
		R2001	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R2002	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R2003	0RH0102D622	10 OHM 1 / 10 W 2012 5.00%
		R2011	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R2012	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R2014	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R2016	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R2017	0RH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R2018	0RH0682D622	68 OHM 1 / 10 W 2012 5.00%
		F2001	6200QL3002E	X9650M EPCOS ST 44MHZ 5PIN
		TU1501	6700AN0002A	TDVS-H701P LGIT ATSC/NTSC D
		TU2002	6700NC0001B	TAEU-H018P LGIT NTSC OOB CA
		C2003	0CE476VF6DC	47UF MV 16V 20% R/TP(SMD) S
		C2005	0CE476VF6DC	47UF MV 16V 20% R/TP(SMD) S
		C2008	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C2010	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C2011	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C2012	0CE476VF6DC	47UF MV 16V 20% R/TP(SMD) S
		C2015	0CE107SF6DC	100UF MVG 16V 20% SMD R/TP
		C2022	0CE476VK6DC	47UF MV 50V 20% R/TP(SMD) S
		C2026	0CE476VF6DC	47UF MV 16V 20% R/TP(SMD) S
		C2028	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C2030	0CK102CK56A	1000PF 1608 50V 0.1 R/TP X7
		C2031	0CK102CK56A	1000PF 1608 50V 0.1 R/TP X7
		C2032	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C2033	0CK102CK56A	1000PF 1608 50V 0.1 R/TP X7
		C2034	0CK102CK56A	1000PF 1608 50V 0.1 R/TP X7
		C2035	0CE226VF6DC	22UF MV 16V 20% R/TP(SMD) S
		C2036	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C2054	0CE106WH6DC	10UF MVK 25V 20% R/TP(SMD)
		C2055	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		IC2001	0IMCRFA010A	"KA7809R, FAIRCHILD 2P D-PAK"
		IC2002	0IMCRSH001A	"PQ05DZ1U SHARP 5, SMD TYPE"
		IC2003	0IMCRTI035A	"TL592B-8DR,LF TEXAS INSTRU"
		IC2004	0IMCRFA004A	KA2904DTF FAIRCHILD 8SOP P
		IC2006	0IPRP00538A	FSA1156P6X-NL FAIRCHILD 6P
		L2001	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L2002	6210TCE001G	HH-1M3216-501 CERATEC 3216M
		L2007	0LC2000005K	"FI-D2012-223, 22UH CERATECH"
		L2008	0LC2000005K	"FI-D2012-223, 22UH CERATECH"
		Q2001	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		R2004	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R2006	0RJ0822D677	82 OHM 1/10 W 5% 1608 R/TP
		R2007	0RJ1502D677	15K OHM 1/10 W 5% 1608 R/TP
		R2010	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R2020	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R2021	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R2022	0RJ2201D677	2200 OHM 1/10 W 5% 1608 R/T
		R2023	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R2024	0RJ0512D677	51 OHM 1/10 W 5% 1608 R/TP
		R2025	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R2040	0RJ2201D677	2200 OHM 1/10 W 5% 1608 R/T
		R2041	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R2042	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		TU1501	6852TAZ012S	"COAXIAL, LINK R/A-S/T UL 136-32LP1D-UA
		TU1501	6852TAZ012T	"COAXIAL, LINK R/A-S/T UL 136-37/42LP1D-UA
		TU2002	6852TAZ012K	"COAXIAL, R/A-S/T UL 1365 AWG-32LP1D-UA
		TU2002	6852TAZ012M	"COAXIAL, R/A-S/T UL 1365 AWG-37/42LP1D-UA

DATE: 2005. 06. 13.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
SIDE A/V BOARD				
		L5101	6210TCE001A	HB-1S2012-080JT CERATEC 201
		L5102	6210TCE001A	HB-1S2012-080JT CERATEC 201
		R5101	0RH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R5102	0RH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R5103	0RH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R5104	0RH4703D622	470K OHM 1 / 10 W 2012 5.00
		R5105	0RH4703D622	470K OHM 1 / 10 W 2012 5.00
		R5106	0RH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R5107	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R5108	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R5109	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R5110	0RH0222D622	22 OHM 1 / 10 W 2012 5.00%
LOGO BOARD				
		C3100	0CE106SF6DC	"10UF MVG 16V 20% R/TP(SMD)-37/42LP1D-UA
		C3101	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C3102	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C3103	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C3104	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C3105	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C3106	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C3107	0CE106SF6DC	10UF MVG 16V 20% R/TP(SMD)
		C3108	0CK104CK56A	"0.1UF 1608 50V 10% R/TP X7R-37/42LP1D-UA
		C3109	0CK104CK56A	"0.1UF 1608 50V 10% R/TP X7R-37/42LP1D-UA
		C3110	0CK104CK56A	"0.1UF 1608 50V 10% R/TP X7R-37/42LP1D-UA
		C3111	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C3112	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C3113	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C3114	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C3115	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C3116	0CK104CK56A	"0.1UF 1608 50V 10% R/TP X7R-32LP1D-UA
		C3117	0CK104CK56A	"0.1UF 1608 50V 10% R/TP X7R-32LP1D-UA
		Q3101	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q3102	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q3103	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q3104	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q3105	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q3106	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q3107	0TR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q3108	0TR387500AA	"CHIP 2SC3875S(ALY) BK KEC -37/42LP1D-UA
		R3101	0RJ2000D677	"200 OHM 1/10 W 5% 1608 R/TP-32LP1D-UA
		R3101	0RJ2200D677	"220 OHM 1/10 W 5% 1608 R/TP-37LP1D-UA
		R3101	0RJ2200D677	"220 OHM 1/10 W 5% 1608 R/TP-42LP1D-UA
		R3102	0RJ2000D677	"200 OHM 1/10 W 5% 1608 R/TP-32LP1D-UA
		R3102	0RJ2200D677	"220 OHM 1/10 W 5% 1608 R/TP-37LP1D-UA
		R3102	0RJ2200D677	"220 OHM 1/10 W 5% 1608 R/TP-42LP1D-UA
		R3103	0RJ2000D677	"200 OHM 1/10 W 5% 1608 R/TP-32LP1D-UA
		R3103	0RJ2200D677	"220 OHM 1/10 W 5% 1608 R/TP-37LP1D-UA
		R3103	0RJ2200D677	"220 OHM 1/10 W 5% 1608 R/TP-42LP1D-UA
		R3104	0RJ2000D677	"200 OHM 1/10 W 5% 1608 R/TP-32LP1D-UA
		R3104	0RJ2200D677	"220 OHM 1/10 W 5% 1608 R/TP-37LP1D-UA
		R3104	0RJ2200D677	"220 OHM 1/10 W 5% 1608 R/TP-42LP1D-UA
		R3105	0RJ2000D677	"200 OHM 1/10 W 5% 1608 R/TP-32LP1D-UA
		R3105	0RJ2200D677	"220 OHM 1/10 W 5% 1608 R/TP-37LP1D-UA
		R3105	0RJ2200D677	"220 OHM 1/10 W 5% 1608 R/TP-42LP1D-UA
		R3106	0RJ2000D677	"200 OHM 1/10 W 5% 1608 R/TP-32LP1D-UA
		R3106	0RJ2200D677	"220 OHM 1/10 W 5% 1608 R/TP-37LP1D-UA
		R3106	0RJ2200D677	"220 OHM 1/10 W 5% 1608 R/TP-42LP1D-UA
		R3107	0RJ2000D677	"200 OHM 1/10 W 5% 1608 R/TP-32LP1D-UA
		R3107	0RJ2200D677	"220 OHM 1/10 W 5% 1608 R/TP-37LP1D-UA









P/NO : 38289S0004C

Jun, 2005
Printed in Korea