



website:<http://biz.LGservice.com>  
e-mail:<http://www.LGservice.com/techsup.html>

# LCD TV

# SERVICE MANUAL

**CHASSIS : LA51D**

**FACTORY NAME : 42LC2D-UD**

**MODEL : 42LC2D**

## **CAUTION**

BEFORE SERVICING THE CHASSIS,  
READ THE SAFETY PRECAUTIONS IN THIS MANUAL.



# CONTENTS

<b>CONTENTS .....</b>	<b>2</b>
<b>PRODUCT SAFETY .....</b>	<b>3</b>
<b>SPECIFICATION .....</b>	<b>6</b>
<b>ADJUSTMENT INSTRUCTION .....</b>	<b>10</b>
<b>TROUBLE SHOOTING .....</b>	<b>15</b>
<b>BLOCK DIAGRAM.....</b>	<b>22</b>
<b>WIRING DIAGRAM .....</b>	<b>23</b>
<b>EXPLODED VIEW .....</b>	<b>24</b>
<b>REPLACEMENT PARTS LIST .....</b>	<b>28</b>
<b>SVC. SHEET .....</b>	

# SAFETY PRECAUTIONS

## IMPORTANT SAFETY NOTICE

Many electrical and mechanical parts in this chassis have special safety-related characteristics. These parts are identified by  $\triangle$  in the Schematic Diagram and Replacement Parts List.

It is essential that these special safety parts should be replaced with the same components as recommended in this manual to prevent Shock, Fire, or other Hazards.

Do not modify the original design without permission of manufacturer.

### General Guidance

An **isolation Transformer should always be used** during the servicing of a receiver whose chassis is not isolated from the AC power line. Use a transformer of adequate power rating as this protects the technician from accidents resulting in personal injury from electrical shocks.

It will also protect the receiver and its components from being damaged by accidental shorts of the circuitry that may be inadvertently introduced during the service operation.

If any fuse (or Fusible Resistor) in this TV receiver is blown, replace it with the specified.

When replacing a high wattage resistor (Oxide Metal Film Resistor, over 1W), keep the resistor 10mm away from PCB.

Keep wires away from high voltage or high temperature parts.

### Before returning the receiver to the customer,

always perform an **AC leakage current check** on the exposed metallic parts of the cabinet, such as antennas, terminals, etc., to be sure the set is safe to operate without damage of electrical shock.

### Leakage Current Cold Check(Antenna Cold Check)

With the instrument AC plug removed from AC source, connect an electrical jumper across the two AC plug prongs. Place the AC switch in the on position, connect one lead of ohm-meter to the AC plug prongs tied together and touch other ohm-meter lead in turn to each exposed metallic parts such as antenna terminals, phone jacks, etc.

If the exposed metallic part has a return path to the chassis, the measured resistance should be between  $1M\Omega$  and  $5.2M\Omega$ .

When the exposed metal has no return path to the chassis the reading must be infinite.

An other abnormality exists that must be corrected before the receiver is returned to the customer.

### Leakage Current Hot Check (See below Figure)

Plug the AC cord directly into the AC outlet.

### Do not use a line Isolation Transformer during this check.


Connect 1.5K/10watt resistor in parallel with a 0.15uF capacitor between a known good earth ground (Water Pipe, Conduit, etc.) and the exposed metallic parts.

Measure the AC voltage across the resistor using AC voltmeter with 1000 ohms/volt or more sensitivity.

Reverse plug the AC cord into the AC outlet and repeat AC voltage measurements for each exposed metallic part. Any voltage measured must not exceed 0.75 volt RMS which corresponds to 0.5mA.

In case any measurement is out of the limits specified, there is possibility of shock hazard and the set must be checked and repaired before it is returned to the customer.

### Leakage Current Hot Check circuit



# SERVICING PRECAUTIONS

**CAUTION:** Before servicing receivers covered by this service manual and its supplements and addenda, read and follow the *SAFETY PRECAUTIONS* on page 3 of this publication.

**NOTE:** If unforeseen circumstances create conflict between the following servicing precautions and any of the safety precautions on page 3 of this publication, always follow the safety precautions. Remember: Safety First.

## General Servicing Precautions

1. Always unplug the receiver AC power cord from the AC power source before;
  - a. Removing or reinstalling any component, circuit board module or any other receiver assembly.
  - b. Disconnecting or reconnecting any receiver electrical plug or other electrical connection.
  - c. Connecting a test substitute in parallel with an electrolytic capacitor in the receiver.  
**CAUTION:** A wrong part substitution or incorrect polarity installation of electrolytic capacitors may result in an explosion hazard.

2. Test high voltage only by measuring it with an appropriate high voltage meter or other voltage measuring device (DVM, FETVOM, etc) equipped with a suitable high voltage probe. Do not test high voltage by "drawing an arc".

3. Do not spray chemicals on or near this receiver or any of its assemblies.

4. Unless specified otherwise in this service manual, clean electrical contacts only by applying the following mixture to the contacts with a pipe cleaner, cotton-tipped stick or comparable non-abrasive applicator; 10% (by volume) Acetone and 90% (by volume) isopropyl alcohol (90%-99% strength)

**CAUTION:** This is a flammable mixture.

Unless specified otherwise in this service manual, lubrication of contacts is not required.

5. Do not defeat any plug/socket B+ voltage interlocks with which receivers covered by this service manual might be equipped.
6. Do not apply AC power to this instrument and/or any of its electrical assemblies unless all solid-state device heat sinks are correctly installed.
7. Always connect the test receiver ground lead to the receiver chassis ground before connecting the test receiver positive lead.  
Always remove the test receiver ground lead last.

8. Use with this receiver only the test fixtures specified in this service manual.

**CAUTION:** Do not connect the test fixture ground strap to any heat sink in this receiver.

## Electrostatically Sensitive (ES) Devices

Some semiconductor (solid-state) devices can be damaged easily by static electricity. Such components commonly are called *Electrostatically Sensitive (ES) Devices*. Examples of typical ES devices are integrated circuits and some field-effect transistors and semiconductor "chip" components. The following techniques should be used to help reduce the incidence of component damage caused by static by static electricity.

1. Immediately before handling any semiconductor component or semiconductor-equipped assembly, drain off any electrostatic charge on your body by touching a known earth ground. Alternatively, obtain and wear a commercially available discharging wrist strap device, which should be removed to prevent potential shock reasons prior to applying power to the

unit under test.

2. After removing an electrical assembly equipped with ES devices, place the assembly on a conductive surface such as aluminum foil, to prevent electrostatic charge buildup or exposure of the assembly.
3. Use only a grounded-tip soldering iron to solder or unsolder ES devices.
4. Use only an anti-static type solder removal device. Some solder removal devices not classified as "anti-static" can generate electrical charges sufficient to damage ES devices.
5. Do not use freon-propelled chemicals. These can generate electrical charges sufficient to damage ES devices.
6. Do not remove a replacement ES device from its protective package until immediately before you are ready to install it. (Most replacement ES devices are packaged with leads electrically shorted together by conductive foam, aluminum foil or comparable conductive material).
7. Immediately before removing the protective material from the leads of a replacement ES device, touch the protective material to the chassis or circuit assembly into which the device will be installed.  
**CAUTION:** Be sure no power is applied to the chassis or circuit, and observe all other safety precautions.
8. Minimize bodily motions when handling unpackaged replacement ES devices. (Otherwise harmless motion such as the brushing together of your clothes fabric or the lifting of your foot from a carpeted floor can generate static electricity sufficient to damage an ES device.)

## General Soldering Guidelines

1. Use a grounded-tip, low-wattage soldering iron and appropriate tip size and shape that will maintain tip temperature within the range or 500 °F to 600 °F.
2. Use an appropriate gauge of RMA resin-core solder composed of 60 parts tin/40 parts lead.
3. Keep the soldering iron tip clean and well tinned.
4. Thoroughly clean the surfaces to be soldered. Use a mall wire-bristle (0.5 inch, or 1.25cm) brush with a metal handle. Do not use freon-propelled spray-on cleaners.
5. Use the following unsoldering technique
  - a. Allow the soldering iron tip to reach normal temperature. (500 °F to 600 °F)
  - b. Heat the component lead until the solder melts.
  - c. Quickly draw the melted solder with an anti-static, suction-type solder removal device or with solder braid.  
**CAUTION:** Work quickly to avoid overheating the circuitboard printed foil.
6. Use the following soldering technique.
  - a. Allow the soldering iron tip to reach a normal temperature (500 °F to 600 °F)
  - b. First, hold the soldering iron tip and solder the strand against the component lead until the solder melts.
  - c. Quickly move the soldering iron tip to the junction of the component lead and the printed circuit foil, and hold it there only until the solder flows onto and around both the component lead and the foil.  
**CAUTION:** Work quickly to avoid overheating the circuit board printed foil.
  - d. Closely inspect the solder area and remove any excess or splashed solder with a small wire-bristle brush.

### **IC Remove/Replacement**

Some chassis circuit boards have slotted holes (oblong) through which the IC leads are inserted and then bent flat against the circuit foil. When holes are the slotted type, the following technique should be used to remove and replace the IC. When working with boards using the familiar round hole, use the standard technique as outlined in paragraphs 5 and 6 above.

#### *Removal*

1. Desolder and straighten each IC lead in one operation by gently prying up on the lead with the soldering iron tip as the solder melts.
2. Draw away the melted solder with an anti-static suction-type solder removal device (or with solder braid) before removing the IC.

#### *Replacement*

1. Carefully insert the replacement IC in the circuit board.
2. Carefully bend each IC lead against the circuit foil pad and solder it.
3. Clean the soldered areas with a small wire-bristle brush.  
(It is not necessary to reapply acrylic coating to the areas).

### **"Small-Signal" Discrete Transistor**

#### **Removal/Replacement**

1. Remove the defective transistor by clipping its leads as close as possible to the component body.
2. Bend into a "U" shape the end of each of three leads remaining on the circuit board.
3. Bend into a "U" shape the replacement transistor leads.
4. Connect the replacement transistor leads to the corresponding leads extending from the circuit board and crimp the "U" with long nose pliers to insure metal to metal contact then solder each connection.

### **Power Output, Transistor Device**

#### **Removal/Replacement**

1. Heat and remove all solder from around the transistor leads.
2. Remove the heat sink mounting screw (if so equipped).
3. Carefully remove the transistor from the heat sink of the circuit board.
4. Insert new transistor in the circuit board.
5. Solder each transistor lead, and clip off excess lead.
6. Replace heat sink.

### **Diode Removal/Replacement**

1. Remove defective diode by clipping its leads as close as possible to diode body.
2. Bend the two remaining leads perpendicular y to the circuit board.
3. Observing diode polarity, wrap each lead of the new diode around the corresponding lead on the circuit board.
4. Securely crimp each connection and solder it.
5. Inspect (on the circuit board copper side) the solder joints of the two "original" leads. If they are not shiny, reheat them and if necessary, apply additional solder.

### **Fuse and Conventional Resistor**

#### **Removal/Replacement**

1. Clip each fuse or resistor lead at top of the circuit board hollow stake.
2. Securely crimp the leads of replacement component around notch at stake top.
3. Solder the connections.

**CAUTION:** Maintain original spacing between the replaced component and adjacent components and the circuit board to prevent excessive component temperatures.

### **Circuit Board Foil Repair**

Excessive heat applied to the copper foil of any printed circuit board will weaken the adhesive that bonds the foil to the circuit board causing the foil to separate from or "lift-off" the board. The following guidelines and procedures should be followed whenever this condition is encountered.

#### *At IC Connections*

To repair a defective copper pattern at IC connections use the following procedure to install a jumper wire on the copper pattern side of the circuit board. (Use this technique only on IC connections).

1. Carefully remove the damaged copper pattern with a sharp knife. (Remove only as much copper as absolutely necessary).
2. Carefully scratch away the solder resist and acrylic coating (if used) from the end of the remaining copper pattern.
3. Bend a small "U" in one end of a small gauge jumper wire and carefully crimp it around the IC pin. Solder the IC connection.
4. Route the jumper wire along the path of the out-away copper pattern and let it overlap the previously scraped end of the good copper pattern. Solder the overlapped area and clip off any excess jumper wire.

#### *At Other Connections*

Use the following technique to repair the defective copper pattern at connections other than IC Pins. This technique involves the installation of a jumper wire on the component side of the circuit board.

1. Remove the defective copper pattern with a sharp knife. Remove at least 1/4 inch of copper, to ensure that a hazardous condition will not exist if the jumper wire opens.
2. Trace along the copper pattern from both sides of the pattern break and locate the nearest component that is directly connected to the affected copper pattern.
3. Connect insulated 20-gauge jumper wire from the lead of the nearest component on one side of the pattern break to the lead of the nearest component on the other side. Carefully crimp and solder the connections.  
**CAUTION:** Be sure the insulated jumper wire is dressed so the it does not touch components or sharp edges.

# SPECIFICATION

NOTE : Specifications and others are subject to change without notice for improvement.

## 1. Application range

- 1.1 This spec sheet is applied all of the 42" LCD TV with LA51D chassis.
- 1.2 Not included spec and each product spec in this spec sheet apply correspondingly to the following each country standard and requirement of Buyer

## 3. Test method

- 3.1 Performance : LGE TV test method followed
- 3.2 Demanded other specification
  - Safety : UL, CSA, IEC specification
  - EMC : FCC, ICES, IEC specification

## 2. Specification

Each part is tested as below without special appointment.

- 2.1 Temperature : 20±5°C
- 2.2 Relative Humidity : 65±10%
- 2.3 Power Voltage : Standard input voltage  
(110~240V@50/60Hz)

\* Standard Voltage of each product is marked by models

2.4 Specification and performance of each parts are followed each drawing and specification by part number in accordance with BOM.

2.5 The receiver must be operated for about 20 minutes prior to the adjustment.

## 4. General Specification(TV)

No	Item	Specification	Remark
1.	Receiving System	ATSC/64 & 256 QAM/ NTSC-M	
2.	Available Channel	1) VHF : 02~13 2) UHF : 14~69 3) DTV : 02-69 4) CATV : 01~135 5) CADTV : 01~135	
3.	Input Voltage	1) AC 100 ~ 240V 50/60Hz	
4.	Market	NORTH AMERICA	
5.	Screen Size	42 inch Wide	For 42LC2D
6.	Aspect Ratio	16:9	
7.	Tuning System	FS	
8.	LCD Module	LC420W02-B6K1	For 42LC2D
9.	Operating Environment	1) Temp : 0 ~ 40 deg 2) Humidity : ~ 80 %	
10.	Storage Environment	1)Temp : -20 ~ 60 deg 2) Humidity : 0 ~ 90 %	

## 5. Chroma & Brightness

CONDITION : EZ-Picture "Normal"

No	Item		Min	Typ	Max	Unit	Remark
1.	White peak brightness		400	500	600	cd/m <sup>2</sup>	HDMI input, full white
2.	Contrast Ratio		400:1	550:1			
3.	Brightness uniformity				1.3		Refer to LCD SPEC.
4.	Color coordinate	RED	X	0.640			+/- 0.03
			Y	0.341			+/- 0.03
	GREEN	X	0.287			+/- 0.03	
		Y	0.610			+/- 0.03	
	BLUE	X	0.146			+/- 0.03	
		Y	0.069			+/- 0.03	
	WHITE	X	0.285			+/- 0.03	
		Y	0.293			+/- 0.03	
5.	Viewing angle		176			R/L, U/D	
6.	Color Temperature	Standard	8,300	9,300	10,300		<Test Signal>
		Cool	11,000	12,000	13,000		HDMI input, With 16-gray pattern, 6th bar from right
		Warm	5,500	6,500	7,500		
7.	Color Distortion, DG					%	
8.	Color Distortion, DP					deg	
9.	Color S/N, AM/FM					dB	

## 6. Mechanical specification

No,	Item	Content			Remark	
1	Product Dimenson		Width(W)	Length(D)	Height(H)	
		Before Packing	1054	286	813.5	With Stand
		After Packing	1166	402	7950	
2	Product Weight	Only SET	37.0Kg			
		With Box	42.3Kg			

## 7. Component Video Input (Y, CB/PB, CR/PR)

No	Specification				Proposed
	Resolution	H-freq(kHz)	V-freq(Hz)	Pixel clock	
1.	720x480	15.73	60		SDTV ,DVD 480I
2.	720x480	15.73	59.94		SDTV ,DVD 480I
3.	720x480	31.50	60		SDTV 480P
4.	720x480	31.47	59.94		SDTV 480P
5.	1280x720	45.00	60.00		HDTV 720P
6.	1280x720	44.96	59.94		HDTV 720P
7.	1920x1080	33.75	60.00		HDTV 1080I
8.	1920x1080	33.72	59.94		HDTV 1080I

## 8. RGB Input (PC/DTV)

No	Resolution	H-freq(kHz)	V-freq.(Hz)	Pixel clock(MHz)	Proposed	
PC						
1	720x400	31.469	70.08	28.32	DOS	O
2	640x480	31.469	59.94	25.17	VESA(VGA)	O
3	640x480	37.861	72.80	31.50	VESA(VGA)	O
4	640x480	37.500	75.00	31.50	VESA(VGA)	O
5	800x600	35.156	56.25	36.00	VESA(SVGA)	O
6	800x600	37.879	60.31	40.00	VESA(SVGA)	O
7	800x600	48.077	72.18	50.00	VESA(SVGA)	O
8	800x600	46.875	75.00	49.50	VESA(SVGA)	O
9	1024x768	48.363	60.00	65.00	VESA(XGA)	O
10	1024x768	56.476	70.06	75.00	VESA(XGA)	O
11	1024x768	60.023	75.02	78.75	VESA(XGA)	O
DTV						
1.	720x480	31.47	59.94		SDTV 480P	
2.	720x480	31.50	60		SDTV 480P	
3.	1280x720	45.00	60.00		HDTV 720P	
4.	1280x720	44.96	59.94		HDTV 720P	
5.	1920x1080	33.75	60.00		HDTV 1080I	
6.	1920x1080	33.72	59.94		HDTV 1080I	

## 9. HDMI Input (PC/DTV)

No	Resolution	H-freq(kHz)	V-freq.(Hz)	Pixel clock(MHz)	Proposed	
PC						
1.	640x480	31.469	59.94	25.17	VESA(VGA)	O
2.	640x480	37.861	72.80	31.50	VESA(VGA)	O
3.	640x480	37.500	75.00	31.50	VESA(VGA)	O
4.	800x600	35.156	56.25	36.00	VESA(SVGA)	O
5.	800x600	37.879	60.31	40.00	VESA(SVGA)	O
6.	800x600	48.077	72.18	50.00	VESA(SVGA)	O
7.	800x600	46.875	75.00	49.50	VESA(SVGA)	O
8.	1024x768	48.363	60.00	65.00	VESA(XGA)	O
9.	1024x768	56.476	70.06	75.00	VESA(XGA)	O
10.	1024x768	60.023	75.02	78.75		O
DTV						
11.	720x480	31.500	60	27.03	SDTV 480P	
12.	720x480	31.469	59.94	27.00	SDTV 480P	
13.	1280x720	45.00	60.00		HDTV 720P	
14.	1280x720	44.96	59.94		HDTV 720P	
15.	1920x1080	33.75	60.00		HDTV 1080I	
16.	1920x1080	33.72	59.94		HDTV 1080I	

# ADJUSTMENT INSTRUCTION

## 1. Application Object

These instructions are applied to all of the LCD TV, LA51D.

## 2. Notes


- (1) Because this is not a hot chassis, it is not necessary to use an isolation transformer. However, the use of isolation transformer will help protect test equipment.
- (2) Adjustments must be done in the correct order.
- (3) The adjustments must be performed in the conditions of 25±5°C of temperature and 65±10% of relative humidity if there is no specific designation.
- (4) The input voltage of the receiver be must kept 110V, 60Hz during adjustment.
- (5) The receiver must be operational for about 15 minutes prior to the adjustments.

- 1) After receiving 100% white pattern, the receiver must be operated 15 minutes prior to adjustment. (or 8. White Pattern condition in EZ - Adjust)
- 2) Enter into White Pattern
  - Pressing POWER ON Key on Service Remote Control (S R/C)
  - Enter the Ez - Adjust by pressing ADJ Key on Service Remote Control (S R/C).
  - Select the 8. White Pattern using CH +/- Key and press the Enter(■) Key.
  - Display the 100% Full White Pattern.

[The set will display white screen without a signal generator in this mode.]

If you turn on a still screen more than 20 minutes (Especially Digital pattern, Cross Hatch Pattern), an afterimage may occur in the black level part of the screen.

## 3. EPLD Download



<Fig 1> Connection Diagram of EPLD Download

- (1) Test Equipment : PC, Jig for download
- (2) Connect the power of VSC B/D.
- (3) Execute download program(iMPACK) of PC.
- (4) After executing the hot key on the Programmer, click icon
- (5) End after confirming

## 4. EDID(The Extended Display Identification Data)/DDC (Display Data Channel) download

This is the function that enables "Plug and Play".


### 4-1. HDMI EDID Data Input

#### (1) Required Test Equipment

- 1) Jig for adjusting PC, DDC. (PC serial to D-sub. Connection equipment)
- 2) S/W for writing DDC(EDID data write & read)
- 3) D-Sub cable
- 4) Jig for HDMI Cable connection

#### (2) Preparation for Adjustments & Setting of Device

- 1) Set devices as below and turn on the PC and JIG.
- 2) Open S/W for writing DDC (EDID data write & read). (operated in DOS mode)



<Fig. 2>

### 4-2. EDID DATA for LA51D

EDID for HDMI 1 (DDC (Display Data Channel) Data)  
EDID table =

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	00	FF	FF	FF	FF	FF	FF	00	1E	6D	01	00	01	01	01	01
10	00	0F	01	03	80	5D	34	78	0A	D4	6C	A3	57	49	9C	25
20	11	48	4B	AF	CE	00	31	4F	45	4F	61	4F	01	01	01	01
30	01	01	01	01	01	01	64	19	00	40	41	00	26	30	18	88
40	36	00	A2	08	32	00	00	18	00	00	00	FD	00	38	4B	1E
50	3D	08	00	0A	20	20	20	20	20	00	00	00	00	FC	00	34
60	32	4C	43	32	44	2D	55	44	0A	20	20	20	00	00	00	00
70	00	00	00	00	00	00	00	00	00	00	00	00	00	00	01	3A

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	02	03	13	F1	44	84	05	03	02	23	15	07	50	65	03	0C
10	00	10	00	01	1D	00	72	51	D0	1E	20	DC	28	45	04	BA
20	08	32	00	00	1E	01	1D	80	18	71	1C	16	20	94	2C	F5
30	00	A2	08	32	00	00	1E	8C	0A	D0	8A	20	E0	2D	10	3C
40	3E	E6	04	A2	08	32	00	00	18	8C	0A	D0	8A	20	E0	2D
50	10	3C	3E	E6	04	A2	08	32	00	00	18	00	00	00	00	00
60	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
70	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	AA

EDID DATA for RGB  
EDID table =

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	00	FF	FF	FF	FF	FF	FF	00	1E	6D	5D	46	01	01	01	01
10	07	0F	01	03	68	5D	34	78	0A	D4	6C	A3	57	49	9C	25
20	11	48	4B	AF	CE	00	31	4F	45	4F	61	4F	01	01	01	01
30	01	01	01	01	01	01	64	19	00	40	41	00	26	30	18	88
40	36	00	A2	08	32	00	00	18	00	00	00	FD	00	38	4B	1E
50	3D	08	00	0A	20	20	20	20	20	20	00	00	00	FC	00	34
60	32	4C	43	32	44	2D	55	44	0A	20	20	20	00	00	00	00
70	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	AA


## 5. MST9883A-Set Adjustment

### 5-1. Synopsis

MST9883A-Set adjustment to set the black level and the Gain of optimum with an automatic movement from the analog => digital converter.

### 5-2. Test Equipment

Service R/C, MSPG925FA Pattern Generator(720P The Horizontal 100% Color Bar Pattern output will be possible and the output level will accurately have to be adjusted to 0.7±0.1Vp-p)



<Fig. 3> Adjustment Mode



<Fig. 4> Adjustment Pattern : 720P/60Hz HozTV31Bar Pattern  
(720P/60Hz : Format No. 217, Pattern No. 65)  
(480i / 60Hz : Format No. 209, Pattern No. 65)

## 5-3. Adjustment

- (1) Select Component1 or Component2 as the input with 100% Horizontal Color Bar Pattern(HozTV31Bar) in 720p Mode and select 'Normal' on screen.
- (2) After receiving signal for at least 1 second, press the ADJ Key on the Service R/C to enter the 'Ez - Adjust' and select the '2. MST9883-Set'.  
Pressing the Enter Key to adjust with automatic movement.
- (3) When the adjustment is over, 'MST9883 Component Success' is displayed. If the adjustment has errors, 'MST9883 Configuration Error' is displayed.
- (4) After the Component MST9883 adjustment is over, convert the RGB-DTV Mode and display Pattern.  
When the adjustment is over, 'MST9883 RGB\_DTV Success' is displayed. If the adjustment has errors, 'MST9883 Configuration Error' is displayed.
- (5) Readjust after confirming the case Pattern or adjustment condition where the adjustment had errors.
- (6) After adjustment is complete, exit the adjustment mode by pressing the ADJ KEY.

## 6. Adjustment of White Balance

### 6-1. Required Equipment

- (1) Color analyzer (CA-110, CA-210 or similar product)
- (2) Automatic adjustor (with automatic adjustment hour necessity and the RS-232C communication being possible)
- (3) Pattern Generator(MSPG-925FA) : DVI Output

### [W/B DATA]

Color temperature	RS-232C command		00 DTV	04 Component1			
	cmd1	cmd2	01 Analog	05 Component2			
			02 Video1	06 RGB-DTV			
			03 Video2	07 RGB PC	08 HDMI/DVI		
Input Selection			k	b	Min	Default	Max
Cool	R	j	g	00	ae	c0	
	G	j	h	00	bb	c0	
	B	j	i	c0	c0	c0	
Medium	R	j	a	c0	c0	c0	
	G	j	b	00	B2	c0	
	B	j	c	00	9a	c0	
Warm	R	j	d	c0	c0	c0	
	G	j	e	00	a5	c0	
	B	j	f	00	5r	c0	

## 6-2. Adjustment of White Balance

- o Operate the Zero-calibration of the CA-210, then attach sensor to module surface when you adjust.
- o Manual adjustment is also possible by the following sequence.

- (1) Enter 'Ez - Adjust' by pressing ADJ KEY on the Service Remote Control.
- (2) Select "8. WHITE PATTERN" using CH +/- Key and HEAT RUN at least 30 minutes by pressing the ENTER Key.
- (3) Receive the Window pattern signal from Digital Pattern Generator. (AV Input: connect the 'HDMI')
- (4) After attaching sensor to center of screen, select '5. White-Balance' of 'Ez - Adjust' by pressing the ADJ KEY on the Service R/C. Then enter adjustment mode by pressing the Right KEY (G) .
- (5) Adjust the Hight Light using R Gain/G Gain(Cool).  
Adjust the Hight Light using G Gain/B Gain(Medium).  
Adjust the Hight Light using G Gain/B Gain(Warm).
- (6) Adjust using Volume +/- KEY.  
After adjustment is complete, exit the adjustment mode by pressing the ADJ KEY.

High Level: 216gray

### [Cool]

X; 0.274±0.002 Y; 0.275±0.002  
Color temperature: 12000°K±1000°K

### [Medium]

X; 0.287±0.002 Y; 0.289±0.002  
Color temperature: 9300°K±1000°K

### [Warm]

X; 0.315±0.002 Y; 0.316±0.002  
Color temperature: 6500°K±1000°K

## 7. Video(uPD)

### 7-1. Required Equipment


MSPG925FA Pattern Generator-connector with Video Input

### 7-2. MSG925FA Adjustment


- (1) After select the model, input the #201(NTSC-M).
- (2) Receive the 100% Color Bar Pattern.(Pattern #33)
- (3) Select the Reverse button and select the signal as below figure.

### 7-3. Adjustment

- (1) After receive signal to Ant input, CVBS output of MSPG925FA to Video and confirm the signal receiving.
- (2) Enter the 'EZ-ADJUST' by pressing the ADJ Key on the Service R/C.
- (3) Select '3. Video(uPD)-Set' and enter the adjustment mode by pressing the right key(G).
- (4) When enter the adjustment mode, displayed the TV 2CH Screen automatic at picture and appear as below figure.



- (5) When the automatic adjustment is over, 'RF Configuration Success' is displayed. If the adjustment has errors, 'Video Configuration Error' is displayed.




- (6) After the RF signal automatic adjustment is over, convert the Video Mode as below figure and adjust with automatic movement the Video Mode.  
When the automatic adjustment is over, 'Video Configuration Success' is displayed. If the adjustment has errors, 'Video Configuration Error' is displayed.

## 8. Shipping Conditions

No	Item	Condition	Remark	
1	Input Mode	TV02CH		
2	Volume Level	30		
3	Mute	Off		
4	Aspect Ratio	16:9		
5.	Video	EZ Picture	Daylight	
		Contrast	100	
		Brightness	40	
		Color	70	
		Sharpness	70	
		Tint	0	
		Color-temperature	Cool	
6.	Audio	Audio Language	Off	
		EZ SoundRite	Off	
		EZ Sound	Normal	
		Balance	0	
		Treble	50	
		Bass	50	
		Front Surround	Off	
		TV Speaker	On	
		BBE	Off	
7.	Timer	Auto clock	On	
		Manual Clock	Off	
		Off Timer	Off	
		On Timer	Off	
		Sleep Timer	Off	
		Auto Off	Off	
8.	Option	Aspect Ratio	16:9	
		Cinema 3:2 mode	Off	
		Caption	Off	
		Caption/Text	CC1	
		Caption Option	Off	
		Language	English	
9.	Lock	Lock System	Off	
		Set password	On	(Default:0000 )
		Block channel	None	
		Movie Rating	Off	
		TV Rating-Children	None	
		TV Rating-General	None	
		Input Block	Off	
10.	Channel Memory	RF : 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 30, 51, 63		
		CATV : 15, 16, 17		

# SVC REMOCON


NO	KEY	FUNTION	REAMARK
1	POWER	To turn the TV on or off	
2	POWER ON	To turn the TV on automatically if the power is supplied to the TV. (Use the POWER key to deactivate): It should be deactivated when delivered.	
3	MUTE	To activate the mute function.	
4	P-CHECK	To check TV screen image easily.	Shortcut keys
5	S-CHECK	To check TV screen sound easily	Shortcut keys
6	ARC	To select size of the main screen (Normal, Spectacle, Wide or Zoom)	Shortcut keys
7	CAPTION	Switch to closed caption broadcasting	
8	TXT	To toggle on/off the teletext mode	
9	TV/AV	To select an external input for the TV screen	
10	TURBO SOUND	To start turbo sound	
11	TURBO PICTURE	To start turbo picture	
12	IN-START	To enter adjustment mode when manufacturing the TV sets. To adjust the screen voltage (automatic): In-start → mute → Adjust → AV(Enter into W/B adjustment mode) W/B adjustment (automatic): After adjusting the screen →W/B adjustment →Exit two times (Adjustment completed)	Use the AV key to enter the screen W/B adjustment mode.
13	ADJ	To enter into the adjustment mode. To adjust horizontal line and sub-brightness.	
14	MPX	To select the multiple sound mode (Mono, Stereo or Foreign language)	
15	EXIT	To release the adjustment mode	
16	APC(PSM)	To easily adjust the screen according to surrounding brightness	
17	ASC(SSM)	To easily adjust sound according to the program type	
18	MULTIMEDIA	To check component input	Shortcut keys
19	FRONT-AV	To check the front AV	Shortcut keys
20	CH ±	To move channel up/down or to select a function displayed on the screen.	
21	VOL ±	To adjust the volume or accurately control a specific function.	
22	ENTER	To set a specific function or complete setting.	
23	PIP CH-(OP1)	To move the channel down in the PIP screen. To use as a red key in the teletext mode	
24	PIP CH+(OP2)	To move the channel in the PIP screen To use as a green key in the teletext mode	
25	PIP SWAP(OP3)	To switch between the main and sub screens To use as a yellow key in the teletext mode	
26	PIP INPUT(OP4)	To select the input status in the PIP screen To use as a blue key in the teletext mode	
27	EYE	To set a function that will automatically adjust screen status to match the surrounding brightness so natural color can be displayed.	
28	MENU	To select the functions such as video, voice, function or channel.	
29	IN-STOP	To set the delivery condition status after manufacturing the TV set.	
30	STILL	To halt the main screen in the normal mode, or the sub screen at the PIP screen. Used as a hold key in the teletext mode (Page updating is stopped.)	
31	TIME	Displays the teletext time in the normal mode Enables to select the sub code in the teletext mode	
32	SIZE	Used as the size key in the PIP screen in the normal mode Used as the size key in the teletext mode	
33	MULTI PIP	Used as the index key in the teletext mode (Top index will be displayed if it is the top text.)	
34	POSITION	To select the position of the PIP screen in the normal mode Used as the update key in the teletext mode (Text will be displayed if the current page is updated.)	
35	MODE	Used as Mode in the teletext mode	
36	PIP	To select the simultaneous screen	
37	TILT	To adjust screen tilt	Shortcut keys
38	0~9	To manually select the channel.	



# TROUBLESHOOTING

## 1. Power Board


### 1-1. General Power Flow




## 2. No Power

### (1) Symptom

- Does't minute discharge at module.
- No front LED.



### (2) Check follow




### 3. Abnormal Display


#### 3-1. Does't display the OSD

##### (1) Symptom

- LED is green
- The minute discharge continuously becomes accomplished from module




##### (2) Check follow



### 3-2. In case of does't display the screen into specific mode


#### (1) Symptom

- The screen does not become the display from specific input mode (RF, AV, Component, RGB, DVI).




#### (2) Check follow


- Check the all input mode should become normality display.




#### (3) Abnormal display in RF mode




#### (4) Abnormal display in AV mode




### (5) Abnormal display in Component 480i mode




### (6) Abnormal display in Component DTV mode




**(7) Abnormal display in RGB DTV mode**



**(8) Abnormal display in RGB PC mode**




**(8) Abnormal display in DVI mode**




## 4. No sound

### (1) Symptom


- LED is green
- Screen display but no audio




### (2) Check follow




# BLOCK DIAGRAM



# WIRING DIAGRAM



**EXPLODED VIEW**



## EXPLODED VIEW PARTS LIST

No.	PART NO.	DESCRIPTION
010	30919E0047A	CABINET ASSEMBLY, 42LC2D BRAND 30909E0028 USA
	30919E0047F	CABINET ASSEMBLY, 42LC2D BRAND 30909E0028 UD C/SKD
020	6304FLP295A	LCD(LIQUID CRYSTAL DISPLAY), LC420W02-B6K1 LG PHILIPS TFT COLOR B6+STATUS PIN
	or 6304FLP353A	LCD(LIQUID CRYSTAL DISPLAY), LC420W02-B6K2 LG PHILIPS TFT COLOR BDF P6
030	3809900165A	BACK COVER ASSEMBLY, 42LC2 2PHONE USA
	3809900165D	BACK COVER ASSEMBLY, 42LC2 2PHONE USA C/SKD
040	3043900034B	TILT SWIVEL ASSEMBLY, 42LC2 42LC2 FOR USA
	3043900034D	TILT SWIVEL ASSEMBLY, 42LC2 42LC2 42LC2 C/SKD
050	49519S0036A	METAL ASSEMBLY, FRAME, MAIN 42LC2D-UD/ND
	49519S0036D	METAL ASSEMBLY, FRAME, MAIN 42LC2D-UD C/SKD
060	68719ST913A	PWB(PCB) ASSEMBLY,SUB, SUB T.T LA51D 42LC2D-UD ALUSLLX KEY TOTAL ASSY
070	6400WMCX03A	SPEAKER,WOOFER, G1560102 MACOM WOOFER 8OHM 15/20W 82DB OTHERS 100HZ 193*57MM
071	6400DTTX02A	SPEAKER,TWEETER, EN15D-6629 TOPTONE TWEETER(DOME) 8OHM 15/20W 78DB OTHERS LC2 MODEL
080	68719ST914A	PWB(PCB) ASSEMBLY, SUB, SUB T.T LA51D 42LC2D-UD ALUSLLX IR TOTAL ASSY
090	4980V00390A	SUPPORTER, NUT(3200KN0001A) BS SK-011T
100	6709900017A	POWER SUPPLY ASSEMBLY, 42INCH H3/E2 LCD MODEL LCD YY LB LC 42INCH
110	68719ST920A	PWB(PCB) ASSEMBLY,SUB, SUB T.T LA51D 42LC2D-UD ALUSLLX AV TOTAL
120	31419SNJ81A	CHASSIS ASSEMBLY, SUB LA51D AC INLET ASSY
130	33139D4012A	MAIN TOTAL ASSEMBLY, 42LC2D-UD BRAND LA51D
	33139D4012B	MAIN TOTAL ASSEMBLY, 42LC2D-UD(SKD) BRAND LA51D
140	68719STA37A	PWB(PCB) ASSEMBLY,SUB, SUB T.T LA51D 42LC2D-UD ALUSLL SIDE AV TOTAL ASSY
150	49519K0115F	METAL ASSEMBLY, SHIELD, MAIN DIGITAL 42LC2D-UD
	49519K0115L	METAL ASSEMBLY, SHIELD, MAIN DIGITAL 42LC2D-UD(C/SKD)

# REPLACEMENT PARTS LIST

For Capacitor & Resistors, the characters at 2nd and 3rd digit in the P/No. means as follows;

CC, CX, CK, CN, CH : Ceramic  
CQ : Polyester  
CE : Electrolytic  
CF : Fixed Film

RD : Carbon Film  
RS : Metal Oxide Film  
RN : Metal Film  
RH : CHIP, Metal Glazed(Chip)  
RR : Drawing

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
<b>CAPACITOR</b>				
		C100	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1000	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1001	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1002	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1003	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1004	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1005	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C101	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1018	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1019	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1024	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1027	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1030	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1031	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1033	0CK222CK51A	2200PF 1608 50V 10% R/TP B(
		C1038	0CK222CK51A	2200PF 1608 50V 10% R/TP B(
		C1057	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C106	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1062	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1063	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1064	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1065	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1066	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1067	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C1068	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C1069	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C107	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1072	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1080	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C1081	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C1082	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C1083	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C1086	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1087	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C1088	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C1089	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C109	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1090	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C110	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1108	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C1109	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C111	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C112	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C1123	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1124	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1125	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1127	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1128	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1129	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C113	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C1130	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1131	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1134	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1135	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1136	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1137	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1138	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1139	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C114	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1140	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1141	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1142	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1143	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1144	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C1147	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1148	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C115	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1150	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C116	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C117	0CH5120K416	12PF 50V 5% NP0 2012 R/TP
		C119	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C120	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C123	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C125	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C128	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C130	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1300	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1301	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1303	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1304	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1305	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1306	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1312	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1313	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1314	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1317	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1318	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1320	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1323	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1324	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1325	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1326	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1327	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1328	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1331	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C137	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C141	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C153	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C156	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C157	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C206	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C207	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C212	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C214	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C215	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C218	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C219	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C220	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C221	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C222	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C223	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C224	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C225	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C226	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C302	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C306	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C310	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C318	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C319	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C320	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C322	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C323	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C325	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C326	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C328	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C329	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C331	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C332	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C333	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R





DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C605	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C628	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C631	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C637	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C638	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C640	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C641	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C643	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C647	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C656	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C660	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C700	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C704	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C706	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C708	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C709	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C715	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C721	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C722	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C723	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C724	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C728	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C729	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		C730	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C820	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C904	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C913	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C921	0CK106EF56A	10UF 3216 16V 10% X7R R/TP
		C923	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C926	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C928	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C934	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C944	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C952	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C958	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C961	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		CC100	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		CC101	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		CC102	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		CC106	0CK334CF56A	0.33UF 1608 16V 10% X7R R/T
		CC107	0CK334CF56A	0.33UF 1608 16V 10% X7R R/T
		CC120	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		CC121	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		CC133	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		CC137	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		CC140	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		CC147	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		CC151	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		CC156	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		CC164	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		CC170	0CK103CK56A	0.01UF 1608 50V 10% R/TP X7
		CC172	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		R353	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		R354	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		R355	0CK104CK56A	0.1UF 1608 50V 10% R/TP X7R
		C1009	0CC020CK01A	2PF 1608 50V 0.25 PF R/TP N
		C1010	0CC020CK01A	2PF 1608 50V 0.25 PF R/TP N
		C1015	0CC560CK41A	56PF 1608 50V 5% R/TP NP0
		C1016	0CC560CK41A	56PF 1608 50V 5% R/TP NP0
		C1029	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C105	0CC821CK41A	820PF 1608 50V 5% R/TP NP0
		C1055	0CC471CK41A	470PF 1608 50V 5% R/TP NP0
		C118	0CC470CK41A	47PF 1608 50V 5% R/TP NP0
		C140	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C142	0CC561CK41A	560PF 1608 50V 5% NP0 R/TP
		C144	0CC221CK41A	220PF 1608 50V 5% R/TP NP0
		C211	0CC470CK41A	47PF 1608 50V 5% R/TP NP0
		C356	0CC220CK41A	22PF 1608 50V 5% R/TP NP0
		C361	0CC220CK41A	22PF 1608 50V 5% R/TP NP0
		C395	0CC471CK41A	470PF 1608 50V 5% R/TP NP0
		C611	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C612	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C614	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C615	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C618	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C619	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C620	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C621	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C622	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C623	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C624	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C626	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C632	0CC180CK41A	18PF 1608 50V 5% R/TP NP0
		C633	0CC180CK41A	18PF 1608 50V 5% R/TP NP0
		C648	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C649	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C650	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C651	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C966	0CC471CK41A	470PF 1608 50V 5% R/TP NP0
		C967	0CC471CK41A	470PF 1608 50V 5% R/TP NP0
		C1008	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C1011	0CC101CK41A	100PF 1608 50V 5% R/TP NP0
		C1014	0CC560CK41A	56PF 1608 50V 5% R/TP NP0
		C102	0CC220CK41A	22PF 1608 50V 5% R/TP NP0
		C103	0CC220CK41A	22PF 1608 50V 5% R/TP NP0
		C1046	0CC101CK41A	100PF 1608 50V 5% R/TP NP0
		C1335	0CC101CK41A	100PF 1608 50V 5% R/TP NP0
		C134	0CC200CK41A	20PF 1608 50V 5% R/TP NP0
		C135	0CC200CK41A	20PF 1608 50V 5% R/TP NP0
		C138	0CC221CK41A	220PF 1608 50V 5% R/TP NP0
		C161	0CC471CK41A	470PF 1608 50V 5% R/TP NP0
		C162	0CC471CK41A	470PF 1608 50V 5% R/TP NP0
		C164	0CC471CK41A	470PF 1608 50V 5% R/TP NP0
		C165	0CC471CK41A	470PF 1608 50V 5% R/TP NP0
		C166	0CC471CK41A	470PF 1608 50V 5% R/TP NP0
		C208	0CC221CK41A	220PF 1608 50V 5% R/TP NP0
		C210	0CC221CK41A	220PF 1608 50V 5% R/TP NP0
		C217	0CC101CK41A	100PF 1608 50V 5% R/TP NP0
		C307	0CC100CK41A	10PF 1608 50V 5% R/TP NP0
		C366	0CC221CK41A	220PF 1608 50V 5% R/TP NP0
		C367	0CC101CK41A	100PF 1608 50V 5% R/TP NP0
		C370	0CC331CK41A	330PF 1608 50V 5% R/TP NP0
		C371	0CC151CK41A	150PF 1608 50V 5% NP0 R/TP
		C387	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C613	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C616	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C617	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C634	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C635	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C636	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C639	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C655	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C703	0CC470CK41A	47PF 1608 50V 5% R/TP NP0
		C711	0CC470CK41A	47PF 1608 50V 5% R/TP NP0
		C837	0CC471CK41A	470PF 1608 50V 5% R/TP NP0
		C838	0CC471CK41A	470PF 1608 50V 5% R/TP NP0
		C839	0CC471CK41A	470PF 1608 50V 5% R/TP NP0
		C841	0CC471CK41A	470PF 1608 50V 5% R/TP NP0
		C925	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C927	0CC102CK41A	1000PF 1608 50V 5% R/TP NP0
		C1070	0CE108EJK18	"1000UF KMG,RD 35V 20%,-20%"
		C1077	0CE108EJK18	"1000UF KMG,RD 35V 20%,-20%"
		CC111	0CE477EK618	470UF KMG 50V 20% FL TP 5
		CC116	0CE477EK618	470UF KMG 50V 20% FL TP 5
		C1006	0CE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C1007	0CH8226F691	22UF 16V 20% 105STD (CYL) R
		C1013	0CE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C1022	0CE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C1025	0CE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C1026	0CE335WK6D8	"3.3UF MVK,RC 50V 20% SMD TA"
		C1034	0CH8226F691	22UF 16V 20% 105STD (CYL) R
		C104	0CH8106F691	10UF 16V 20% 105STD (CYL) R
		C1056	0CE335WK6D8	"3.3UF MVK,RC 50V 20% SMD TA"
		C1058	0CE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		C1059	0CH8106F691	10UF 16V 20% 105STD (CYL) R
		C1060	0CH8106J691	10UF 35V 20% 105STD (CYL) R
		C1061	0CH8106F691	10UF 16V 20% 105STD (CYL) R
		C1078	0CE475WK6DC	"4.7UF MVK,RC 50V 20% SMD TA"

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C1079	OCE475WK6DC	"4.7UF MVK,RC 50V 20% SMD TA"
		C108	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C1095	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		C1097	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C1103	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C1104	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C1107	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C1110	OCH8106J691	10UF 35V 20% 105STD (CYL) R
		C1122	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C1132	OCE105WK6DC	1UF MVK 50V 20% R/TP(SMD) S
		C1307	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C131	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C133	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		C1338	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C143	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		C147	OCE105WK6DC	1UF MVK 50V 20% R/TP(SMD) S
		C150	OCE105WK6DC	1UF MVK 50V 20% R/TP(SMD) S
		C152	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		C209	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C303	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C305	OCH8106J691	10UF 35V 20% 105STD (CYL) R
		C321	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C324	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C327	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C338	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		C340	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C347	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C362	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C372	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C378	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C382	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C386	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C389	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C396	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C397	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C398	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C400	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C403	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C460	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C486	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C488	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C528	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C530	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C556	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C601	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C625	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C627	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C629	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C630	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C646	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C654	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C657	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C701	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C702	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C705	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		C710	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		C712	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C713	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		C716	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C718	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C720	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C800	OCE105WK6DC	1UF MVK 50V 20% R/TP(SMD) S
		C804	OCE227SF6DC	220UF MVG 16V 20% R/TP(SMD)
		C805	OCE477WF6DC	470UF MVK 16V 20% SMD R/TP(
		C806	OCE477WF6DC	470UF MVK 16V 20% SMD R/TP(
		C808	OCE477WF6DC	470UF MVK 16V 20% SMD R/TP(
		C809	OCE477WF6DC	470UF MVK 16V 20% SMD R/TP(
		C813	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		C814	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		C822	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		C824	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		C901	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C902	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C906	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C910	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C911	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C912	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C930	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C935	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C943	OCE476SK6D8	"47UF MVG,MC 50V 20% SMD TAP"
		C959	OCH8106F691	10UF 16V 20% 105STD (CYL) R
		C960	OCH8226F691	22UF 16V 20% 105STD (CYL) R
		CC103	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		CC104	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		CC105	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		CC112	OCE477WF6DC	470UF MVK 16V 20% SMD R/TP(
		CC113	OCE477WF6DC	470UF MVK 16V 20% SMD R/TP(
		CC117	OCE477WF6DC	470UF MVK 16V 20% SMD R/TP(
		CC118	OCE477WF6DC	470UF MVK 16V 20% SMD R/TP(
		CC119	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		CC126	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		CC127	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		CC128	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		CC139	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		CC143	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		CC144	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		CC145	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		CC161	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		CC163	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		CC166	OCE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		CC169	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		CC171	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		CC173	OCE476WH6DC	47UF MVK 25V 20% SMD R/TP(S)
		C1084	OCF4741L438	0.47UF D 63V 5% TP 5 M/PE N
		C1085	OCF4741L438	0.47UF D 63V 5% TP 5 M/PE N
<b>DIODEs</b>				
		D200	0DRSE00038A	SDC15 TVS DIODE ARRAY SEMTE
		D201	0DRSE00038A	SDC15 TVS DIODE ARRAY SEMTE
		D100	0DD184009AA	KDS184 TP KEC - 85V - - - 3
		D101	0DS181009AA	KDS181 TP KEC SOT-23 80V
		D600	0DD184009AA	KDS184 TP KEC - 85V - - - 3
		IC102	0DD184009AA	KDS184 TP KEC - 85V - - - 3
		ZD1000	0DZRM00248A	RLZ8.2B-TE11 ROHM R/TP LLDS
<b>IC</b>				
		IC109	0ICTMMI057A	M37151EFFP MITSUBISHI 42P S
		IC1100	0ICTMLG019A	"LGDT3303 LG IC 100P,TQFP TR"
		IC400	0ICTMLG009C	LGDT1102C HD2.3 LG IC SBGA-
		IC505	0ICTMLG013A	LGDT1901A LG IC 24P SSOP TR
		IC902	0ICTMLG018B	LGDP4411 IEP2 LG IC 208P LQ
		IC1002	0ILNR00015A	"NSP-2100A,LF NEOFIDELITY TQ"
		IC105	0IMMR00133A	S29JL032H70TFI310 SPANSION
		IC106	0IMMR00133A	S29JL032H70TFI310 SPANSION
		IC107	0IMMRHY001L	"HY57V641620ETP-H,LF HYNIX 5"
		IC108	0IMMRHY001L	"HY57V641620ETP-H,LF HYNIX 5"
		IC111	0IMCRAL006A	"AT24C16AN-10SU-2.7,LF ATMEL"
		IC303	0IMMR00080A	HY57V161610ETP-6 HYNIX 50PI
		IC500	0IMMR00141A	HY57V641620ETP-6 HYNIX 54PI
		IC501	0IMMR00141A	HY57V641620ETP-6 HYNIX 54PI
		IC502	0IMMR00141A	HY57V641620ETP-6 HYNIX 54PI
		IC503	0IMMR00141A	HY57V641620ETP-6 HYNIX 54PI
		IC602	0IMMRAL014B	AT24C02N-10SI-2.7 ATMEL 8P
		IC100	0IMCRSS016A	S3C44BOX01-EDRO SAMSUNG ELE
		IC1003	0IMCRTI028C	"TAS5122DCARG4,LF TEXAS INS"
		IC1004	0IMCRMN027D	MSP4440K MICRONAS 80P PQFP
		IC201	0IMCRPH026B	PA9516APW PHILIPS 16P TSSOP
		IC202	0IMCRAL021A	AT24C512W-10SU-2.7 ATMEL 8P
		IC203	0IMCRXL004A	"XC95288XL-10TQG144C,LF XIL"
		IC504	0IMCRCY001A	CY2305SXC-1HT CYPRESS SOIC
		IC903	0IMCRTH002A	THC63LVD103 THINE ELECTRONI
		IC1101	0IPRP00538A	FSA1156P6X-NL FAIRCHILD 6P/
		IC200	0IPRP00009A	ICL3232CBNZ INTERSIL 16P/SO
		IC300	0IPRPA015B	"FMS6400CS1X,LF FAIRCHILD SO"
		IC302	0IPRPNE008A	"UPD64011BGM-8ED-A NEC 160,L"
		IC304	0IPRPA016A	FMS6407MTC20X-NL(PB-FREE) F

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		IC306	OIPRPM3002D	"MST9883C-LF-110 MSTAR 80P,L"
		IC507	OIPRP00668A	"IDT2309A-1DCG IDT 16P,SOIC"
		IC600	OIPRPS5005A	SI19011CLU(PB FREE) SILICON
		IC701	OICB533100A	CS5331A-KSR 8SOIC TP ADC -
		IC704	OICB841500B	CS8415A-CZR 28P TSSOP R/TP
		IC1000	OIMCRSH001A	"PQ05DZ1U SHARP 5, SMD TYPE"
		IC1001	OIMCRSH001A	"PQ05DZ1U SHARP 5, SMD TYPE"
		IC1005	OIMCRSJ001A	SC1565IST-1.8 SEMTECH 3P SO
		IC1006	OIMCRSJ001A	SC1565IST-1.8 SEMTECH 3P SO
		IC1007	OIPMGA0010A	AZ1117H-3.3 AAC SOT-223 3P
		IC1008	OIMCRFA010A	"KA7809R, FAIRCHILD 2P D-PAK"
		IC1009	OIPMGA0010A	AZ1117H-3.3 AAC SOT-223 3P
		IC101	OIKE702900G	KIA7029AF SOT-89 TP 2.9V VO
		IC110	OIKE704200J	KIA7042AF SOT-89 TP 4.2V VO
		IC301	OIPMGSG018C	LD1086DT15TR SGS-THOMSON 2P
		IC305	OIPMGA0010A	AZ1117H-3.3 AAC SOT-223 3P
		IC401	OIMCRSJ001A	SC1565IST-1.8 SEMTECH 3P SO
		IC603	OIMCRSJ001A	SC1565IST-1.8 SEMTECH 3P SO
		IC703	OIPMGKE032A	KIA78R09F KEC 5PIN DPAK R/T
		IC802	OIMCRSJ001B	SC1565IST-2.5TR 2.5V 1.5A S
		IC803	OIMCRSH001A	"PQ05DZ1U SHARP 5, SMD TYPE"
		IC900	OIMCRSJ001A	SC1565IST-1.8 SEMTECH 3P SO
		IC906	OIPMGA0010A	AZ1117H-3.3 AAC SOT-223 3P
		IC103	OIPH741400E	74HC14D 14SOP TP SHITTER TR
		IC700	OIMCRFA013A	74LCX244MTC FAIRCHILD 20P T
		IC702	OISTL00029A	"MC33078DR2G,LF ON SEMI 8P,S"
COIL & CORE & INDUCTOR				
		L1013	6140VB0004B	26UH 1UEWPHY 22.5TURN YL-9N
		L1014	6140VB0004B	26UH 1UEWPHY 22.5TURN YL-9N
		L1015	6140VB0004B	26UH 1UEWPHY 22.5TURN YL-9N
		L1025	6140VB0032A	DBF-1015A DONGBANG DIGITECH
		L1026	6140VB0032A	DBF-1015A DONGBANG DIGITECH
		L1027	6140VB0032A	DBF-1015A DONGBANG DIGITECH
		L1028	6140VB0032A	DBF-1015A DONGBANG DIGITECH
		L802	6140VB0004B	26UH 1UEWPHY 22.5TURN YL-9N
		L803	6140VB0004B	26UH 1UEWPHY 22.5TURN YL-9N
		L1000	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1005	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1010	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1034	6210TCE001S	HU-1M2012-121 CERATECH 2012
		L1035	6210TCE001S	HU-1M2012-121 CERATECH 2012
		L1036	6210TCE001S	HU-1M2012-121 CERATECH 2012
		L1037	6210TCE001S	HU-1M2012-121 CERATECH 2012
		L104	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L105	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L107	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L108	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L109	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L302	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L303	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L304	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L305	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L306	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L403	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L504	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L607	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L906	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L910	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L911	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		F804	6200QJ3001A	"FILTER,EMI REEL/TAPING BMS4"
		F805	6200QJ3001A	"FILTER,EMI REEL/TAPING BMS4"
		F806	6200QJ3001A	"FILTER,EMI REEL/TAPING BMS4"
		F807	6200QJ3001A	"FILTER,EMI REEL/TAPING BMS4"
		F808	6200QJ3001A	"FILTER,EMI REEL/TAPING BMS4"
		F809	6200QJ3001A	"FILTER,EMI REEL/TAPING BMS4"
		F810	6200QJ3001A	"FILTER,EMI REEL/TAPING BMS4"
		F811	6200QJ3001A	"FILTER,EMI REEL/TAPING BMS4"
		F812	6200QJ3001A	"FILTER,EMI REEL/TAPING BMS4"
		F813	6200QJ3001A	"FILTER,EMI REEL/TAPING BMS4"
		F814	6200QJ3001A	"FILTER,EMI REEL/TAPING BMS4"
		F815	6200QJ3001A	"FILTER,EMI REEL/TAPING BMS4"
		F816	6200QJ3001A	"FILTER,EMI REEL/TAPING BMS4"

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		L1001	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1002	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1003	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1004	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1006	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1007	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1011	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1018	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1021	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1022	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1023	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1024	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1032	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1033	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L106	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1104	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L200	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L201	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L311	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L316	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L317	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L318	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L319	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L400	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L401	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L402	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L503	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L600	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L601	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L602	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L603	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L604	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L606	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L900	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L901	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L902	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L903	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L904	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L905	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		R800	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		R801	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		R803	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		R804	OLCML00003B	MLB-201209-0120P-N2 5A MAG
		L1029	OLCML00020D	MLI-201212-220K 22UH MAG LA
		L103	OLC4732101A	4.7UH 10% 3216 R/TC FI-B321
		L301	OLC3332101A	33UH 10% 3216 R/TC FI-D3216
		L700	OLCML00020B	MLI-201209-6R8K 6.8UH MAG
		L102	OLC3332101A	33UH 10% 3216 R/TC FI-D3216
		L1030	OLCML00020D	MLI-201212-220K 22UH MAG LA
		L1031	OLCML00020D	MLI-201212-220K 22UH MAG LA
		L1101	OLCML00020B	MLI-201209-6R8K 6.8UH MAG
		L1103	OLCML00020B	MLI-201209-6R8K 6.8UH MAG
		L300	OLCML00020B	MLI-201209-6R8K 6.8UH MAG
		L312	OLC1532101A	15UH 10% 3216 R/TC FI-C3216
		L313	OLCML00019B	SMI-322522-390K 39U MAG LAY
		L701	OLCML00020B	MLI-201209-6R8K 6.8UH MAG
		L702	OLCML00020C	MLI-201212-100K 10UH MAG LA
TRANSISTOR				
		Q603	OTR102009AJ	KRC102S KEC REEL TAPING SOT
		Q1000	OTR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q1001	OTR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q1002	OTR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q1003	OTR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q1004	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1005	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1006	OTR102009AM	KRA102S KEC REEL TAPING SOT
		Q1008	OTR830009BA	BSS83 TP PHILIPS NON N-CHAN
		Q101	OTR102009AJ	KRC102S KEC REEL TAPING SOT
		Q102	OTR102009AJ	KRC102S KEC REEL TAPING SOT
		Q107	OTR830009BA	BSS83 TP PHILIPS NON N-CHAN
		Q1100	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q1101	OTR150400BA	CHIP 2SA1504S(ASY) BK KEC -

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		Q300	OTR102009AJ	KRC102S KEC REEL TAPING SOT
		Q301	OTR102009AJ	KRC102S KEC REEL TAPING SOT
		Q302	OTR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q303	OTR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q304	OTR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q305	OTR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q600	OTR830009BA	BSS83 TP PHILIPS NON N-CHAN
		Q601	OTR830009BA	BSS83 TP PHILIPS NON N-CHAN
		Q602	OTR830009BA	BSS83 TP PHILIPS NON N-CHAN
		Q901	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		IC904	OTF492509AA	SI4925DY TP TEMIC 30V 6.1A
<b>RESISTORS</b>				
		AR100	ORRZVTA001C	4.7K OHM 1 / 16 W 1608 5% R
		AR1100	ORRZVTA001C	4.7K OHM 1 / 16 W 1608 5% R
		AR1101	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR1102	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR300	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR301	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR302	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR303	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR304	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR305	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR306	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR307	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR308	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR309	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR600	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR601	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR602	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR603	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR604	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR605	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR900	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR901	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR902	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR903	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR904	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR905	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR906	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR907	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR908	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR909	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR910	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR911	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		AR912	ORRZVTA001D	22 OHM 1 / 16 W 1608 5% R/T
		R10	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R100	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1000	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1001	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1002	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1003	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1005	ORJ3301D677	3.3K OHM 1/10 W 5% 1608 R/T
		R1007	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R10076	ORJ2001D677	2K OHM 1/10 W 5% 1608 R/TP
		R10077	ORJ2001D677	2K OHM 1/10 W 5% 1608 R/TP
		R10078	ORJ4702D677	47000 OHM 1/10 W 5% 1608 R/
		R10079	ORJ4702D677	47000 OHM 1/10 W 5% 1608 R/
		R1009	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1010	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R1018	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1020	ORJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R1022	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1023	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R103	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1031	ORJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R1039	ORJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R104	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1045	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R1046	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R1055	ORJ0101D677	1 OHM 1/10 W 5% 1608 R/TP
		R1059	ORJ0101D677	1 OHM 1/10 W 5% 1608 R/TP
		R106	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
			R1060	ORJ0101D677
			R1062	ORJ0101D677
			R1063	ORJ0101D677
			R1066	ORJ0331D677
			R107	ORJ4701D677
			R108	ORJ4701D677
			R1087	ORJ1002D677
			R1088	ORJ1002D677
			R1089	ORJ1002D677
			R109	ORJ4701D677
			R1090	ORJ1002D677
			R1093	ORJ0101D677
			R1094	ORJ0101D677
			R1095	ORJ0101D677
			R1096	ORJ0101D677
			R1097	ORJ0000D677
			R11	ORJ0000D677
			R110	ORJ4701D677
			R1102	ORJ0000D677
			R1104	ORJ0000D677
			R1105	ORJ0000D677
			R111	ORJ4701D677
			R113	ORJ4701D677
			R114	ORJ4700D677
			R115	ORJ6800D677
			R1151	ORJ1002D677
			R1156	ORJ3001D677
			R1158	ORJ1001D677
			R1166	ORH0000D622
			R1167	ORH0000D622
			R117	ORJ0222D677
			R1174	ORJ4701D677
			R1175	ORJ0000D677
			R12	ORJ0000D677
			R13	ORJ0000D677
			R134	ORJ4701D677
			R14	ORJ0000D677
			R15	ORJ0000D677
			R150	ORJ0222D677
			R152	ORJ0222D677
			R153	ORJ0222D677
			R154	ORJ3901D677
			R155	ORJ3901D677
			R156	ORJ4701D677
			R159	ORJ0222D677
			R16	ORJ0000D677
			R160	ORJ0472D677
			R170	ORJ4701D677
			R177	ORJ1000D677
			R182	ORJ4701D677
			R188	ORJ4701D677
			R190	ORJ4701D677
			R192	ORJ4701D677
			R193	ORJ4701D677
			R194	ORJ4701D677
			R196	ORJ4701D677
			R197	ORJ4701D677
			R198	ORJ4701D677
			R225	ORJ3301D677
			R226	ORJ3301D677
			R229	ORJ2201D677
			R230	ORJ2201D677
			R231	ORJ2201D677
			R249	ORJ0222D677
			R250	ORJ1002D677
			R251	ORJ1202D677
			R253	ORJ0222D677
			R265	ORJ0222D677
			R268	ORJ0222D677
			R273	ORJ4701D677
			R274	ORJ4701D677
			R286	ORJ0222D677
			R306	ORJ4701D677
			R307	ORJ2202D677

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R308	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R309	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R310	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R311	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R312	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R313	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R314	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R315	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R316	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R317	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R318	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R319	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R320	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R324	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R325	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R329	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R333	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R334	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R335	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R336	0RJ2202D677	22K OHM 1/10 W 5% 1608 R/TP
		R358	0RJ3301D677	3.3K OHM 1/10 W 5% 1608 R/T
		R374	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R400	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R401	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R402	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R403	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R404	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R405	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R407	0RJ0272D677	27 OHM 1/10 W 5% 1608 R/TP
		R408	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R409	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R410	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R411	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R414	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R415	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R416	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R417	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R418	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R423	0RJ1820D477	182 OHM 1/10 W 1% 1608 R/TP
		R424	0RJ1820D477	182 OHM 1/10 W 1% 1608 R/TP
		R431	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R437	0RJ3301D677	3.3K OHM 1/10 W 5% 1608 R/T
		R438	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R441	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R442	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R443	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R507	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R508	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R515	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R564	0RJ4702D677	47000 OHM 1/10 W 5% 1608 R/
		R609	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R614	0RJ1004D677	1000000 OHM 1/10 W 5% 1608
		R626	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R627	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R628	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R647	0RJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R654	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R656	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R661	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R713	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R717	0RJ0512D677	51 OHM 1/10 W 5% 1608 R/TP
		R9	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R914	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R915	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R916	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R917	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R919	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R927	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R929	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R944	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R945	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R946	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R948	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R950	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R965	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R973	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R985	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R986	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R987	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R989	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R990	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		RB100	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		RB103	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		RB105	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		RB108	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		RB109	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		RB110	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		RB117	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		RB123	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		RB131	0RJ4702D677	47000 OHM 1/10 W 5% 1608 R/
		RB134	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		RB137	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		RB143	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		RB203	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		RB204	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		AR500	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		AR501	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		AR502	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		AR503	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		AR504	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		AR505	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		AR506	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		AR507	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		AR508	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		AR509	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		AR510	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		AR511	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		AR512	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		AR513	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		AR514	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		AR515	0RJ0332C605	33 OHM 1/16 W 5% 1608 ARRAY
		R1	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R10000	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R10001	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R101	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1011	0RH0432D622	43 OHM 1 / 10 W 2012 5.00%
		R1012	0RH0432D622	43 OHM 1 / 10 W 2012 5.00%
		R1013	0RJ0102D677	10 OHM 1/10 W 5% 1608 R/TP
		R1015	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1016	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1017	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R1019	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R102	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1021	0RJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R1024	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R1025	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R1026	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R1027	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1029	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1030	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1033	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1034	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1035	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1036	0RJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R1037	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1038	0RJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R1040	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R1041	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R1042	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R1047	0RJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R1049	0RJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R105	0RJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R1050	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R1053	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R1054	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R1056	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R1057	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R1058	0RJ2200D677	220 OHM 1/10 W 5% 1608 R/TP



DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R282	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R287	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R288	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R289	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R291	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R292	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R293	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R294	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R295	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R296	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R298	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R3	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R300	ORJ1500D677	150 OHM 1/10 W 5% 1608 R/TP
		R301	ORJ1500D677	150 OHM 1/10 W 5% 1608 R/TP
		R302	ORH0912D622	91 OHM 1 / 10 W 2012 5.00%
		R303	ORH0912D622	91 OHM 1 / 10 W 2012 5.00%
		R304	ORJ2201D677	2200 OHM 1/10 W 5% 1608 R/T
		R305	ORJ2201D677	2200 OHM 1/10 W 5% 1608 R/T
		R321	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R322	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R323	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R326	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R327	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R328	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R330	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R331	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R332	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R337	ORJ0102D677	10 OHM 1/10 W 5% 1608 R/TP
		R338	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R339	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R340	ORJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R341	ORJ2200D677	220 OHM 1/10 W 5% 1608 R/TP
		R342	ORH3600D622	360 OHM 1 / 10 W 2012 5.00%
		R343	ORH3600D622	360 OHM 1 / 10 W 2012 5.00%
		R344	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R345	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R348	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R349	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R350	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R351	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R352	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R356	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R357	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R359	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R360	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R361	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R362	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R363	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R364	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R365	ORJ2701D477	2.7K OHM 1/10 W 1% 1608 R/T
		R366	ORJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R367	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R368	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R369	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R370	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R371	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R372	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R375	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R379	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R4	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R412	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R419	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R420	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R421	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R426	ORJ0752D677	75 OHM 1/10 W 5% 1608 R/TP
		R427	ORJ0752D677	75 OHM 1/10 W 5% 1608 R/TP
		R428	ORJ0752D677	75 OHM 1/10 W 5% 1608 R/TP
		R429	ORJ0752D677	75 OHM 1/10 W 5% 1608 R/TP
		R430	ORJ0752D677	75 OHM 1/10 W 5% 1608 R/TP
		R432	ORJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R433	ORJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R434	ORJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R435	ORJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R436	ORJ0752D677	75 OHM 1/10 W 5% 1608 R/TP

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R439	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R445	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R446	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R5	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R500	ORJ0272D677	27 OHM 1/10 W 5% 1608 R/TP
		R501	ORJ0272D677	27 OHM 1/10 W 5% 1608 R/TP
		R502	ORJ0272D677	27 OHM 1/10 W 5% 1608 R/TP
		R503	ORJ0272D677	27 OHM 1/10 W 5% 1608 R/TP
		R504	ORJ6202D677	62K OHM 1/10 W 5% 1608 R/TP
		R505	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R506	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R509	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R511	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R513	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R516	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R517	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/TP
		R518	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R519	ORJ0272D677	27 OHM 1/10 W 5% 1608 R/TP
		R521	ORJ0272D677	27 OHM 1/10 W 5% 1608 R/TP
		R522	ORJ0272D677	27 OHM 1/10 W 5% 1608 R/TP
		R523	ORJ0272D677	27 OHM 1/10 W 5% 1608 R/TP
		R525	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R527	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R534	ORJ2002D677	20000 OHM 1/10 W 5% 1608 R/
		R535	ORJ8201D677	8.2K OHM 1/10 W 5% 1608 R/T
		R551	ORJ0221D677	2.2 OHM 1/10 W 5% 1608 R/TP
		R554	ORJ0221D677	2.2 OHM 1/10 W 5% 1608 R/TP
		R559	ORJ0562D677	56 OHM 1/10 W 5% 1608 R/TP
		R560	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R561	ORJ4702D677	47000 OHM 1/10 W 5% 1608 R/
		R563	ORJ4702D677	47000 OHM 1/10 W 5% 1608 R/
		R566	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R6	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R601	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R603	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R605	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R606	ORJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R607	ORJ0102D677	10 OHM 1/10 W 5% 1608 R/TP
		R608	ORJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R612	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		R613	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R615	ORJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R616	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R617	ORJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R619	ORJ4702D677	47000 OHM 1/10 W 5% 1608 R/
		R620	ORJ4702D677	47000 OHM 1/10 W 5% 1608 R/
		R621	ORJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R622	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R624	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R625	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R629	ORJ2001D677	2K OHM 1/10 W 5% 1608 R/TP
		R630	ORJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R633	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R636	ORJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R637	ORJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R638	ORJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R639	ORJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R640	ORJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R641	ORJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R642	ORJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R643	ORJ0331D677	3.3 OHM 1/10 W 5% 1608 R/TP
		R644	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R645	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R646	ORJ0332D677	33 OHM 1/10 W 5% 1608 R/TP
		R648	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R649	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R650	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R651	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R657	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R658	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R7	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R701	ORJ1500D677	150 OHM 1/10 W 5% 1608 R/TP
		R702	ORJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R703	ORJ6801D677	6800 OHM 1/10 W 5% 1608 R/T

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R704	ORJ2700D677	270 OHM 1/10 W 5% 1608 R/TP
		R705	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R706	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R707	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R708	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R710	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R711	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R712	ORJ4702D677	47000 OHM 1/10 W 5% 1608 R/
		R715	ORJ0512D677	51 OHM 1/10 W 5% 1608 R/TP
		R716	ORJ0512D677	51 OHM 1/10 W 5% 1608 R/TP
		R718	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R719	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R720	ORJ6801D677	6800 OHM 1/10 W 5% 1608 R/T
		R721	ORJ2700D677	270 OHM 1/10 W 5% 1608 R/TP
		R722	ORJ1500D677	150 OHM 1/10 W 5% 1608 R/TP
		R723	ORJ1002D677	10K OHM 1/10 W 5% 1608 R/TP
		R725	ORJ1201D677	1200 OHM 1/10 W 5% 1608 R/T
		R726	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R727	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R728	ORJ0272D677	27 OHM 1/10 W 5% 1608 R/TP
		R729	ORJ4702D677	47000 OHM 1/10 W 5% 1608 R/
		R730	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R731	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R732	ORJ0102D677	10 OHM 1/10 W 5% 1608 R/TP
		R733	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R8	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R802	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R818	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R835	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R901	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R902	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R903	ORJ3301D677	3.3K OHM 1/10 W 5% 1608 R/T
		R904	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R905	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R906	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R907	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R908	ORJ3301D677	3.3K OHM 1/10 W 5% 1608 R/T
		R910	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R911	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R912	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R913	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R918	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R920	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R921	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R922	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R923	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R925	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R930	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R931	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R932	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R933	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R934	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R935	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R937	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R938	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R939	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R940	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R941	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R942	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R943	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R953	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R958	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R967	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		R968	ORJ0222D677	22 OHM 1/10 W 5% 1608 R/TP
		R972	ORJ1001D677	1K OHM 1/10 W 5% 1608 R/TP
		R974	ORJ4701D677	4.7K OHM 1/10 W 5% 1608 R/T
		R975	ORJ0102D677	10 OHM 1/10 W 5% 1608 R/TP
		R976	ORJ0102D677	10 OHM 1/10 W 5% 1608 R/TP
		R977	ORJ0102D677	10 OHM 1/10 W 5% 1608 R/TP
		R988	ORJ0000D677	0 OHM 1/10 W 5% 1608 R/TP
		RB101	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		RB102	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		RB104	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP
		RB106	ORJ1000D677	100 OHM 1/10 W 5% 1608 R/TP

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
			RB107	ORJ4701D677
			RB111	ORJ1000D677
			RB112	ORJ4700D677
			RB113	ORJ1001D677
			RB114	ORJ1000D677
			RB115	ORJ1004D677
			RB116	ORJ4701D677
			RB118	ORJ0222D677
			RB119	ORJ0222D677
			RB120	ORJ1000D677
			RB121	ORJ1000D677
			RB122	ORJ1000D677
			RB126	ORJ1001D677
			RB127	ORJ0222D677
			RB129	ORJ0000D677
			RB130	ORJ1002D677
			RB132	ORJ0222D677
			RB133	ORJ0222D677
			RB135	ORJ1000D677
			RB136	ORJ1000D677
			RB138	ORJ1001D677
			RB139	ORJ1000D677
			RB140	ORJ1001D677
			RB141	ORJ1000D677
			RB144	ORJ1004D677
			RB146	ORJ4701D677
			RB201	ORJ0222D677
			RB202	ORJ0222D677
			RB205	ORJ0222D677
			RB900	ORJ0000D677
			RB901	ORJ0000D677
			RB902	ORJ0000D677
			RB903	ORJ0000D677
			RB904	ORJ0000D677
			RB905	ORJ0000D677
			RB906	ORJ0000D677
			RB907	ORJ0000D677
			RB908	ORJ0000D677
			RB909	ORJ0000D677
			RB910	ORJ0000D677
			RB911	ORJ0000D677
			RB922	ORJ0000D677
			RB923	ORJ0000D677
			RB924	ORJ0000D677
			RB925	ORJ0000D677
			RB926	ORJ0000D677
			RB927	ORJ0000D677
			RB928	ORJ0000D677
			RB929	ORJ0000D677
			RB930	ORJ0000D677
			RB931	ORJ0000D677
<b>OTHERS</b>				
			D1100	0DL233309AC
			D1101	0DL233309AC
			D202	0DL233309AC
			D203	0DL233309AC
			LED802	0DL233309AC
			VX500	6204B60001B
			X1100	6204B47985K
			X100	6212AB2015E
			X1000	6202VDT002H
			X102	6202VDT002D
			X300	6212AB2806A
			X600	6212AB2845A
			SW101	140-313A
			TU1100	6700AN0002C
				SAM2333 TP KWANG GREEN/RED
				SAM2333 TP KWANG GREEN/RED
				SAM2333 TP KWANG GREEN/RED
				SAM2333 TP KWANG GREEN/RED
				SAM2333 TP KWANG GREEN/RED
				VCXO BUBANG 27MHZ +/- 100 P
				BMS-873R BUBANG 25MHZ +/- 5
				HC-49/SM BUBANG 10.0MHZ +/-
				SX-1 SUNNY 18.432000MHZ +/-
				SX-1SMD SUNNY RADIAL 8.0MHZ
				SX-1 SUNNY 24.576MHZ +/- 50
				ABLS-27.000MHZ-16-B-4Y-F-T
				TACT 2LEAD 100G(TA) LG C&D
				TDVS-H702P LGIT ATSC/NTSC D
<b>AV BOARD</b>				
<b>CAPACITOR</b>				
			C103	0CH5101K416
				100PF 50V 5% NP0 2012 R/TP

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C105	0CH5101K416	100PF 50V 5% NP0 2012 R/TP
		C107	0CH5220K416	22PF 50V 5% NP0 2012 R/TP
		C108	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C109	0CH5220K416	22PF 50V 5% NP0 2012 R/TP
		C1105	0CH5101K416	100PF 50V 5% NP0 2012 R/TP
		C1106	0CH5101K416	100PF 50V 5% NP0 2012 R/TP
		C1107	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1108	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1109	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1110	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1117	0CH5101K416	100PF 50V 5% NP0 2012 R/TP
		C1120	0CH5101K416	100PF 50V 5% NP0 2012 R/TP
		C1124	0CH5101K416	100PF 50V 5% NP0 2012 R/TP
		C1125	0CH5101K416	100PF 50V 5% NP0 2012 R/TP
		C1127	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1128	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1130	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1132	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1136	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1139	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1142	0CH5101K416	100PF 50V 5% NP0 2012 R/TP
		C1143	0CH5101K416	100PF 50V 5% NP0 2012 R/TP
		C120	0CK105DF64A	1UF 2012 16V 20% F(Y5V) R/T
		C122	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C127	0CH5101K416	100PF 50V 5% NP0 2012 R/TP
		C131	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C144	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C146	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C148	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C155	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C157	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C162	0CH5471K416	470PF 50V 5% NP0 2012 R/TP
		C163	0CH5471K416	470PF 50V 5% NP0 2012 R/TP
		C164	0CH5080K116	8PF 2012 50V 0.5 PF NP0 R/T
		C165	0CH5080K116	8PF 2012 50V 0.5 PF NP0 R/T
		C166	0CH5080K116	8PF 2012 50V 0.5 PF NP0 R/T
		C202	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C205	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C207	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C209	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C210	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C211	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C218	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C219	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C220	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C227	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C228	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C101	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1126	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1137	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1138	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C114	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1140	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1141	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1152	0CH5471K416	470PF 50V 5% NP0 2012 R/TP
		C1158	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C135	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C141	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C142	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C143	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C145	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C147	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C229	0CH3104K566	0.1UF 50V 10% X7R 2012 R/TP
		C1118	0CH2103K516	10000PF 50V 10% B(Y5P) 2012
		C112	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C113	0CH2472K516	4700PF 50V 10% B(Y5P) 2012
		C1134	0CH2222K516	2200PF 50V 10% B(Y5P) 2012
		C1135	0CH2222K516	2200PF 50V 10% B(Y5P) 2012
		C1144	0CH2222K516	2200PF 50V 10% B(Y5P) 2012
		C1145	0CH2222K516	2200PF 50V 10% B(Y5P) 2012
		C1146	0CH2222K516	2200PF 50V 10% B(Y5P) 2012
		C119	0CH2103K516	10000PF 50V 10% B(Y5P) 2012
		C204	0CH2334F566	0.33UF 16V 10% X7R 2012 R/T
		C212	0CH2103K516	10000PF 50V 10% B(Y5P) 2012

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		C213	0CH2103K516	10000PF 50V 10% B(Y5P) 2012
		C214	0CH2103K516	10000PF 50V 10% B(Y5P) 2012
		C221	0CH2103K516	10000PF 50V 10% B(Y5P) 2012
		C222	0CH2103K516	10000PF 50V 10% B(Y5P) 2012
		C223	0CH2103K516	10000PF 50V 10% B(Y5P) 2012
		C102	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C104	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C1103	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C1147	0CH2222K516	2200PF 50V 10% B(Y5P) 2012
		C1148	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C1149	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C115	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C1150	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C1151	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C116	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C117	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C118	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C123	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C128	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C129	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C130	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C132	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C133	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C136	0CH2103K516	10000PF 50V 10% B(Y5P) 2012
		C137	0CH2103K516	10000PF 50V 10% B(Y5P) 2012
		C150	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C151	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C152	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C159	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C160	0CH2474F566	0.47UF 16V 10% X7R 2012 R/T
		C100	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C106	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C1100	0CH8106F691	10UF 16V 20% 105STD (CYL) R
		C1101	0CH8106F691	10UF 16V 20% 105STD (CYL) R
		C1102	0CH8106F691	10UF 16V 20% 105STD (CYL) R
		C1104	0CE105WK6DC	1UF MVK 50V 20% R/TP(SMD) S
		C1111	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C1112	0CH8226F691	22UF 16V 20% 105STD (CYL) R
		C1113	0CH8226F691	22UF 16V 20% 105STD (CYL) R
		C1114	0CH8106F691	10UF 16V 20% 105STD (CYL) R
		C1115	0CE225WK6DC	"2.2UF MVK,RC 50V 20% SMD TA"
		C1116	0CH8106F691	10UF 16V 20% 105STD (CYL) R
		C1119	0CH8106F691	10UF 16V 20% 105STD (CYL) R
		C1121	0CE105WK6DC	1UF MVK 50V 20% R/TP(SMD) S
		C1122	0CH8106F691	10UF 16V 20% 105STD (CYL) R
		C1123	0CE105WK6DC	1UF MVK 50V 20% R/TP(SMD) S
		C1129	0CE225WK6DC	"2.2UF MVK,RC 50V 20% SMD TA"
		C1131	0CH8106F691	10UF 16V 20% 105STD (CYL) R
		C1133	0CE227SF6DC	220UF MVG 16V 20% R/TP(SMD)
		C1153	0CE105WK6DC	1UF MVK 50V 20% R/TP(SMD) S
		C1155	0CE105WK6DC	1UF MVK 50V 20% R/TP(SMD) S
		C1156	0CE225WK6DC	"2.2UF MVK,RC 50V 20% SMD TA"
		C1157	0CE225WK6DC	"2.2UF MVK,RC 50V 20% SMD TA"
		C121	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C124	0CH8106F691	10UF 16V 20% 105STD (CYL) R
		C125	0CH8106F691	10UF 16V 20% 105STD (CYL) R
		C126	0CH8106F691	10UF 16V 20% 105STD (CYL) R
		C134	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C139	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C153	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C156	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C158	0CH8106F691	10UF 16V 20% 105STD (CYL) R
		C161	0CE227SF6DC	220UF MVG 16V 20% R/TP(SMD)
		C203	0CE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		C206	0CE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		C208	0CE107WF6DC	100UF MVK 16V 20% R/TP(SMD)
		C215	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C216	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C217	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C224	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C225	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C226	0CE476WF6DC	47UF MVK 16V 20% R/TP(SMD)
		C230	0CE227SF6DC	220UF MVG 16V 20% R/TP(SMD)
		C231	0CE227SF6DC	220UF MVG 16V 20% R/TP(SMD)


DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
<b>DIODES</b>				
		D115	ODD184009AA	KDS184 TP KEC - 85V - - - 3
		D106	ODD184009AA	KDS184 TP KEC - 85V - - - 3
		D100	ODZRM00218A	UDZS8.2B ROHM R/TP SOD323 2
		D101	ODZRM00218A	UDZS8.2B ROHM R/TP SOD323 2
		D102	ODZRM00218A	UDZS8.2B ROHM R/TP SOD323 2
		D103	ODZRM00218A	UDZS8.2B ROHM R/TP SOD323 2
		D104	ODZRM00218A	UDZS8.2B ROHM R/TP SOD323 2
<b>IC</b>				
		IC100	OIMMRAL014B	AT24C02N-10SI-2.7 ATMEL 8P
		IC101	OIMCRSO025A	CXA2181Q SONY 48P QFP TRAY
		IC103	OISO206900A	CXA2069Q QFP64 BK I2C BUS A
		IC102	OIPH740800H	"74F08D 14P,SOIC TP QUAD 2-I"
		IC200	OIMCRSH001A	"PQ05DZ1U SHARP 5, SMD TYPE"
		IC201	OIMCRFA010A	"KA7809R, FAIRCHILD 2P D-PAK"
		IC104	OISTL00024A	"MC14053BDR2G,LF ON SEMI 16P"
<b>COIL &amp; CORE &amp; INDUCTOR</b>				
		L207	6140VB0004B	26UH 1UEWPHY 22.5TURN YL-9N
		L101	6210VC0005A	BK2125 HS 750 TAIYOYUDEN 2X
		L103	6210VC0006A	FBMH3216 HM501NT TAIYOYUDEN
		L105	6210VC0006A	FBMH3216 HM501NT TAIYOYUDEN
		L108	6210TCE001S	HU-1M2012-121 CERATECH 2012
		L110	6210TCE001S	HU-1M2012-121 CERATECH 2012
		L201	6210VC0006A	FBMH3216 HM501NT TAIYOYUDEN
		L202	6210VC0006A	FBMH3216 HM501NT TAIYOYUDEN
		L203	6210VC0006A	FBMH3216 HM501NT TAIYOYUDEN
		L204	6210VC0006A	FBMH3216 HM501NT TAIYOYUDEN
		L205	6210VC0006A	FBMH3216 HM501NT TAIYOYUDEN
		L206	6210VC0006A	FBMH3216 HM501NT TAIYOYUDEN
		L102	6210VC0006A	FBMH3216 HM501NT TAIYOYUDEN
		L106	6210VC0006A	FBMH3216 HM501NT TAIYOYUDEN
		L107	6210VC0006A	FBMH3216 HM501NT TAIYOYUDEN
		L200	6210VC0006A	FBMH3216 HM501NT TAIYOYUDEN
		L100	OLC2232101A	22UH 10% 3216 R/TC FI-D3216
		L104	OLC2232101A	22UH 10% 3216 R/TC FI-D3216
<b>TRANSISTOR</b>				
		Q124	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q100	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q101	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q102	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q103	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q104	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q105	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q106	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q107	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q108	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q109	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q110	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q111	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q112	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q113	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q114	OTR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q115	OTR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q117	OTR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q118	OTR150400BA	CHIP 2SA1504S(ASY) BK KEC -
		Q119	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q120	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q121	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q122	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q123	OTR387500AA	CHIP 2SC3875S(ALY) BK KEC -
		Q138	OTR102009AJ	KRC102S KEC REEL TAPING SOT
		Q139	OTR102009AJ	KRC102S KEC REEL TAPING SOT
		Q141	OTR102009AJ	KRC102S KEC REEL TAPING SOT
<b>RESISTORS</b>				
		R126	ORN1002F409	10K OHM 1/6 W 1.00% TA52

DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R1	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R10	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R100	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R108	ORH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1101	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R1103	ORH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R1104	ORH6801D622	6.8K OHM 1 / 10 W 2012 5.00%
		R1105	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R1108	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R111	ORH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1110	ORH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R1111	ORH6801D622	6.8K OHM 1 / 10 W 2012 5.00%
		R1113	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R1120	ORH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R1121	ORH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R1122	ORH6801D622	6.8K OHM 1 / 10 W 2012 5.00%
		R1128	ORH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R1129	ORH4702D622	47K OHM 1 / 10 W 2012 5.00%
		R1130	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R1131	ORH1003D622	100K OHM 1 / 10 W 2012 5.00%
		R1133	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R1134	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R1135	ORH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R1136	ORH6801D622	6.8K OHM 1 / 10 W 2012 5.00%
		R1137	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R114	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R1141	ORH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R1142	ORH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R1143	ORH6801D622	6.8K OHM 1 / 10 W 2012 5.00%
		R1144	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1145	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R1147	ORH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R115	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R1150	ORH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R1153	ORH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R1154	ORH6801D622	6.8K OHM 1 / 10 W 2012 5.00%
		R1155	ORH3900D622	390 OHM 1 / 10 W 2012 5.00%
		R1156	ORH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R1158	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R116	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R1161	ORH3900D622	390 OHM 1 / 10 W 2012 5.00%
		R1162	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R1163	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1167	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R117	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R1172	ORH1003D622	100K OHM 1 / 10 W 2012 5.00%
		R1175	ORH4702D622	47K OHM 1 / 10 W 2012 5.00%
		R1179	ORH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R1180	ORH0682D622	68 OHM 1 / 10 W 2012 5.00%
		R1185	ORH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R1187	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1189	ORH4703D622	470K OHM 1 / 10 W 2012 5.00%
		R1190	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R1191	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R1192	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R1193	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R1195	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1196	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00%
		R12	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R124	ORH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R125	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R127	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R129	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R13	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R137	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R139	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R14	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R149	ORH4700D622	470 OHM 1 / 10 W 2012 5.00%
		R15	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R154	ORH4700D622	470 OHM 1 / 10 W 2012 5.00%
		R157	ORH4700D622	470 OHM 1 / 10 W 2012 5.00%
		R16	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R186	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R19	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D


DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R192	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R193	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R2	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R4	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R101	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R102	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R103	ORH1002D622	10K OHM 1 / 10 W 2012 5.00%
		R104	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R105	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R106	ORH4703D622	470K OHM 1 / 10 W 2012 5.00
		R107	ORH4703D622	470K OHM 1 / 10 W 2012 5.00
		R109	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R11	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R110	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1100	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R1102	ORH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R1106	ORH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R1107	ORH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R1109	ORH6800D622	680 OHM 1 / 10 W 2012 5.00%
		R1112	ORH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R1114	ORH6800D622	680 OHM 1 / 10 W 2012 5.00%
		R1115	ORH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R1116	ORH3301D622	3.3K OHM 1 / 10 W 2012 5.00
		R1117	ORH1501D622	1.5K OHM 1 / 10 W 2012 5.00
		R1118	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1119	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R112	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1123	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1124	ORH1501D622	1.5K OHM 1 / 10 W 2012 5.00
		R1125	ORH7500D622	750 OHM 1 / 10 W 2012 5.00%
		R1126	ORH7500D622	750 OHM 1 / 10 W 2012 5.00%
		R1127	ORH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R113	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1132	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1138	ORH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R1139	ORH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R1140	ORH5601D622	5.6K OHM 1 / 10 W 2012 5.00
		R1146	ORH5601D622	5.6K OHM 1 / 10 W 2012 5.00
		R1148	ORH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R1149	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1151	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1152	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R1157	ORH5601D622	5.6K OHM 1 / 10 W 2012 5.00
		R1159	ORH2201D622	2.2K OHM 1 / 10 W 2012 5.00
		R1160	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1164	ORH5601D622	5.6K OHM 1 / 10 W 2012 5.00
		R1165	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1166	ORH2200D622	220 OHM 1 / 10 W 2012 5.00%
		R1168	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1169	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R1170	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1171	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1173	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1174	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1176	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1177	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R1178	ORH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R118	ORH4700D622	470 OHM 1 / 10 W 2012 5.00%
		R1181	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1182	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R1183	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R1184	ORH0102D622	10 OHM 1 / 10 W 2012 5.00%
		R119	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R1194	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R120	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R121	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R122	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R123	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R128	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R130	ORH4700D622	470 OHM 1 / 10 W 2012 5.00%
		R131	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R133	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R134	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R135	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%


DATE: 2006. 02. 06.				
*S	*AL	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
		R136	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R138	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R140	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R141	ORH0752D622	75 OHM 1 / 10 W 2012 5.00%
		R145	ORH0102D622	10 OHM 1 / 10 W 2012 5.00%
		R146	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R148	ORH0102D622	10 OHM 1 / 10 W 2012 5.00%
		R150	ORH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R151	ORH6801D622	6.8K OHM 1 / 10 W 2012 5.00
		R152	ORH0102D622	10 OHM 1 / 10 W 2012 5.00%
		R153	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R155	ORH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R156	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R158	ORH6801D622	6.8K OHM 1 / 10 W 2012 5.00
		R159	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R160	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R161	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R162	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R163	ORH1502D622	15K OHM 1 / 10 W 2012 5.00%
		R164	ORH0222D622	22 OHM 1 / 10 W 2012 5.00%
		R165	ORH6801D622	6.8K OHM 1 / 10 W 2012 5.00
		R166	ORH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R167	ORH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R168	ORH1000D622	100 OHM 1 / 10 W 2012 5.00%
		R169	ORH1001D622	1K OHM 1 / 10 W 2012 5.00%
		R17	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R170	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R171	ORH0822D622	82 OHM 1 / 10 W 2012 5.00%
		R172	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R173	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R18	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R187	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R188	ORH2001D622	2K OHM 1 / 10 W 2012 5.00%
		R189	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R190	ORH2001D622	2K OHM 1 / 10 W 2012 5.00%
		R196	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R197	ORH4701D622	4.7K OHM 1 / 10 W 2012 5.00
		R20	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R200	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R3	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R5	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R6	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R7	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R8	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
		R9	ORH0000D622	0 OHM 1 / 10 W 2012 5.00% D
<b>OTHERS</b>				
		SW200	6634D00010D	TASA-H303P LG INNOTEK 75 OH
		X100	6212AB3004D	CSALF2M69G4ZF01-A3 MURATA 2
		X101	6212AB2015A	HC-49/SM4H BUBANG 4MHZ +/-
<b>KEY BOARD</b>				
		SW101	140-313A	TACT 2LEAD 100G(TA) LG C&D
		SW102	140-313A	TACT 2LEAD 100G(TA) LG C&D
		SW103	140-313A	TACT 2LEAD 100G(TA) LG C&D
		SW104	140-313A	TACT 2LEAD 100G(TA) LG C&D
		SW105	140-313A	TACT 2LEAD 100G(TA) LG C&D
		SW106	140-313A	TACT 2LEAD 100G(TA) LG C&D
		SW107	140-313A	TACT 2LEAD 100G(TA) LG C&D
		SW108	140-313A	TACT 2LEAD 100G(TA) LG C&D
		R101	ORH1201D622	1.2K OHM 1 / 10 W 2012 5.00
		R102	ORH3301D622	3.3K OHM 1 / 10 W 2012 5.00
		R103	ORH2002D622	20K OHM 1 / 10 W 2012 5.00%
		R104	ORH7501D622	7.5K OHM 1 / 10 W 2012 5.00
		R105	ORH3301D622	3.3K OHM 1 / 10 W 2012 5.00
		R106	ORH1201D622	1.2K OHM 1 / 10 W 2012 5.00
		R107	ORH2002D622	20K OHM 1 / 10 W 2012 5.00%
		R108	ORH7501D622	7.5K OHM 1 / 10 W 2012 5.00
		ZD101	0DZ510009EE	UDZ S 5.1B TP ROHM SOD323 -
		ZD102	0DZ510009EE	UDZ S 5.1B TP ROHM SOD323 -


















# Video Part



DATA Output Frequencies




DL1:6	DL1:5	DL1:4	DL1:3	DL1:2	DL1:1	DL1:0
11001*	80.103MHz	for 1350/75PP	*) Default 50/PP			
11001*	60.152MHz	for 1024/75PP	*) 47KΩ P/P			
11001*	60.461MHz	for 1024/75PP	*) 47KΩ P/P			
10001*	74.529MHz	for 1500/150P/150V/25P				
01001*	35.819MHz	for 850/48P	*) 47KΩ P/P			
01011*	35.829MHz	for 850/48P				








Audio Part


Digital Audio Out (TO MSP4450-M, MSP4450-S)  
 Digital Audio In (TO HD2-LINE-IN-PVR-B0)































FOR SCREW HOLE SHORT







THE  $\Delta$  SYMBOL MARK OF THIS SCHEMATIC DIAGRAM INCORPORATES SPECIAL FEATURES IMPORTANT FOR PROTECTION FROM X-RADIATION, FLARE AND ELECTRICAL SHOCK HAZARDS. WHEN SERVICING IT IS ESSENTIAL THAT ONLY MANUFACTURES SPECIFIED PARTS BE USED FOR THE CRITICAL COMPONENTS IN THE  $\Delta$  SYMBOL MARK OF THE SCHEMATIC.



THE  SYMBOL MARK OF THIS SCHEMATIC DIAGRAM INCORPORATES SPECIAL FEATURES IMPORTANT FOR PROTECTION FROM X-RADIATION. FILRE AND ELECTRICAL SHOCK HAZARDS. WHEN SERVICING IF IS ESSENTIAL THAT ONLY MANUFACTURES SPECIFIED PARTS BE USED FOR THE CRITICAL COMPONENTS IN THE  SYMBOL MARK OF THE SCHEMATIC.



THE  SYMBOL MARK OF THIS SCHEMATIC DIAGRAM INCORPORATES SPECIAL FEATURES IMPORTANT FOR PROTECTION FROM X-RADIATION, FIRE AND ELECTRICAL SHOCK HAZARDS. WHEN SERVICING IT IS ESSENTIAL THAT ONLY MANUFACTURERS SPECIFIED PARTS BE USED FOR THE CRITICAL COMPONENTS IN THE  SYMBOL MARK OF THE SCHEMATIC.



P/NO : 38289S0043C

Feb., 2006  
Printed in Korea